

This Agreement Made on 20.06-2024 between Executive Engineer, Rural Work Department, Works Division, Belsand of the one part and Sri Ram Swarath Ray, AT-Banku Belahi Lachhi, Distt-Muzaffarpur-843125. Whereas the Employer is desirous that the contractor execute the Works under M/R 3054 Scheme.

Construction of Road With 5 Year maintenance Road from Package No-MR-N/2023-24 Belsand/05 Under M/R 3054 Scheme And the employer has accepted the bid by The Contractor for the execution and completion of such works and remedying of any defects therein at a cost of rupees-78,97,403.00 (Seventy Eight Lakh Ninety Seven Thousand Four Hundred Three Only)

## NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the conditions of contract thereinafter referred to, and they shall be form and be read and constructed as part of this agreement.

2. In consideration of the payments to made by the Employer to the Contractor as herein after mentioned, the contractor hereby covenants with Employer to execute and complete the works and remedy any defects therein in conformity I all aspects with the

provisions of the contract.

3. The Employer hereby covenants to pay the contractor in consideration of the execution and completion of the works and the remedying the defects wherein the contract price or such other sum as may become payable under the provisions of contract at the times and in the manner prescribed by the contract.

4. The following documents shall be deemed to form and be read

and constructed as part of this agreement, viz.

Letter of Acceptance (i)

Notice to proceed with the works (ii)

Contractor's Bid (iii)

Contract Data (iv)

Special condition of contract and general conditions of (v) contract.

राम क्वाकी काए

RWD Works Division

- (vi) Specifications
- (vii) Drawings
- (viii) Bill of Quantities and
- (ix) Any other document listed in the contract Data as froming part the contract

In witness, where of the parties there to have caused this Agreement to be executed the day and year first before written.

The common seal of

Was hereunto affixed in the presence of

Signed, sealed and Delivered by the said

In the presence of

Binding signature of Employer

Binding signature of contractor.

राम कवाका राष्ट्र

Executive Engineer
RWD Works Division
Belsand

## AGREEMENT

Agreement No.

:- 08 MBD / 2024-25

2. Name of Work

:- Construction of Road With 5 Year maintenance of Package No-MR-N/2023-24 Belsand/05 Under M/R 3054 Scheme.

Name of Agency

:- Sri Ram Swarath Ray AT-Banku Belahi Lachhi Distt- Muzaffarpur-843125.

4. Construction Cost :- Q 67.36158 : P

5. Maintanance Cost :- R9 11.61245 =

Total

:- RJ 78.97403:10

6. Performance Security Deposit: - BG- FD CTSI Bank / UCD Bank B 40000 + 234000+ 14000 + 4000 +12500+ 60500=

7. B.G. No. / Bank :-

396000 200

8. Work Allotted rate :- 0. 02 1. (13000)

- The Employer shall retain S.D. of (5 %) of the amount from each payment due to the contractor until completion of the whole of the construction work. No security deposit / retention shall be retained from the payment for routine maintenance of work.
- 10. Date of written order to commence :- 20.8.2024
- 11. Time required for the work from date of written order to commence :-

12. Total No. of Items :- 21 4 21

Note: MBD Rules Terms and condition will be applicable.

241012

Engineer Engineer RWD, Works Division

|          |  | Gisara         | Rayne To | Gisara Villa    |   |              |
|----------|--|----------------|----------|-----------------|---|--------------|
| 19.00    | Block =  | Parsau         |          | Gisara Villa    | ige .   | 7.5          |
| Contract | No: Civil Works/   | rarsay         | nı .     |                 |   |              |
| Bidder   |  |                |          |                 |   |              |
| Name:    |  |                |          | Excess (        | +)  | %            |
| SI.      | Description of work  |                | EDULE O  | F WORKS         |   | -            |
| No.      | The state of the s | No. or<br>Qty. | Unit     |                 | Estimated Rate  | AMOUN<br>Rs. |
| 1.00     | Clearing and Grubbing Road Land (By manual means) including uprooling wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees out earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of EA   | 1 100          | ha       | Figure 76925.08 | Words Rupees Seventy Stx Thousand Nine Hundred Twenty Stx And Paise Eigh Only |              |
| 2.00     | Construction of subgrade and earthen shoulders: Construction of subgrade and earthen shoulders with approved material obtained from borrow pix with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1.  | 479.25         | Cum      | 263.24          | Rupees Two Hundred Skity<br>Three And Palse Twenty<br>Four Only               | 120157.77    |
| 3.00     | WBM Grading 3 (By Mechanical Means )  Providing, leying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 AN in stages to proper grade and camber, applying and brooking, stone acreening to fil-up the intersects of coarse aggregate, watering and prompacting to the niquired density Grading 3 as per Technical Specification Clause 405.  | 21.96          |          |                 | Rupees Five Thousand Six<br>fundred Fifty Eight And<br>laise Sixty Three Only | 61586.10     |
| 4.00     | Construction of dry lean coment concrete. Sub-base over a prepared sub-grade with coarse and fine aggregate conforming to 15: 388, the size of coarse aggregate not exceeding 25 mm, aggregate coment ratio not to exceed 15:1, aggregate gredation after blending to be as per toble 400-1, coment convent not to be less than 150 kg/cmm, optimum moleture content to be determined during trial length construction, concrete strength not to be less than 10 Mpa at 7 days, mixed in a batching plant, transported to site, laid with a power with electronic sensor, compecting with 8-10 tonnes vibratory roller, finishing and owing.   | 12.77          | Cum 4    | Min             | pees Four Thousand<br>e Hundred Seventy Eight<br>I Palse Eighty Sk Only       | 63369.30     |

याम के बाकि की प्राप

Executive Engineer
RWD Works Division
Belsand

| to.  | uescription of work  | No.  |     | Unit |               | Estimated Rate  | AMOUNT<br>Rs. |
|------|--|------|-----|------|---------------|---|---------------|
| 5    | Construction of Panel Concrete, plain coment concrete pavement, thickness as per design over a prepared sub-base with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and line aggregates conforming to 18.383, maximum size of coarse aggregate not exceacing 25 mm, mixed in a concrete hiver of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channe), laying and fixing of 125 micron thick polythene film, wedges, sheel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bers, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14- | 266. |     | Cum  | Figure 10579. |   | ve 2816795.7  |
| 6.00 | days, using ouring compound (where specified) and water finishing to lines and grade as per drawing and Technical Specification Clause 1501  Kilometre stone :- Reinforced cement concrete M15 grade kilometre local stone of standard design aspor IRCS fixing in position including painting and printing , etc as per drawing and technical specification clause 1703. i) km Stone  | 1.00 | nos |      | 3463.82       | Rupees Three Thousand<br>Four Hundred Sixty Three<br>And Palse Eighty Two Only      | 3463.82       |
| 7.00 | ii) 200 m Stone  | 4.00 | mos | 1    | 920.34        | Rupees Nine Hundred<br>Twenty And Palse Thirty<br>Four Only                         | 3661.36       |
|      | Direction and Place Identification signs with size more than 0.9 sqm size board: Retro-reflectorised Traffic SignsProviding and erecting direction and place identification retro-treflectorised sign as per IRC:87 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over atuminium sheeting, 2 mm thick with area exceeding 0.9 sqm supported on mild steel angle iron posts 75 mm x 75 mm x 6 mm, 2 Nos. firmly fixed to the ground by means of properly designed foundation with M-15 grade coment concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and Technical Specification Clause 1701.  | 1.92 | Som | 16   | 393.18        | Rupees Fifteen Thousand<br>Three Hundred Ninety<br>Three And Paise Eighteen<br>Only | 29554.91      |

Rah

राम के गाविताए

M

Executive Engineer RWD Works Division Belsand

| $\neg$ |  | No.    |        | Init     | -      |  |              |
|--------|--|--------|--------|----------|--------|--|--------------|
| 00 1   | Retro-reflected  | Qty    |        |          |        | Estimated Rate                                     | AMO          |
|        | Retro-reflectorised Traffic Signs :-   | 1      | _      |          | Figure |  | R            |
|        | Providing and fixing of retro-reflectorises authorary, mandatory and less                  | 4.00   | 1      | 05 4     | 735.00 | ANOLOR   | 7.1          |
|        | autionary, mandatory and informatory sig   |        |        | 1        |        | This board Letter 1 4000                           | sand 18      |
|        | ss per IRC:67 made of encapsulated len-<br>ype reflective sheeting.                        |        | 1      |          | -      | Seven Hundred Thirty<br>Only                       | Five         |
| - 1    | pe reflective sheeting vide Clause   | 1      |        |          |        | Cally  | -            |
|        |  |        |        | 1.       |        | 1  | 1            |
|        |  |        | 1      |          |        | 1  | 1            |
|        |  |        |        | W        |        |  | 1            |
|        | imily fixed to the ground by means of<br>properly designed foundation with M15             |        | 4      | 11       |        |  | 1            |
| - 1    | grade cement concrete 450 mm x 450 mm  | 1      |        | 11       |        | 1  | 1            |
|        | x 600 mm, 600 mm below ground level as   | 1      | 1      | 1        |        | D.   |              |
| - 1    | per orawings and Technical Specification   |        |        | 1        |        | 10   | 1            |
| - 0    | Clause 801 i) 600 mm equietral & triangle  | 1      |        | 1        |        | 1  | 1            |
| - 17   |  | 1      |        | WA       |        |  | 4            |
|        |  |        | 1      | 1        |        | 1  | 1            |
| 10.00  | 600 mm circular  | 2.00   | 700    | 465      | 7.04   |  |              |
|        |  | 1      | 1      | 43/      | 7.31   | Rupees Four Thousand Fi                            | ve 9154.     |
|        |  | 1      | 1      | 1        |        | Hundred Seventy Sever<br>And Palse Thirty One Only |              |
| 11.00  | 600 mm x 450 mm rectangular  | 4.00   | nos    | 442      | 2.78   | Rupees Four Thousand                               |              |
|        |  | /      | -      | 1 7      | 4.10   | Four Hundred Thirty Two                            |              |
|        |  | -      | 1      |          |        | And Paise Seventy Eight                            |              |
| 12.00  | Printing New Letters and Figures of any  | 528.00 | 3      | 0.7      | 77     | Rupees And Palse Seventy                           |              |
|        | Shade :- Printing new letter and figures of<br>any shade with synthetic enamel paint.      | /      | - 1    | 10 8     |        | Seven Only   | 1            |
|        | black or any other approved colour to give   | -      | height |          | - 1    |  | 1            |
|        | an even shade as per drawings and  | b 1    | 2      | 1        | 1      |  | I 6          |
|        | Technical Specification Clause 1701  | U I    | 8      | 1        | - 1    |  | 1            |
|        | Roed Marking with Hot Applied  | 142.00 | Sam    | 856.5    | 10     | tupees Eight Hundred                               | 125883.00    |
| 13,00  | Thermoplastic :- Providing and laying of   | 242.00 | Julia  | . 650.   |        | ighty Six And Paise Fifty                          | 1,,,,,,,,,,, |
|        | hot applied thermoplastic compound 2.5   |        |        | -        | -10    | Inly   |              |
|        | mm thick including reflectorising glass  |        |        | 100      | - 31   | 102  | 1            |
|        | beads @ 250 gms per som area, thickness<br>of 2.5 mm is exclusive of surface applied       |        | 1 2    | 1        | - 1    | 33   | 1            |
|        | class beads as per IRC:35 .The finished  |        |        |          | - 1    | 1  | - 1          |
|        | surface to be level, uniform and free from   |        |        |          |        |  | 1            |
|        | streams and holes.   | 4.00   | nos    | .12061.4 | 6 R    | pees Twelve Thousand                               | 48245.92     |
| 14,00  | Providing and Fixing 'Logo' of<br>Maintenance Project :- Providing and                     | 4.00   | ""     |          | 89     | dy-One And Palse Forty                             | -            |
|        | faing of typical MMGSY informatory sign  |        | _      | -        | E      | tht Only   |              |
| 1      | board with Logo as per MORD  |        |        |          |        |  |              |
| ŧ.     | specifications and drawing. Three MS<br>Plates of 1.5 min thick, top and middle            |        |        |          | - 1    |  | - 1          |
|        | plate duly welded with MS flat iron 25mm x   | 1      |        |          |        | 1  | - 10         |
|        | Sim sipe on back on edges. The lower   |        |        |          |        | - 1  |              |
|        | glate will be welded with MS angle from<br>frame of 25mm x 25mm x 5mm. The engle           |        |        |          |        | 1  | 1            |
|        | iron frame of the lower most plate and flat  | - 1    |        |          |        | 1  | - 1          |
|        | iron frame of middle plate will be welded to<br>2 nos. 75mm x 75 mm of 12 SWG sheet        |        |        |          | 1      | 1  | 1            |
|        | tubes posts duly embedded in cerrent   |        | 9.3    |          | 1      | - 1  | 1            |
|        | concrete M-15 grade blocks of 450mm x<br>450mm x 500mm, 600mm below ground                 | - 1    | 0.0    |          | 4      | 1  | - 1          |
|        | level. The lop most diamond plate will be  | - 4    | - 1    |          |        | 1  | 1            |
|        | worded to middle plate by 47mm x 47mm  | - 1    |        |          | 1      | - 1  | 1            |
|        | of 12 SWG steel plate tube. All M.S. will<br>be store enameled on both sides.              |        | - 1    |          | 1      | 1  | - 1          |
|        | Lettering and printing arrows, border etc.   |        | 1      |          |        | 1  | 112          |
|        | will be gainted with ready mixed synthetic<br>enamel paint of superior quality in required |        |        |          |        |  | 1            |
|        | shade and colour. All sections of framed   |        | -      |          | 1      | 57/3   | 1            |
|        | posts and stool tube will be painted with  |        |        |          |        |  |              |
|        | primer and two costs of appry paint as par   |        |        |          |        |  |              |
|        | primer and two costs of spory paint as per<br>drawing Clause 1701 and Annexure 1700.1      |        |        |          |        |  |              |

214 24108 XIV

Executive Engineer
RWD Works Division
Belsand

| 15.0     |   | No.<br>Qty   |       | nit |               | Estimated Rate  | _                         |
|----------|---|--------------|-------|-----|---------------|---|---------------------------|
| 16.00    | Glauses 600, 900 and 1208.4   | ing<br>Das . | C     | m   | Figure 6794.8 | Words  Rupees Six Thousan Seven Hundred Minety Fr And Paise Eighty Seven C                            | AMOUN<br>Rs.<br>Sur 58707 |
| 17.00    | book work in sub-structure as can   | 10000        | San   | +   | 272.51        | Rupper T  | mly                       |
|          | Painting Two Coats on New Concret<br>Surfaces: Painting two coats including<br>primer coat after filling the surface with<br>synthetic enamel paint in all shades on<br>now, plastered / concrete surfaces as per<br>drawing and Technical Specification<br>Clause 1701 |              | Sqm   | -   | 36.22         | Seventy Two And Palve Fit<br>One Only<br>Rupees One Hundred Thirt<br>Six And Palse Twenty Two<br>Only | 16481,4                   |
|          | Total cost Of Construction  | -            | -     | _   |               |   |                           |
| 18.00    | Maintainance for 5 year   | 20.00        | Par 3 | 145 | 9.45          | Rupeus Fourteen Thousand  | 34,82,168.97              |
|          | Total Estimated Cost in Figures   |              | -     |     |               | Five Hundred Seventy Nine<br>And Paise Forty Five Only  | 2,91,589.00               |
| 7        | 1% Labour   | _            |       | _   | -             |   | 37,73,757.97              |
| 0        | 18% GST   |              |       | _   | +             |   | 37,737,58                 |
| 21       | TOTAL SEIGNIORAGE FEE   |              |       | -   | +             |   | 6,79,276,43               |
| E e l    | Quoted Amount   |              |       |     | +             |   | 41,700.00                 |
| oted Rat | e in Words  | Punna F      |       |     |               | 45,32,471.98<br>Thirty Two Thousand F   | 45,32,472.00              |

admin 15.01.2024

BOQ ADBroved from Ps. 45, 32, 472.00 (Papers Poutry Five 19k).

for fotal 1 to 21 (twinty one) items only.

सामित स्मित्री

बक्षीक कार्य विभाग, कार्य शंचक

1010172024

15/01/2024

pm 15/61/24

र्गाम केवाकी राष

Executive Engineer RWD Works Division Belsand