

कार्यपालक अभियंता, का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी

पत्रांक 96/अ/ / दिनांक 08/08/24

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सीतामढ़ी।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय:-

शीर्ष बिहार नई अनुरक्षण नीति 2018 (MR 3054) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक इस प्रमंडल अंतर्गत चल रहे नई अनुरक्षण नीति 2018 (MR 3054) में स्वीकृत योजनाओं के विभिन्न कार्यों के लिए संलग्न विवरणी अनुसार भुगतान हेतु आवंटन उपलब्ध कराने की कृपा की जाय।

अनु०:- यथोक्त।

विश्वासभाजन

08/08/24

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सीतामढ़ी।

Requisition Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division RWD, Works Division-Siamarhi

Name of Works Division RWD, Works Division- Siamarhi																		
Sl No	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)			Agreement Amount (in Lakh)		Agreement No Date	Date of Completion as per Agreement	Value of RI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to Date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					5 Years Routine Maintenance (in Lakh)	Initial Rectification With Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	MR-N/2023-24 / Siamarhi/06	Sorpana to Boudh via Rakara and Lohar	31E75189413	LT No. 3411 Dt: 28.06.23	22.400	2344.310	249.180	1583.79556	208.58176	64/MSO/23-24	15.10.2024	3238	25mm	5.00%	421.57451	421.57451	440.00000	
					22.400	2344.310	249.180	1583.79556	208.58176						421.57451	421.57451	440.00000	

1. Signed Hard Copy and Soft Copy (in excel) of required RI is enclosed

2. Up-to date Physical Progress has been uploaded in MIS

Subbar
08/08/24

[Signature]
Secretary, Engineer
W.D. Division,
Siamarhi

[Signature]
08/08/24

FORM GFR 19-A

(See Government of India's Decision (1) below Rule 150)

Form of Utilization Certification up to the month of August 2024

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in Rs.)	Particulars
1	Construction of Rural Road New Maintenance Policy 2018	Up to Date Received Allotment	Rs. 1867558542.00	Certified that out of Rs 1867558542.00 received during the years 2023-24 in favor of Executive Engineer Sitamarhi. Bihar a sum of Rs. 1855690939.00 has been utilized for the purpose of New Maintenance Policy 2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs 11867603.00 remaining unutilized at the end of the period under report
Total:				

2. Certified that I have satisfied myself that the condition on which the grant-in-aid was sanctioned have been duly fulfilled /are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- Works have been supervised by Executive Engineer/Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/Superintending
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer
- All other codal formalities

3. Physical Progress achieved:-

- Construction of Road Works.
- Construction of CD works

21/8/24

08/08/24
Executive Engineer,
R.M. Works,
Sitamarhi.

Office of The Executive Engineer,
Rural Works Department, Works Division, Sitamarhi

Name of Road:- Sonbarsa to Bhutahi via Rajwara and Lokhar

Name of Scheme:- MR(NEW MAINT POLICY)

Name of Contractor:- MS/KABBU KHIRHAR

Length of Road:- 22.40 KM

Project ID:- 316791899473

Package No.- MR-N/2023-24/Sitamarhi/06

Name of Block:- Sonbarsa

Certified that all item wise 100% measurement has been taken by me	Certified that all item wise 50% measurement has been checked by me	Certified that all item wise 10% measurement has been checked by me
--	---	---

[Signature]
7/8/24

Junior Engineer,
Rural Works Department,
Works Section, Sonbarsa
Works Division, Sitamarhi

[Signature]
6/8/24

Assistant Engineer,
Rural Works Department,
Works Sub Division, Sonbarsa
Works Division, Sitamarhi

[Signature]
06/08/24

Executive Engineer,
Rural Works Department,
Works Division, Sitamarhi

Name of Customer: m/s. Abdul Khair
 Name of Work/Road: Jhulahi via Rajwara and Lokhar
 Lab Job number: 1114
 Date: 01/08/2024
 Section No: 43


Test Date: 01/08/2024
 Road Name: Jhulahi via Rajwara and Lokhar
 Machine No: 336
 Road Type: (R) RURAL ROAD
 Start S No:
 Start E No:
 Side:
 Interval:
 Weather:
 UIV Range: 1125 To 5000 mm/km
 Dist Range: 0 To 111 - 01 * 1000 m
 Start Location:
 End Location:
 Equation: test

Print Generate Report and Graph

Redraw Graph

Map View

File C:\Users\Devi\Downloads\REPORT 01-07-24.xlsx, Section No.: 43, Eqp. test
 Name of Customer: m/s. kabou khinjar, Name of Work/Road: Sonbarsa to Bhulahi via Rajwara and Lokhar, Lab



Kumar
6/8/24
72

Shreenuh
6/8/24

Devi
06/08/24

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

6/8/24

Shirana
6/8/24

06/8/22

01-08-2024	15-52-7	43	0.1	270	10.1	2700	2789	G	26.80064	85.61493	Normal			
01-08-2024	15-53-0	43	0.1	300	30.3	3000	3112	G	26.80112	85.61535	Normal			
01-08-2024	15-53-17	43	0.1	270	10.1	2700	2789	G	26.8018	85.61524	Normal			
01-08-2024	15-51-41	43	0.1	300	20.2	3000	3122	G	26.79903	85.61460	Normal			
01-08-2024	15-52-7	43	0.1	310	20.2	3100	3233	G	26.79980	85.61500	Normal			
01-08-2024	15-52-7	43	0.1	340	20.2	3400	3565	G	26.80064	85.61493	Normal			
01-08-2024	15-52-7	43	0.1	270	10.1	2700	2789	G	26.8006	85.61493	Normal			
01-08-2024	15-53-0	43	0.1	300	30.3	3000	3122	G	26.80180	85.61524	Normal			
01-08-2024	15-53-17	43	0.1	270	10.1	2700	2789	G	26.80180	85.6085	Normal			
01-08-2024	16-9-3	43	0.1	370	20.2	3700	3897	G	26.78104	85.6085	Normal			
01-08-2024	16-9-39	43	0.1	300	20.2	3000	3122	G	26.78035	85.60788	Curve			
01-08-2024	16-11-31	43	0.1	340	20.2	3400	3565	G	26.77956	85.60539	Normal			
01-08-2024	16-11-31	43	0.1	330	20.2	3300	3454	G	26.77896	85.60515	Normal			
01-08-2024	16-11-31	43	0.1	330	20.2	3300	3454	G	26.78104	85.6085	Normal			
01-08-2024	16-9-3	43	0.1	370	20.2	3700	3897	G	26.78035	85.60788	Curve			
01-08-2024	16-9-39	43	0.1	300	20.2	3000	3122	G	26.77956	85.60539	Normal			
01-08-2024	16-11-31	43	0.1	340	20.2	3400	3565	G	26.77896	85.60515	Normal			
01-08-2024	16-11-31	43	0.1	330	20.2	3300	3454	G	26.77845	85.60434	Normal			
01-08-2024	16-12-6	43	0.1	260	10.1	2600	2679	G	26.7778	85.60360	Normal			
01-08-2024	16-12-41	43	0.1	320	10.1	3200	3343	G	26.77697	85.60322	Normal			
01-08-2024	16-13-0	43	0.1	330	20.2	3300	3454	G	26.77619	85.60281	Normal			
01-08-2024	16-13-16	43	0.1	320	10.1	3200	3343	G	26.77535	85.60239	Normal			
01-08-2024	16-13-16	43	0.1	330	20.2	3300	3454	G	26.77453	85.60197	Normal			
01-08-2024	16-13-51	43	0.1	340	20.2	3400	3565	G	26.7737	85.6016	Curve			
01-08-2024	16-14-0	43	0.1	330	20.2	3300	3454	G	26.77299	85.60096	Normal			
01-08-2024	16-15-2	43	0.1	310	10.1	3100	3233	G	26.77228	85.60034	Normal			
01-08-2024	16-15-37	43	0.1	320	20.2	3200	3343	G	26.77151	85.59983	Normal			
01-08-2024	16-54-0	43	0.1	300	30.3	3000	3122	G	26.81897	85.62983	Normal			
01-08-2024	16-54-0	43	0.1	360	20.2	3600	3787	G	26.8185	85.62894	Culvert			
01-08-2024	16-54-0	43	0.1	310	10.1	3100	3233	G	26.77228	85.60034	Normal			
01-08-2024	16-15-2	43	0.1	320	20.2	3200	3343	G	26.77151	85.59983	Normal			
01-08-2024	16-15-37	43	0.1	300	30.3	3000	3122	G	26.81897	85.62983	Normal			
01-08-2024	16-54-0	43	0.1	360	20.2	3600	3787	G	26.8185	85.62894	Culvert			
01-08-2024	16-54-35	43	0.1	300	30.3	3000	3122	G	26.81824	85.62805	Normal			
01-08-2024	16-55-0	43	0.1	280	20.2	2800	2900	G	26.81774	85.62705	Curve			
01-08-2024	16-55-10	43	0.1	330	20.2	3300	3454	G	26.81807	85.62529	Normal			
01-08-2024	16-56-0	43	0.1	320	20.2	3200	3343	G	26.81807	85.62529	Normal			
01-08-2024	16-56-21	43	0.1	350	10.1	3500	3676	G	26.81767	85.62441	Curve			

Answer
6/8/24

Answer
6/8/24

Answer
6/8/24

01 08 2024	16 57.31	43	0.1	310	20.2	3100	3233	G	26.817	85.62372	Normal			
01 08 2024	16 56.0	43	0.1	330	20.2	3300	3454	G	26.8181	85.62529	Normal			
01 08 2024	16 56.0	43	0.1	320	20.2	3200	3443	G	26.81807	85.62529	Normal			
01 08 2024	16 56.21	43	0.1	350	10.1	3500	3676	G	26.81767	85.62441	Curve			
01 08 2024	16 57.31	43	0.1	310	20.2	3100	3233	G	26.81700	85.62372	Normal			
01 08 2024	17 0.0	43	0.1	330	20.2	3300	3454	G	26.81668	85.6202	Normal			
01 08 2024	17 0.0	43	0.1	280	20.2	2800	2900	G	26.81726	85.61951	Normal			
01 08 2024	17 0.28	43	0.1	330	20.2	3300	3454	G	26.81781	85.61872	Culvert			
01 08 2024	17 1.0	43	0.1	330	20.2	3300	3454	G	26.81838	85.61795	Normal			
01 08 2024	17 1.3	43	0.1	270	10.1	2700	2789	G	26.81941	85.6163	Normal			
01 08 2024	17 1.38	43	0.1	330	20.2	3300	3454	G	26.81982	85.61535	Normal			
01 08 2024	16 56.0	43	0.1	320	20.2	3200	3343	G	26.81807	85.62529	Normal			
01 08 2024	16 56.21	43	0.1	350	10.1	3500	3676	G	26.81767	85.62441	Curve			
01 08 2024	16 57.31	43	0.1	310	20.2	3100	3233	G	26.81700	85.62372	Normal			
01 08 2024	17 0.0	43	0.1	330	20.2	3300	3454	G	26.81668	85.6202	Normal			
01 08 2024	17 0.0	43	0.1	280	20.2	2800	2900	G	26.81726	85.61951	Normal			
01 08 2024	17 0.28	43	0.1	330	20.2	3300	3454	G	26.81781	85.61872	Culvert			
01 08 2024	17 1.0	43	0.1	330	20.2	3300	3454	G	26.81838	85.61795	Normal			
01 08 2024	17 1.3	43	0.1	310	10.1	3100	3233	G	26.81889	85.61712	Normal			
01 08 2024	17 1.3	43	0.1	270	10.1	2700	2789	G	26.81941	85.6163	Normal			
01 08 2024	17 1.38	43	0.1	330	20.2	3300	3454	G	26.81982	85.61535	Normal			
01 08 2024	17 2.0	43	0.1	340	10.1	3400	3565	G	26.82018	85.61448	Normal			
01 08 2024	17 2.13	43	0.1	330	20.2	3300	3454	G	26.82056	85.6136	Normal			
01 08 2024	17 2.13	43	0.1	300	20.2	3000	3122	G	26.82056	85.6136	Normal			
01 08 2024	17 2.13	43	0.1	280	20.2	2800	2900	G	26.82083	85.61264	Normal			
01 08 2024	17 2.13	43	0.1	240	20.2	2400	2457	G	26.82057	85.61175	Normal			

AVERAGE 32.38

Summar
6/8/24
Swam
6/8/24
06/08/24