कार्यपालक अभियंता का कार्यालय ग्रामीण कार्य विभाग कार्य प्रमण्डल, बाँका-2

पत्रांक 2119 (3/30) बाँका

दिनांक 14/08/2024

प्रेषक,

कार्यपालक अभियंता ग्रामीण कार्य विभाग, कार्य प्रमण्डल, बाँका–2

सेवा में

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव बिहार ग्रामीण पथ विकास अभिकरण, पटना।

विषय:-

शीर्ष राज्य योजना (नाबार्ड) अन्तर्गत पंचवर्षीय अनुरक्षण मद के कार्यों के भुगतान हेतु निधि की अधियाचना के संबंध में।

महाषय.

उपर्युक्त विषयक शीर्ष राज्य योजना (नाबार्ड) अन्तर्गत अनुरक्षण मद अन्तर्गत सड़क के भुगतान हेतू रू० 78428/- (मो० अठहतर हजार चार सौ अठाईस रूपये) मात्र की अधियाचना विहित प्रपत्र में तैयार कर आपके आवश्यक कार्यवाई हेतू समर्पित की जाती है।

अनु0 :- 1. विहित प्रपत्र में आवंटन की मांग।

2. उपयोगिता प्रमाण पत्र।

3. मापी पुस्त की छाया प्रति।

विश्वासभाजन

कार्यपालक अभियंता ग्रा०का०वि०,कार्य प्रमंडल

विका-

Form GFR 19-A

(See Government of India's Decision (1) below rule-15)
Form of utilization Certificate up to the Month July, 2024
NABARD (Maintenances) PIU-RWD(WD)-BANKA-2

SI. No.	Name of Scheme	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars
1	Constructio n of Rural roads under NABARD (Mainten ances)	Fill Number 13/EIC-01-04/2020 Dated 22.05.2020 Fill Number 13/EIC-01-09/2020 Dated 01.02.2021 Fill Number 13/EIC-01-07/2022 Dated 08.09.2022 Fill Number 13/EIC-01-07/2022 Dated 02.03.2023	4.37788 1.06403 3.22442 2.13108	Certified that out of Rs. 10.79741 Lacs received during the years 12-13, 14-15, 16-17 in favour of Ex. Engineer. RWD Bihar RWD-2 Banka a sum of Rs. 10.79741 Lacs has been utilized for the purpose of NABARD schemes as given in the margin for which it was sanctioned and that the balance of Rs. Nil Lacs remaining unutilized at the end of the period under.
	Total		10.79741	

 Certified that I have satisfied mayself that the conditions on which the grantsin-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- (i) Works have been supervised by Executive Engineer/ Superintending Engineer.
- (ii) Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- (iii) Construction material have been tested.
- (iv) Measurement have been recorded in the MBs.
- (v) All other codal formalities have been observed.
- 3. Physical progress achieved :
 - (i) Construction of Road Works.
 - (ii) Construction of CD Works.

Works Division-2 Rural Works Department Executive Engineer
Works Division-2
Rural Works Department

ग्रामीण कार्य विभाग, कार्य प्रमण्डल, बॉका-2 कार्यपालक अभियंता का कार्यालय

जन्मे प्रमद्रमा का			RESTREET B	Melatry Grand	(Billion & Metry Grandle arts odere			1	-	The second second	AND THE PARTY		TTX = 7 (F) () () ()	K-X								
					100000000000000000000000000000000000000		,		R från	पार की तित प्रधान			The state of the s	The second								
HI.	वीजना का जन	Spen and other col	For this	क्षिक वर्ष	send an unfa	office and agent and artific trans and artific for the	作品	THEN SHE FE	office and or	THE REAL PROPERTY AND ADDRESS OF THE PERSON AND PERSONS ASSESSED.	of ref.	A 250 TO	Oversthin oblight	The state of the second	अनुसम्भ हेर्	मूल निर्माण कार्य		arhare	other attention with	nter	1	
		(in state)	No.	all	(ME 4)	(PIS 1) (ANS 1)	(HISS 4)	offit (retor or	fft (estes) th	fer (cost seth	(FREW TIPE)	E CHICAL	प्रमित्त (त्राव्य प्रमित्त (व्याव प्रमित्त (त्राव्य मित्र क्षाचित (त्राव्य मित्र क्षाच्य प्रमित्त क्षाचित प्रमाय वी. मी. की. से.	100		E 60	Delit strt	हिस्सा वर्ष	वृत्तीय वर्ष	प्रमास पर दिलीय गर्प गुरीक गर्म समुद्रे गर्म पत्रम जन कुन सहित जनक	10 元	of the second
1	3	+	46	9	4	DX.	0	-					P. Borre	(to sacro)	TSP6/RSIS	-		Or Relay	(SSE 40)	साक्षा साक्षा (जान्य मा) सामा (जान्य जान्य मी) (जान्य को	App.	P
						0		10	=	12	13 14	15	16	1.00	-						200	
	Control of Control														18	19	200	177	22	23	24	×
Braka-2	Chatra Ghat to Natampair	0.30000	0.60000	0.90099	1.28600	1,40000	4.40900		0.38176 0.65163	,65163	1.0339	1,03339	38425.01,2019	3.19000	35.01.2019	67,03,2020				0.78438		040
	Total																				0.10	0.0928 0.78428

ा कार्य विशिक्षित्या के अभूक्ष्म पूर्ण कर दिखा गया है। 2 पण में MQMLUPQAME से पश्चीत कोई धूबार प्रतिदेवन लंकित गड़ी है। 3 अनुसादित परिवास तिपत्र की युद्ध राति प्रशासनीय श्रीकृति की गति से 20% अधिकतम कीमा के भीतर है सांघा ही अनुसादित परिवास को महा का विस्तार का ति 4 अनुस्तिक – प्रयासनिक श्रीकृति का पत्र, अनुसादित प्रतिमाम तिपत्र एट एक्टरटनाम की अधिकामिता प्रति।

Malls meducinal strain.

The meducinal strain.

The strains of them.

0.78428