

Dimag patakhand ke chilhasu baram me mukhya
mang me Avasthi chati ghat British karon pul ke sthan
pat mang pul nirman.

Schedule XLY Form No. 134.

NOABARD

Bikramganj

PT 372869
DIVISION

Dimag

SUB-DIVISION

Abstract of cost

Measurement Book

599 2ND

सुखी & शिवा

Pvt Ltd

ABSTRACT

16

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	Fig.	L	B	D	
① Clearing and filling					
			P- 25/11	M850	
2-244 2-440 MS			@ 53040/M850		2115
② Dr. metalip					
			also Rec		
			P- 3519	M8574	
12-50 MS			@ 10520-4/MS		13132
③ Dr. metalip					
			also Rec		
			P- 25/10	M8574	
300 MS			@ 2284/MS		68520

④ Const. of curbs					
			P- 3812	M8574	
455 MS			@ 49160/MS		22609
⑤ Const. of curbs					
			P- 2813	M1194	
844 MS			@ 100156/MS		160839
⑥ Const. of Subgrade					
126.21 MS			P- 3811	M8574	
46.40 MS			P- 3812	M8574	
172.61 MS			@ 132.24/MS		33162
⑦ Boundary Gr. 803					
			P- 3812	M8574	
56.25 MS			@ 2054104/MS		162327
				CO	462621

Continuation

[illegible]