

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल-शिवहर।

Mob No.-8986915416

Email ID-eerwdsheohar@gmail.com

पत्रांक:- 1914(अनु) /शिवहर

दिनांक:- 02/12/24

प्रेषक,

ई० चन्दन कुमार भार्गव,
कार्यपालक अभियंता।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :-MR (3054) नई अनुरक्षण नीति 2018 के तहत पथ के अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषयक के संबंध में सूचित करना है कि कार्य प्रमंडल-शिवहर के अंतर्गत MR (3054) New Maintenance Policy 2018 के तहत करायें गये कार्यों के भुगतान हेतु राशि की अधियाचना विहित प्रपत्र में समर्पित की जा रही है।

अनु०- यथोक्त।

विश्वासभाजन



कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, शिवहर।

2.12.24

02.12.2024

FROM GER 19-A
[See Government of India's Decision (I) below reule-150]
Form of Utilization Certificate for the month of up to Nov 2024

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacsRs.)	Amount Received (in lacsRs.)	Particulars
1	Construction of Rural Roads Under MR-3054 New Maintenance Policy 2018	BRRDA Lt. No. 122 Date- 29.10.2024	4880.01671/-	Certified that out of Rs-4880.01671 Lakh of grants in aid sanctioned during the Years-2024 in favour of Executive Engineer, RWD Works Division, Sheohar Rs-4715.01502 Lakh Has been utilized for the purpose of MR-3054 New Maintenance Policy 2018 schemes as given in the margin for which it was sanctioned and that the balance of Rs-165.00169 Lakh remaining unutilized at the end of the period under report.
Total:-			4880.01671/-	

2. Certified that I have satisfied my self that conditions on which the grants –in- aid was sanctioned have been duly fulfilled /are being fulfilled and I have ,exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of Checks exercise.

- (i) Work have been supervised by of Executive Engineer/ Superintending Engineer.
- (ii) periodical inspection has been conducted by of Executive Engineer/ Superintending Engineer.
- (iii) Construction materials have been tested.
- (iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/
Executive Engineer.

3 All other codal formalities.

- (i) Physical progress achieved.
- (ii) Construction of Road works.
- (iii) constructionof CD Works .


 Executive Engineer
 R.W.D .Works Division
 Sheohar.
 02.12.2024

Requisition Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (initial Rectification and Surface Renewal)
Name of Works Division- RWD, Works Division-Sheohar.

Sl. No.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Length (in km)	Administrative Approval		Agreement Amount (in Lakh)		Agreement No. Date	Date of Completion as per agreement	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in lakh)	Up to Date expenditure as per MIS (in Lakh)	Requisition against work done (in lakh)	Remarks
						Amount (in lakh)	5 Years Routine Maintenance (in lakh)	Initial Rectification with Surfacers Renewal (in lakh)	5 Years Routine Maintenance (in lakh)									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/2023-24 Sheohar/02	Belwa Ghat PWD road Sugapipar via Rajdevi Sthan	N316081022004	6120/04.12.2023	5.41	260.86000	51.60000	260.60157	42.9078	MBD/MR-3054/16 of 2023-24 15.03.2024	14.12.2024	3369.6	25	5%	0	0	260.00000	
Total						260.86000	51.60000	260.60157	42.90780						0	0	260.00000	

1. Signed Hard Copy and Soft Copy (in Excel) of recorded IRI is enclosed.
2. Up - to date Physical Progress has been uploaded in MIS.
3. Certificate enclosed

Executive Engineer,
RWD, Works Div. Sheohar
2.12.24
02.12.2024



Name of Customer : RAKESH KUMAR
 Name of Work/ Road : BELWA GHAT PWD ROADSU
 Lab Job number : 138
 Date : 20-11-2024
 Section No. : 28


Test Date : 20-11-2024
 Machine No : 423
 Start S No : BELWA GHA
 Start E No : RAJDEVI AS
 Weather : NORMAL
 Start Location : 0.00
 End Location : 5.350
 Road Name : BELWA GHAT PWD ROADSU
 Road Type : (R) RURAL ROAD
 Side :
 Interval :
 UIV Range : 2086 To 5000 1000 mm/km
 Dist Range : 0 To 5.5 0.1 * 1000 m
 Equation : $Y = 0 * X^2 + 1.136 * X + 132.5$

Print

Generate Report and Graph

Redraw Graph

Map View



[Signature]
 20-11-2024
 IE

[Signature]
 20-11-2024
 AE

[Signature]
 02/12/24

Name of the Road-BELWA GHAT PWD ROADSUGA PIPAR VIA RAJDEVISTHAN

Contractor Name- Rakesh Kumar

Length- 5.350 KM

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UIV	CATEGORY ROAD	IRI	Latitude	Longitude	Event
20/11/24	18:4:27	28	0.1	260	10.1	2600	3086 G	3086 G	4.13	26.55972	85.2248	Normal
20/11/24	18:5:2	28	0.1	280	10.1	2800	3313 G	3313 G	4.4	26.56031	85.22552	Normal
20/11/24	18:5:54	28	0.1	300	20.2	3000	3540 G	3540 G	4.66	26.5609	85.2263	Normal
20/11/24	18:6:38	28	0.1	280	30.3	2800	3313 G	3313 G	4.4	26.56135	85.22715	Normal
20/11/24	18:7:9	28	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.56186	85.22793	Normal
20/11/24	18:7:56	28	0.1	270	30.3	2700	3199 G	3199 G	4.26	26.56244	85.2287	Normal
20/11/24	18:8:19	28	0.1	310	20.2	3100	3654 G	3654 G	4.8	26.56289	85.22955	Normal
20/11/24	18:9:4	28	0.1	270	10.1	2700	3199 G	3199 G	4.26	26.5633	85.23045	Curve
20/11/24	18:9:52	28	0.1	280	20.2	2800	3313 G	3313 G	4.4	26.56318	85.2314	Normal
20/11/24	18:10:24	28	0.1	300	10.1	3000	3540 G	3540 G	4.66	26.56334	85.23236	Normal
20/11/24	18:11:6	28	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.56348	85.23333	Normal
20/11/24	18:11:56	28	0.1	270	20.2	2700	3199 G	3199 G	4.26	26.56358	85.23428	Normal
20/11/24	18:12:34	28	0.1	300	30.3	3000	3540 G	3540 G	4.66	26.56352	85.23534	Normal
20/11/24	18:13:12	28	0.1	280	20.2	2800	3313 G	3313 G	4.4	26.56365	85.23628	Normal
20/11/24	18:13:58	28	0.1	300	30.3	3000	3540 G	3540 G	4.66	26.56352	85.23722	Normal
20/11/24	18:14:33	28	0.1	280	20.2	2800	3313 G	3313 G	4.4	26.56425	85.23764	Normal
20/11/24	18:15:8	28	0.1	270	10.1	2700	3199 G	3199 G	4.26	26.56501	85.23822	Curve
20/11/24	18:15:55	28	0.1	290	10.1	2900	3426 G	3426 G	4.53	26.5658	85.23882	Normal
20/11/24	18:16:44	28	0.1	270	10.1	2700	3199 G	3199 G	4.26	26.56648	85.23941	Normal
20/11/24	18:17:19	28	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.56712	85.24015	Normal
20/11/24	18:18:58	28	0.1	280	30.3	2800	3313 G	3313 G	4.4	26.56751	85.24091	Normal
20/11/24	18:19:29	28	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.56728	85.24185	Normal
20/11/24	18:20:11	28	0.1	270	20.2	2700	3199 G	3199 G	4.26	26.56709	85.24288	Normal
20/11/24	18:20:52	28	0.1	300	30.3	3000	3540 G	3540 G	4.66	26.5669	85.24391	Normal
20/11/24	18:21:28	28	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.56639	85.24448	Normal
20/11/24	18:22:39	28	0.1	310	10.1	3100	3654 G	3654 G	4.8	26.56545	85.24461	Curve
20/11/24	18:23:54	28	0.1	280	20.2	2800	3313 G	3313 G	4.4	26.56465	85.24487	Normal
20/11/24	18:24:22	28	0.1	260	20.2	2600	3086 G	3086 G	4.13	26.56392	85.24537	Normal
20/11/24	18:25:3	28	0.1	280	30.3	2800	3313 G	3313 G	4.4	26.56312	85.24586	Normal
20/11/24	18:25:49	28	0.1	260	20.2	2600	3086 G	3086 G	4.13	26.56254	85.24657	Normal
20/11/24	18:26:35	28	0.1	280	10.1	2800	3313 G	3313 G	4.4	26.56181	85.24695	Normal
20/11/24	18:27:18	28	0.1	300	20.2	3000	3540 G	3540 G	4.66	26.56095	85.24719	Normal
20/11/24	18:28:2	28	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.56007	85.24747	Normal

(R) RURAL ROAD

Good <4000
Average 4001-5000
Poor >5001

$$Y = 0 * X^2 + 1.136 * X + 132.5$$

$$X = 2600$$

$$Y = 3086$$

20/11/24	18:28:49	28	0.1	270	30.3	2700	3199 G	4.26	26.55922	85.24791	Normal
20/11/24	18:29:26	28	0.1	300	20.2	3000	3540 G	4.66	26.55848	85.248	Normal
20/11/24	18:30:1	28	0.1	280	20.2	2800	3313 G	4.4	26.55768	85.24838	Normal
20/11/24	18:30:54	28	0.1	300	20.2	3000	3540 G	4.66	26.5568	85.24815	Normal
20/11/24	18:31:26	28	0.1	290	20.2	2900	3426 G	4.53	26.55639	85.24724	Normal
20/11/24	18:32:12	28	0.1	270	20.2	2700	3199 G	4.26	26.55603	85.24636	Normal
20/11/24	18:33:1	28	0.1	290	30.3	2900	3426 G	4.53	26.55567	85.2454	Normal
20/11/24	18:33:46	28	0.1	270	20.2	2700	3199 G	4.26	26.55536	85.24441	Normal
20/11/24	18:34:22	28	0.1	290	10.1	2900	3426 G	4.53	26.55522	85.24343	Curve
20/11/24	18:35:1	28	0.1	300	20.2	3000	3540 G	4.66	26.55484	85.24273	Normal
20/11/24	18:35:46	28	0.1	280	30.3	2800	3313 G	4.4	26.55399	85.24236	Normal
20/11/24	18:36:33	28	0.1	300	20.2	3000	3540 G	4.66	26.55312	85.24207	Normal
20/11/24	18:37:8	28	0.1	280	10.1	2800	3313 G	4.4	26.55225	85.24187	Curve
20/11/24	18:37:57	28	0.1	300	20.2	3000	3540 G	4.66	26.55132	85.24173	Normal
20/11/24	18:38:39	28	0.1	290	30.3	2900	3426 G	4.53	26.55047	85.24172	Normal
20/11/24	18:39:19	28	0.1	300	20.2	3000	3540 G	4.66	26.54962	85.2414	Normal
20/11/24	18:40:1	28	0.1	290	10.1	2900	3426 G	4.53	26.54872	85.24133	Curve
20/11/24	18:40:49	28	0.1	300	20.2	3000	3540 G	4.66	26.54787	85.24106	Normal
20/11/24	18:41:29	28	0.1	290	20.2	2900	3426 G	4.53	26.54701	85.24076	Normal
20/11/24	18:42:10	28	0.1	270	10.1	2700	3199 G	4.26	26.54636	85.24007	Normal
20/11/24	18:42:58	28	0.1	260	10.1	2600	3086 G	4.13	26.54567	85.23946	Normal

IRI	181956
AVG. IRI	3369.6 G

B-threshold
20-11-2024
AE


20/11/24

20/11/24
20/11/24
20/11/24

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल शिवहर।
प्रमाण-पत्र

विभागीय आदेशानुसार सत्यापित किया जाता है कि शीर्ष 3054 (नई अनुरक्षण नीति 2018) अंतर्गत बेलवा घाट PWD रोड सुगापीपर भाया राजदेवी स्थान पथ निर्माण, प्रोजेक्ट आई०डी०- N316081022004 का मरम्मत कार्य की जाँच 100 प्रतिशत संबंधित कनीय अभियंता, 50 प्रतिशत संबंधित सहायक अभियंता एवं 10 प्रतिशत कार्यपालक अभियंता द्वारा किया गया है।


कनीय अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रशाखा, पिपराही।


20-11-2024
सहायक अभियंता,
ग्रामीण कार्य विभाग,
कार्य अवर प्रमंडल, पिपराही।


कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, शिवहर।