

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, जयनगर

पत्रांक.....1762

जयनगर, दिनांक.....7/12/24

प्रेषक :- कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, जयनगर

सेवा में,
नोडल पदाधिकारी (3054)
ग्रामीण कार्य विभाग
ब्राडा, पटना।


विषय :- **MR-3054 (NMP)** योजनान्तर्गत चल रहे योजनाओं हेतु आवंटन उपलब्ध कराने के सम्बंध में।

महाशय,

उपर्युक्त विषयक के सम्बंध में कहना है कि **MR-3054 (NMP)** योजना हेतु अधियाचना विहित प्रपत्र में आवश्यक कार्रवाई हेतु समर्पित की जाती है।

अनु0- यथोक्त।

विश्वासभाजन




कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, जयनगर

3054) Under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division. Jaynagar

Sl No	Package No	Name of the Road (English)	Project ID as per MIS	Administrative Approval (AA) Letter no Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No & Date	Date Completion as per Agreement	Actual Date of Completion	Value of IRI (In mm/Km)	Thickness of Bitumen Layer (In mm)	Value of Bitumen Content in Percentage	Previous Total Amount (In Lakh)	Up to Date Expenditure as per MIS	Requisition against work done (In Lakh)	Remarks
					Length (in KM)	Amount of Lakh	Initial Rectification and Surface Renewal (in Lakh)	Five Years Routine Maintenance (In Lakh)										
1	2		4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/M/A/JA Y/24/0006	PWD Parsahi to Gariya Sitrampur Danjaia Hote hue Sanpatha	31909712065	Lt-6120 Dt- 04.05.2023	4.645	276.390	166.8782	40.6393	13/MBD/24- 25 30.10.2024	18.07.2025	-	3103	25mm	5.04%	0.0	0.0	166.57304	


 Executive Engineer
 RWD, Works Division, Jaynagar

FORM GFR -19 -A

(see Govt. of India's decision (i) below rule 150)
Form of Utilisation Certificate upto OCT - 2024

Rural Road Maintenance policy-2018


PIU:- R.W.D. Works, Division , Jaynagar

Sl. No.	Name of Scheme	Sanction No.& Date with amount (in Rs. Lakh)	Amount Received (in Rs. Lakh)	Particulars
1	2	3	4	5
1	Construction of Road Under Rural Road Maintenance policy-2018	4316.69785	4316.69785	Certified that out of Rs.4316.69785 Lakh received till date in favour of Ex.Engineer, R.W.D. Works Division, Jaynagar a sum of Rs.4300.91265 Lakh has been utilized for the purpose of Rural Road Maintenance policy-2018 Scheme as given in the margine for which it was sanctioned and that the balance of Rs.15.78520 Lakh remaining unutilized at the end of the period under the time of completion.
		4316.69785	4316.69785	

- 2 Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the propose for which it was sanctioned.

Kind of Checks Exercised :-

- Workers have been supervised by Executive Engineer/ Superintending Engineer
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer
- Construction materials have been tested.
- Measurments have been recorded in the MB's and test check conducted by the Assistant
- All other codal formalities have overserved



Executive Engineer
Rural works Department
Works Division, Jaynagar

प्रमाण-पत्र


शीर्ष :- 3054 एम0 आर0 (बिहार ग्रामीण पथ अनुरक्षण निति-2018)

योजना :- PWD Parsahi Gariya Shrirampur Danjaiya Sanpataha(Package No- RM/MA/JAY/24/0006)

1. मपीपुस्त पर इस आशय का प्रमाण-पत्र दर्ज है कि कार्य गुणवत्तापूर्ण कराया गया है।
2. कराये गये कार्यों के सभी अवयवों के अवयववार 100 प्रतिशत कार्य का दर्ज मापी का सत्यापन कनीय अभियंता, 50 प्रतिशत मापी का सत्यापन सहायक अभियंता एवं 10 प्रतिशत मापी का सत्यापन कार्यपालक अभियंता द्वारा किया गया है।


कनीय अभियंता
कार्य प्रशाखा, बाबूबरही

सहायक अभियंता
कार्य अवर प्रमंडल, बाबूबरही


कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, जयनगर

Sanpataha

AN CONSO. PRIVATE LIMITED

(R) Rural Road

		Good		Average				Poor							
		< 4000		4001 - 5000				> 5000							
Date	Time	Test No	Distance(m)	Total Distance(m)	BUM(P/cm)	Speed(Km/Hr)	U/(mm/Km)	Corrected U (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction	Remarks
05/12/24	15:43:06	74	100	100	11.0 cm	3.1 Km/Hr	1100.0 mm/Km	1216	1.8	Good	26.5408341	N	86.3223051	E	Normal
05/12/24	15:43:52	74	100	200	30.0 cm	6.2 Km/Hr	3000.0 mm/Km	2977	4	Good	26.5413081	N	86.3233321	E	Normal
05/12/24	15:44:16	74	100	300	24.0 cm	14.7 Km/Hr	2400.0 mm/Km	2421	3.33	Good	26.5420081	N	86.3239441	E	Normal
05/12/24	14:44:29	74	100	400	31.0 cm	27.2 Km/Hr	3100.0 mm/Km	3070	4.11	Good	26.5431110	N	86.3239152	E	Normal
05/12/24	14:44:43	74	100	500	33.0 cm	25.4 Km/Hr	3300.0 mm/Km	3255	4.33	Good	26.5437632	N	86.3239458	E	Normal
05/12/24	14:44:56	74	100	600	35.0 cm	26.7 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5445523	N	86.3236882	E	Normal
05/12/24	14:45:10	74	100	700	24.0 cm	25.7 Km/Hr	2400.0 mm/Km	2421	3.33	Good	26.5450155	N	86.3238577	E	Normal
05/12/24	14:45:24	74	100	800	35.0 cm	25.7 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5455225	N	86.3239596	E	Normal
05/12/24	14:45:38	74	100	900	34.0 cm	26.2 Km/Hr	3400.0 mm/Km	3348	4.44	Good	26.5471352	N	86.3233493	E	Normal
05/12/24	14:45:52	74	100	1000	31.0 cm	25.9 Km/Hr	3100.0 mm/Km	3070	4.11	Good	26.5478371	N	86.3234849	E	Normal
05/12/24	14:46:06	74	100	1100	26.0 cm	25.9 Km/Hr	2600.0 mm/Km	2607	3.55	Good	26.5488512	N	86.3234810	E	Normal
05/12/24	14:46:20	74	100	1200	34.0 cm	25.2 Km/Hr	3400.0 mm/Km	3348	4.44	Good	26.5497145	N	86.3232056	E	Normal
05/12/24	14:46:34	74	100	1300	37.0 cm	26.4 Km/Hr	3700.0 mm/Km	3626	4.77	Good	26.5510066	N	86.3227292	E	Normal
05/12/24	14:46:48	74	100	1400	36.0 cm	24.9 Km/Hr	3600.0 mm/Km	3534	4.66	Good	26.5513906	N	86.3225241	E	Normal
05/12/24	14:47:05	74	100	1500	35.0 cm	22.0 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5523208	N	86.3222487	E	Normal
05/12/24	14:47:23	74	100	1600	28.0 cm	19.2 Km/Hr	2800.0 mm/Km	2792	3.78	Good	26.5526826	N	86.3230791	E	Normal
05/12/24	14:47:38	74	100	1700	36.0 cm	24.4 Km/Hr	3600.0 mm/Km	3534	4.66	Good	26.5526906	N	86.3241275	E	Normal
05/12/24	14:47:57	74	100	1800	30.0 cm	19.6 Km/Hr	3000.0 mm/Km	2977	4	Good	26.5527199	N	86.3253472	E	Normal
05/12/24	14:48:12	74	100	1900	35.0 cm	23.1 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5534346	N	86.3256319	E	Normal
05/12/24	14:48:29	74	100	2000	31.0 cm	22.2 Km/Hr	3100.0 mm/Km	3070	4.11	Good	26.5543324	N	86.3260308	E	Normal
05/12/24	14:48:54	74	100	2100	26.0 cm	13.9 Km/Hr	2600.0 mm/Km	2607	3.55	Good	26.5548765	N	86.3263071	E	Normal

Quesad
07/12/2024
7.6

~~Handwritten signature~~

**Executive Engineer
Rural Works Department
Works Division, Jaynagar**

Sanpataha

PAK CONSO. PRIVATE LIMITED

(R) Rural Road

		Good			Average			Poor							
		< 4000			4001 - 5000			> 5000							
05/12/24	14 49 14	74	100	2200	35.0 cm	17.8 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5560354	N	86.3267952	E	Normal
05/12/24	14 49 31	74	100	2300	32.0 cm	21.6 Km/Hr	3200.0 mm/Km	3163	4.22	Good	26.5566023	N	86.3271083	E	Normal
05/12/24	14 49 53	74	100	2400	25.0 cm	16.2 Km/Hr	2500.0 mm/Km	2514	3.44	Good	26.5571360	N	86.3279599	E	Normal
05/12/24	14 50 20	74	100	2500	31.0 cm	13.2 Km/Hr	3100.0 mm/Km	3070	4.11	Good	26.5578510	N	86.3280739	E	Normal
05/12/24	14 50 40	74	100	2600	34.0 cm	17.8 Km/Hr	3400.0 mm/Km	3348	4.44	Good	26.5589472	N	86.3282582	E	Normal
05/12/24	14 50 57	74	100	2700	36.0 cm	20.6 Km/Hr	3600.0 mm/Km	3534	4.86	Good	26.5593901	N	86.3281102	E	Normal
05/12/24	14 51 12	74	100	2800	33.0 cm	23.9 Km/Hr	3300.0 mm/Km	3255	4.33	Good	26.5603901	N	86.3286122	E	Normal
05/12/24	14 51 31	74	100	2900	37.0 cm	19.8 Km/Hr	3700.0 mm/Km	3626	4.77	Good	26.561518	N	86.3292582	E	Normal
05/12/24	14 51 45	74	100	3000	29.0 cm	24.9 Km/Hr	2900.0 mm/Km	2885	3.89	Good	26.5614888	N	86.3303492	E	Normal
05/12/24	14 52 00	74	100	3100	25.0 cm	24.6 Km/Hr	2500.0 mm/Km	2514	3.44	Good	26.5621148	N	86.3311622	E	Normal
05/12/24	14 52 15	74	100	3200	30.0 cm	23.6 Km/Hr	3000.0 mm/Km	2977	4	Good	26.5624019	N	86.3320124	E	Normal
05/12/24	14 52 32	74	100	3300	32.0 cm	22.0 Km/Hr	3200.0 mm/Km	3163	4.22	Good	26.5627443	N	86.3330217	E	Normal
05/12/24	14 52 50	74	100	3400	29.0 cm	19.6 Km/Hr	2900.0 mm/Km	2865	3.89	Good	26.5632267	N	86.3335943	E	Normal
05/12/24	14 53 06	74	100	3500	32.0 cm	22.2 Km/Hr	3200.0 mm/Km	3163	4.22	Good	26.5636065	N	86.3345538	E	Normal
05/12/24	14 53 21	74	100	3600	27.0 cm	23.1 Km/Hr	2700.0 mm/Km	2699	3.67	Good	26.5637999	N	86.3356019	E	Normal
05/12/24	14 53 36	74	100	3700	33.0 cm	24.9 Km/Hr	3300.0 mm/Km	3255	4.33	Good	26.5640697	N	86.3366014	E	Normal
05/12/24	14 53 50	74	100	3800	34.0 cm	25.2 Km/Hr	3400.0 mm/Km	3348	4.44	Good	26.5647187	N	86.3370594	E	Normal
05/12/24	14 54 07	74	100	3900	33.0 cm	21.8 Km/Hr	3300.0 mm/Km	3255	4.33	Good	26.5649415	N	86.3379776	E	Normal
05/12/24	14 54 21	74	100	4000	38.0 cm	25.2 Km/Hr	3800.0 mm/Km	3719	4.88	Good	26.5656295	N	86.3379606	E	Normal
05/12/24	14 54 36	74	100	4100	32.0 cm	24.1 Km/Hr	3200.0 mm/Km	3163	4.22	Good	26.5669145	N	86.3381036	E	Normal
05/12/24	14 54 52	74	100	4200	39.0 cm	22.7 Km/Hr	3900.0 mm/Km	3812	4.99	Good	26.5673321	N	86.3378738	E	Normal
05/12/24	14 55 07	74	100	4300	28.0 cm	22.5 Km/Hr	2800.0 mm/Km	2792	3.78	Good	26.5673322	N	86.3378736	E	Normal

Quesad
07/12/24
J.F

Active Engineers

Rural Works Department

Works Division, JAWNA

Name of customer :	AK CONST. PRIVATE LIMITED
--------------------	---------------------------

(R) Rural Road

					Good		Average				Poor				
					< 4000		4001 - 5000				> 5000				
05/12/24	14.55.23	74	100	4400	31.0 cm	22.9 Km/Hr	3100.0 mm/Km	3070	4.11	Good	26.569652	N	86.33/4166	E	Normal
05/12/24	14.55.39	74	100	4500	37.0 cm	22.5 Km/Hr	3700.0 mm/Km	3626	4.77	Good	26.5710582	N	86.33/6196	E	Normal
05/12/24	14.55.57	74	100	4600	27.0 cm	22.5 Km/Hr	2700.0 mm/Km	2699	3.67	Good	26.5710882	N	86.33/6536	E	Normal
05/12/24	14.56.11	74	100	4700	33.0 cm	22.5 Km/Hr	3300.0 mm/Km	3255	4.33	Good	26.5712582	N	86.33/7876	E	Normal

Avci-3103


Part 1

07/12/2024

44

**Executive Engineer
Rural Works Department
Works Division, Jaynagar**

Name of Customer: AK CONST. PRIVATE LIMITED, Machine no: 19195, Road: PWD Parsahi to Gairya Shrirampur Dangjira hote hne Saupatala, Date: 05-12-24, Section No: 74, Equation: $Y = 0.927 X + 196.3$



Deseg
07/12/24
J.F

Executive Engineer
Rural Works Department
Works Division, Jaynagar

Handwritten signature

