

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, हथुआ।

पत्रांक- 1463

दिनांक- 17-12-2024

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार, ग्रामीण पथ विकास अभिकरण,
बिहार, पटना।

विषय :- योजना शीर्ष MMGSUY (GEN) के अन्तर्गत आवंटन देने के सम्बन्ध में।

महाशय,

उपरोक्त विषय के सम्बन्ध में कहना है कि MMGSUY (GEN) योजना के अन्तर्गत संलग्न विवरणी के अनुसार आवंटन देने की कृपा की जाय। आवंटन अधियाचना प्रमाण-पत्र, उपयोगिता प्रमाण-पत्र, प्रति आवश्यक कार्रवाई हेतु समर्पित की जा रही है।

अनु०- यथोक्त।

विश्वासभाजन,



कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ

Requisition Format for Scheme MMGSUY (General/SC/ST)

Name of the Works Division :-

Sl. No.	Package No.	Project ID as per MIS	Name of Road	AA Length (in km.)	Administrative Approval (construction work) Amount (in Lakh)	Agreement (construction work) Amount (in Lakh)	Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Work Status (WBM/WMM/RM/SDBC etc.)	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content (in %)	Total Previous Allotted Amount (in Lakh)	Upto date Expenditure as per MIS (in Lakh)	Value of Work Done (in Lakh)	Current Demand (in Lakh)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MMGSUY/23-24/Hathua-01	5140710280002	Hathua to Bari Ishar	5.8	570.78	458.67259	06/MBD/20 24-25 dt. 13.09.2024	09.06.2025	-	SDBC	18	25	5	0.00	0.00	390.00	390.00	

It is certified that Physical & Financial Progress has been updated in MIS.

[Signature]
12/11/2024

[Signature]
17.12.24

Senior D.A.O./D.A.O.
RWD, Works Division Hathua.

[Signature]
12.12.24

Executive Engineer
RWD, Works Division Hathua.

Note :-

- 1 Above Signed Copy along with Forwarding Letter & Utilisation Certificate must be uploaded in MIS.
- 2 Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed (As Applicable).

GFR 12-B

[See Rule 256 (2)]

FORM OF UTILIZATION CERTIFICATE

(1) Certified that out of the Loan of **Rs. 216.87000 lac**, Sanctioned under **MMGSUY-GEN**, dated **-17.12.2024**, in favour of **Executive Engineer, RWD Works Division Hathua** during the year **2024-25**, an amount of **Rs. 215.38394 lac** has been utilized for the purpose for which it was sanctioned, and that the balance of **Rs. 1.48606 lac** remaining unutilized at the end of the year **2024-25** has been surrendered to the Government (**vide No.....Nil....., dated.....Nil.....**)/ will be adjusted towards the loan payable during the next financial year.

(2) Certified that I have satisfied myself that the conditions on which the loan was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually spent for the purpose for which the loan was made.

Kinds of checks exercised

- 1.
- 2.
- 3.
- 4.

Signature.....

Designation.....

Date.....

Divisional Accounts Officer
R.W.D. Works Division
Hathua


7.12.24
Executive Engineer
R.W.D. Works Division
Hathua

Name of work		: Hathua to Bari Ishar													
Name of customer		: M/S Kamleshwar Rai													
(R)Rural Road															
Good		Average								Poor					
< 4000		4001 - 5000								> 5000					
Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
17/12/24	17:20:05	125	0	0	0.0 cm	0.0 Km/Hr	0.0 mm/Km	245	0.43	Good	26.4456720	N	84.1611490	E	Normal
17/12/24	17:21:12	125	100	100	18.0 cm	15.0 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.4456720	N	84.1611490	E	Normal
17/12/24	17:21:45	125	100	200	23.0 cm	10.6 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.4456720	N	84.1611490	E	Normal
17/12/24	17:22:14	125	100	300	25.0 cm	12.3 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.3600187	N	84.2983103	E	Normal
17/12/24	17:22:51	125	100	400	22.0 cm	10.0 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.3594732	N	84.2982721	E	Normal
17/12/24	17:23:19	*125	100	500	20.0 cm	12.7 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:24:01	125	100	600	23.0 cm	18.4 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:24:29	125	100	700	20.0 cm	13.1 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:24:54	125	100	800	27.0 cm	13.9 Km/Hr	2700.0 mm/Km	2773	3.75	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:25:18	125	100	900	29.0 cm	15.1 Km/Hr	2900.0 mm/Km	2960	3.98	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:25:40	125	100	1000	25.0 cm	16.2 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:26:00	125	100	1100	25.0 cm	18.1 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:26:43	125	100	1200	23.0 cm	18.6 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:27:13	125	100	1300	24.0 cm	11.5 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:27:44	125	100	1400	18.0 cm	11.7 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:28:09	125	100	1500	19.0 cm	13.9 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:28:25	125	100	1600	20.0 cm	22.7 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:28:40	125	100	1700	18.0 cm	24.1 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:28:55	125	100	1800	25.0 cm	24.4 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:29:10	125	100	1900	14.0 cm	24.0 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:29:33	125	100	2000	20.0 cm	15.9 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.3591890	N	84.2982264	E	Normal

17/12/24

17-12-24

सहायक अभियन्ता
ग्रामीण कार्य विभाग
कार्य खण्ड प्रमंडल, हथुआ

Executive Engineer
R.W.D. Works Division
Hathua

Name of work	: Hathua to Bari Ishar		
Name of customer	: M/S Kamleshwar Rai		
(R)Rural Road			
Good	Average		Poor
< 4000	4001 - 5000		> 5000

17/12/24	17:29:55	125	100	2100	10.0 cm	16.2 Km/Hr	1000.0 mm/Km	1181	1.75	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:30:12	125	100	2200	11.0 cm	19.8 Km/Hr	1100.0 mm/Km	1275	1.88	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:30:39	125	100	2300	25.0 cm	14.2 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:31:26	125	100	2400	14.0 cm	17.5 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:32:10	125	100	2500	16.0 cm	18.2 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:32:38	125	100	2600	17.0 cm	12.4 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:33:12	125	100	2700	20.0 cm	11.0 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:33:31	125	100	2800	12.0 cm	17.4 Km/Hr	1200.0 mm/Km	1368	2	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:33:47	125	100	2900	15.0 cm	23.4 Km/Hr	1500.0 mm/Km	1649	2.36	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:34:06	125	100	3000	17.0 cm	18.8 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:34:21	125	100	3100	13.0 cm	23.6 Km/Hr	1300.0 mm/Km	1462	2.12	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:34:36	125	100	3200	18.0 cm	24.6 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:34:50	125	100	3300	16.0 cm	24.9 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:35:11	125	100	3400	13.0 cm	17.5 Km/Hr	1300.0 mm/Km	1462	2.12	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:35:37	125	100	3500	17.0 cm	13.7 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:36:10	125	100	3600	12.0 cm	11.2 Km/Hr	1200.0 mm/Km	1368	2	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:36:31	125	100	3700	25.0 cm	16.5 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:36:44	125	100	3800	14.0 cm	28.2 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:36:56	125	100	3900	24.0 cm	29.4 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:37:13	125	100	4000	16.0 cm	23.6 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3591890	N	84.2982264	E	Normal
17/12/24	17:51:42	125	100	4100	18.0 cm	20.4 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3297949	N	84.2990427	E	Normal
17/12/24	17:52:50	125	100	4200	15.0 cm	15.3 Km/Hr	1500.0 mm/Km	1649	2.36	Good	26.3294516	N	84.2997751	E	Normal


 17-12-24
Executive Engineer
 R.W.D. Works Division
 Hathua

सहायक अभियन्ता
 ग्रामीण कार्य विभाग
 कार्य अवर प्रमंडल, हथुआ

Name of work : Hathua to Bari Ishar											
Name of customer : M/S Kamleshwar Rai											
(R)Rural Road											
Good			Average			Poor					
< 4000			4001 - 5000			> 5000					
17/12/24	17:53:17	125	100	4300	19.0 cm	12.7 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3288336
17/12/24	17:53:38	125	100	4400	16.0 cm	17.6 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3283091
17/12/24	17:54:05	125	100	4500	19.0 cm	13.7 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3273497

Signature


सहायक अभियन्ता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल, हथुआ

Signature

17-12-24

Executive Engineer
R.W.D. Works Division
Hathua

Name of Customer: M/S Kamleshwar Rai, Machine no: 19193, Road: Hathua to Bari Isbar, Date: 17-12-24, Section No: 125, Equation: $V=0.936X-245.3$



Signature

सहायक अभियन्ता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल, हथुआ

Signature
17-12-24

Executive Engineer
R.W.D. Works Division
Hathua