

**कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमंडल, गोगरी।
E-mail ID.- eerwdgogri@gmail.com**

पत्रांक 4.2.04/अनु0प्र0गोगरी, दिनांक 26/12/024

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, गोगरी ।

सेवा में,

नोडल पदाधिकारी,
3054(MR)
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय:- शीर्ष New Maintenance Policy-2018 under MR-3054 योजना अन्तर्गत राशि का अधियाचना समर्पित करने के संबंध में।

महाशय,

उपर्युक्त विषयक संबंध में कहना है कि शीर्ष New Maintenance Policy-2018 under MR-3054 योजना अंतर्गत कुल मो0 73,69,730=00 रुपये मात्र उपलब्ध कराने की कृपा की जाए। इस पत्र के साथ विहित प्रपत्र में अधियाचना राशि समर्पित की जा रही है।

सूचनार्थ सादर समर्पित।

अनु0- यथोक्त

विश्वासभाजन

Sony/2014/24

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल, गोगरी।

26/12/24

FORM GFR 19-A
(See Government of India's Decision (I) below Rule-150)
Form of Utilization Certificate up to the Dec. 2024
RWD, Works Divisio, Gogri.

Sl. No	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in lacs Rs.)	Particulars
1	Construction of Rural roads New Maintenance Policy-2018 under MR-3054	Previous Allotment	Rs. 6204.57985 Lakh	Certified that out of Rs. 6290.92516 lacs of grants-in-aid sanctioned during the years 2019-20 in favors of E-in-C, RWD Bihar, Patna a sum of Rs. 6290.92516 lacs has been utilized for the purpose of MR(3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 0.00 Lacs remaining unutilized at the end of the period under report.
		1. Letter No. 133, Date - 17.12.2024	Rs. 86.34531 Lakh	
	Total :-		Rs.- 6290.92516 Lakh	

1. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.



Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/ Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- All other codal formalities have been observed.

2. Physical Progress achieved :-

- Construction of Road Works.
- Construction of CD works


D.A.O.
RWD Works, Division, Gogri


Executive Engineer
RWD Works, Division, Gogri


Requisition Formate for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)

Name of Works Division :- Gopri

Sl No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Amount Alloted (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (In km)	Amount of (In Lakh)	Initial Rectification with Surface Renewal (In Lakh)	5 Years Routine Maintenance (In Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/KH/GO G/24/0003	PWD Road Rahim More To (Shri Rampur Turi) to G.N Bandh Rampur (Rahimpur) Kanhaiya Chak Dhala	20904613029	Lt No-6120 Dated 04.12.2023	3.140	164.235	103.36918	48.61030	MBD/2023-24, Date - 14.03.2024	13.12.2024	25.10.2024	2849.152	25.105	5.03	49.91642	49.91642	73.69730	

73.69730

1 Signed Hard Copy and Soft Copy (in Excel) of recorded IRI is enclosed.

2 Up-to-date Physical Progress has been uploaded in MIS.

Executive Engineer

RWD, Works Division,

Gopri

Sat 20/12/24
Baskari
20/12/24

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY	Latitude	Longitude	Event
13/10/24	7:17:19	25	0.1	320	0	3200	3196 G		25.547743	86.727037	Normal
13/10/24	7:17:19	25	0.1	300	20.2	3000	3028 G		25.54744	86.727928	Normal
13/10/24	7:17:19	25	0.1	320	30.3	3200	3196 G		25.547247	86.728905	Normal
13/10/24	7:17:55	25	0.1	270	30.3	2700	2776 G		25.547493	86.729865	Normal
13/10/24	7:18:0	25	0.1	370	30.3	3700	3617 G		25.547185	86.730773	Normal
13/10/24	7:18:0	25	0.1	330	30.3	3300	3280 G		25.546497	86.731565	Normal
13/10/24	7:18:0	25	0.1	310	30.3	3100	3112 G		25.545847	86.732272	Normal
13/10/24	7:18:30	25	0.1	270	30.3	2700	2776 G		25.54512	86.732727	Normal
13/10/24	7:18:30	25	0.1	330	40.4	3300	3280 G		25.544507	86.73347	Normal
13/10/24	7:18:30	25	0.1	300	40.4	3000	3028 G		25.54414	86.734427	Normal
13/10/24	7:19:0	25	0.1	220	40.4	2200	2355 G		25.543853	86.735353	Normal
13/10/24	7:19:5	25	0.1	200	40.4	2000	2187 G		25.543537	86.736245	Normal
13/10/24	7:19:5	25	0.1	190	50.5	1900	2103 G		25.543147	86.736952	Normal
13/10/24	7:19:5	25	0.1	340	20.2	3400	3364 G		25.542647	86.73808	Normal
13/10/24	7:19:40	25	0.1	230	30.3	2300	2439 G		25.542537	86.73904	Normal
13/10/24	7:20:0	25	0.1	260	30.3	2600	2691 G		25.54237	86.74005	Normal
13/10/24	7:20:15	25	0.1	270	30.3	2700	2776 G		25.542282	86.740505	Normal
13/10/24	7:20:15	25	0.1	280	30.3	2800	2860 G		25.54231	86.741935	Normal
13/10/24	7:20:15	25	0.1	330	30.3	3300	3280 G		25.542538	86.74308	Normal
13/10/24	7:20:50	25	0.1	320	30.3	3200	3196 G		25.542555	86.743955	Normal
13/10/24	7:21:0	25	0.1	300	30.3	3000	3028 G		25.541853	86.744713	Normal
13/10/24	7:21:0	25	0.1	330	30.3	3300	3280 G		25.54162	86.744898	Normal
13/10/24	7:21:0	25	0.1	220	20.2	2200	2355 G		25.54047	86.745387	Normal
13/10/24	7:21:26	25	0.1	200	20.2	2000	2187 G		25.539265	86.745353	Normal
13/10/24	7:21:26	25	0.1	250	20.2	2500	2607 G		25.538318	86.745302	Normal
13/10/24	7:22:2	25	0.1	270	20.2	2700	2776 G		25.53752	86.745353	Normal
13/10/24	7:22:2	25	0.1	340	10.1	3400	3364 G		25.53717	86.745875	Normal
13/10/24	7:22:37	25	0.1	220	20.2	2200	2355 G		25.537715	86.74675	Normal
13/10/24	7:22:37	25	0.1	210	30.3	2100	2271 G		25.537723	86.74682	Normal
13/10/24	7:23:0	25	0.1	260	30.3	2600	2691 G		25.537552	86.74803	Normal
13/10/24	7:23:9	25	0.1	240	30.3	2400	2523 G		25.537282	86.749225	Normal
13/10/24	7:23:9	25	0.1	320	30.3	3200	3196 G		25.536957	86.750673	Normal
		Total IRI		91173							
		Average IRI		2849.156							

$Y = 0 * X^2 + 0.841 * X + 505.4$
 $X = 3200$
 $Y = 3196$
 (R) RURAL ROAD
 Good Average Poor
 <4000 4001-5000 >5001

25/10/24
 JE


25/10/24
 AE

20/11/24
 Executive Engineer
 Rural works Department
 Works Division, Gogri

Analyzer

Name of Customer : e and Co. Construction Pvt. Ltd.
Name of Work/ Road : ahimpur) Kanhaiya Chak Dhala
Lab Job number : RM/KH/GOG/24/0003
Date : 13-10-2024
Section No. : 25

Test Date : 13-10-2024
Machine No : 476
Start S No : 0.00 KM
Start E No : 3.140 KM
Weather :
Start Location :
End Location :
Road Name : shimpur) Kanhaiya Chak Dhala
Road Type : (R) RURAL ROAD
Side :
Interval
UIV Range : 1103 To 5000 1000 mm/km
Dist Range : 0 To 3.3 0.1 * 1000 m
Equation : $Y = 0 * X^2 + 0.841 * X + 505.4$



DK
25/10/24
J. T.

20/10/24
A.F.

Sony 20/11/24
R.R.

MR-3054 (New)

MB. No-656

PWD-Road Rahimpur to (Shim Rampur)

24.25

Schedule XLY-Form No. 134

Tutti to G.N. Bondh Rampur (Rahimpur)
Korahiya

44500. 21/2127

DIVISION

3192-44500. 429211

SUB-DIVISION

Satyendra Kumar and Co. Const. Pvt. Ltd

Measurement Book

2nd and final Bill

9

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of work: -					800 Road
Rahimbur more to (Sri)					
remburthuti) to (Sri)					
Banah (Rahimbur Rahimbur)					
Kanahiyachak Chak					
Name of Agency: -					Satyen
dra Kuman and Co. Const					
put Ltd. Addn. 7					tara
tower Exhibition Road					
Behind Republic Hotel					
Patna, Dist. - Patna (Bihar)					
Date of commencement: -					
04-03-2024					
Date of completion: -					
13-12-2024					
Rate @ Rs. 0.40%					
as per agreement					
Agg. No. = 19/01/2023/					
2024					
Record Measurement					
1. Searching the existing bitu					
minious road surface to be					
at 150 mm and disposed of					
searched material. - - -					

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Or - 370 @ 11257.31/ea					349720 - ✓
(17) cent at subgrade and shoulder with approved material - 11 cent job					
Or note in the m.s					
P.no (17) item (5) = 2380.86 m ³					
@ 264.72/m ³					7630261 - ✓
(18) Planting of trees by the road side on 0.6m dia and 1m deep - see cent job					
Or note in the m.s					
P.no (23) item (15) = 9000					
@ 1305.10/ea					1174590 - ✓
					10314538 =
					10355713 = ✓
Add 18% W.S.T and (+)					1959762 = ✓
1% L.Ces					1961586 = ✓
					122743002 = ✓
					12223304 = ✓
Add S.Fee - (+)					32149 = ✓
Add previous S.Fee (+)					88563 = ✓
					12362003 = ✓
Continuation					12411016 = ✓

<u>Material Statement</u>			
26.5 mm to 9.5 mm —			
31.78 m ² @ 90146/m ² — 10%		2865 =	
9.5 mm + 2.36 mm — 22.70 m			
@ 429.97/m ² — 10%		976 =	
2.36 mm — 36.36 m ²			
@ 219.75/m ² — 10%		799 =	
63 mm to 45 mm —			
85.01 m ² @ 992.33/m ² — 10%		8436 =	
11.2 mm — 18.97 m ²			
429.97/m ² — 10%		816 =	

Continuation