

कार्यपालक अभियन्ता का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमण्डल हिलसा (नालन्दा)

पत्रांक...175/अनु०

दिनांक...01-01-2024

प्रेषक,

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल हिलसा ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
ग्रामीण कार्य विभाग,
पटना ।

विषय:- नई अनुरक्षण नीति 2018 शीर्ष MR-3054 योजना मद अन्तर्गत व्यय हेतु आवंटन की माँग के
संबंध में ।

महा आय,

उपर्युक्त विषयक नई अनुरक्षण नीति 2018 शीर्ष MR-3054 योजना मद अन्तर्गत व्यय हेतु विहित प्रपत्र
में अधियाचना पत्र संलग्न कर भेजी जा रही है ।

अतः अनुरोध है कि संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाय । ताकि कराये
गये कार्यों का भुगतान किया जा सके ।

अनु०:- यथोक्त ।

विश्वासभाजन


01.01.24
कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल हिलसा


SI No	Package No	Project ID as Per MIS	Name of Road	Administrative Approval (AA) Letter No & Date	Administrative		Agreement Amount		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of RRI (in mm/km)	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Upto date Expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (Km)	Amount (In Lakh)	Initial Rectification with Surface Renewal	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/NA/HIL/23/0011	10200802026	Ekanagar-Bihar Rd. - Lartnari	2328/04/05.2013	7.23	333.588	214.43385	5.60025	11/MBD/2023-24	19-Jul-23	PHYSICALLY COMPLETE	2289	25.00	5.00	0	0	214.43385	PHYSICALLY COMPLETE
Total					7.23	333.588	214.43385	5.60025							0	0	214.43385	

1 Signed Hard Copy and Soft Copy (In Excel) of recorded IRI is enclosed.
2 Up-to-date Physical Progress has been uploaded in MIS

30/11/24

Executive Engineer
RWD (W) Division III, SA
08/1/24

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)

Form of Utilization Certificate up to the Date 24-DEC-2023

RWD, Works Division ,Hilsa

Sl.No	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in lacs Rs.)	Particulars
1	Construction of Rural roads under NEW MAINTENANCE POLICY (2018)	168WE/16.12.23	7377.71578	Certified that out of Rs. 7377.71578 lacs of grants-in-aid sanctioned during the years 2018-19 in favors of E-in-C, RWD Bihar, Patna a sum of Rs. 7249.74169lacs has been utilized for the purpose of PMGSY-Maint. Schemes as given in the margin for which it was sanctioned and that the balance of Rs.127.97409 lacs remaining unutilized at the end of the period under report.
	Total :	Total -	7377.71578	


2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/ Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- All other codal formalities have been observed.

3. Physical Progress achieved :-


- Construction of Road Works.
- Construction of CD works


B.A.O.
RWD (W), Hilsa


Executive Engineer
RWD (W), Hilsa


20/11/24

File : D:\BRBDA\RW\BUMP REPORT_PICBUMP REPORT\VIJAY\ARUHAN\26121830.Xls, Section No. :83,
 Name of Customer : M/S Bijay Constructions, Name of Work/ Road : Ekanagar-Bihar Rd. - Lathuani, Lab job number



Handwritten signature
 30/01/2024
 A/E Purnapur

Handwritten signature
 30.01.24
 E.E

ROAD NAME- EKANAMAR BIHAR RD - LARHUARI
CONTRACTOR - M/S DISAY CONSTRUCTION

$$y = 0 * x^2 + 0.998 * x + 109.5$$

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	TEGORY ROAD	Latitude	ongitude	Event
30/1/24	15:56:0	83	0.1	180	0	2800	2903 G		25.2086	85.33891	Normal
30/1/24	15:56:35	83	0.1	160	20.2	2100	2205 G		25.20958	85.33872	Normal
30/1/24	15:57:0	83	0.1	210	10.1	2000	2105 G		25.2102	85.33845	Normal
30/1/24	15:57:10	83	0.1	220	10.1	2100	2205 G		25.21062	85.33759	Speed Breaker
30/1/24	15:58:0	83	0.1	180	10.1	2300	2404 G		25.21143	85.33726	Speed Breaker
30/1/24	15:58:21	83	0.1	160	10.1	2300	2404 G		25.21224	85.33704	Speed Breaker
30/1/24	15:59:0	83	0.1	180	10.1	1800	1905 G		25.2131	85.33722	Speed Breaker
30/1/24	15:59:0	83	0.1	230	10.1	1600	1706 G		25.21389	85.33744	Speed Breaker
30/1/24	15:59:30	83	0.1	240	30.3	2400	2504 G		25.2145	85.33687	Curve
30/1/24	15:59:30	83	0.1	230	30.3	2300	2404 G		25.21535	85.33643	Normal
30/1/24	16:0:5	83	0.1	260	20.2	2600	2704 G		25.21616	85.33678	Normal
30/1/24	16:0:5	83	0.1	300	30.3	3000	3103 G		25.21701	85.33695	Normal
30/1/24	16:0:5	83	0.1	220	30.3	2200	2305 G		25.21791	85.33712	Normal
30/1/24	16:0:41	83	0.1	220	10.1	2200	2305 G		25.21854	85.33689	Speed Breaker
30/1/24	16:1:0	83	0.1	180	20.2	3300	3402 G		25.21819	85.33609	Curve
30/1/24	16:1:16	83	0.1	230	40.4	2300	2404 G		25.21838	85.33513	Normal
30/1/24	16:1:16	83	0.1	230	40.4	2300	2404 G		25.21851	85.33411	Normal
30/1/24	16:1:16	83	0.1	180	30.3	1800	1905 G		25.21922	85.33386	Normal
30/1/24	16:1:16	83	0.1	160	40.4	1600	1706 G		25.22012	85.33414	Normal
30/1/24	16:1:51	83	0.1	200	30.3	2000	2105 G		25.22096	85.33449	Normal
30/1/24	16:2:0	83	0.1	210	20.2	2100	2205 G		25.22164	85.33525	Curve
30/1/24	16:2:27	83	0.1	160	20.2	1600	1706 G		25.22247	85.33547	Speed Breaker
30/1/24	16:2:27	83	0.1	220	20.2	2200	2305 G		25.22317	85.33566	Curve
30/1/24	16:2:27	83	0.1	160	40.4	1600	1706 G		25.22402	85.33572	Normal
30/1/24	16:3:2	83	0.1	220	30.3	2200	2305 G		25.22502	85.33483	Normal
30/1/24	16:3:2	83	0.1	290	20.2	2900	3003 G		25.22502	85.33483	Normal
30/1/24	16:3:2	83	0.1	180	40.4	1800	1905 G		25.22463	85.33086	Normal
30/1/24	16:3:2	83	0.1	230	40.4	2300	2404 G		25.22464	85.3319	Normal
30/1/24	16:3:37	83	0.1	240	40.4	2400	2504 G		25.22463	85.33285	Normal
30/1/24	16:3:37	83	0.1	170	40.4	1700	1806 G		25.22453	85.32985	Normal
30/1/24	16:4:0	83	0.1	180	40.4	1800	1905 G		25.22496	85.32911	Curve
30/1/24	16:4:12	83	0.1	280	20.2	2800	2903 G		25.22506	85.32815	Normal
30/1/24	16:4:12	83	0.1	210	30.3	2100	2205 G		25.2258	85.32774	Normal
30/1/24	16:4:48	83	0.1	210	10.1	1700	1806 G		25.22663	85.32766	Normal
30/1/24	16:5:0	83	0.1	180	10.1	1800	1905 G		25.22756	85.32779	Normal
30/1/24	16:5:23	83	0.1	170	20.2	2800	2903 G		25.22794	85.32709	Normal
30/1/24	16:5:23	83	0.1	180	30.3	2800	2903 G		25.2282	85.32614	Normal
30/1/24	16:6:0	83	0.1	250	30.3	2500	2604 G		25.22824	85.3252	Speed Breaker
30/1/24	16:6:0	83	0.1	260	20.2	2600	2704 G		25.2289	85.3247	Curve
30/1/24	16:6:0	83	0.1	210	20.2	2100	2205 G		25.22972	85.32473	Normal

30/01/2024
At Panwaphr

dr. J. E

30/1/24	16:6:34	83	0.1	200	40.4	2000	2105 G	25,2306	85,32475	Normal
30/1/24	16:6:34	83	0.1	190	30.3	1900	2005 G	25,23159	85,3248	Normal
30/1/24	16:6:34	83	0.1	200	40.4	2000	2105 G	25,23238	85,32451	Normal
30/1/24	16:7:0	83	0.1	170	40.4	1700	1806 G	25,23331	85,32443	Normal
30/1/24	16:7:9	83	0.1	160	40.4	1600	1706 G	25,23421	85,32453	Normal
30/1/24	16:7:9	83	0.1	180	30.3	1800	1905 G	25,2345	85,32365	Normal
30/1/24	16:7:9	83	0.1	190	30.3	1900	2005 G	25,23526	85,32365	Normal
30/1/24	16:7:44	83	0.1	190	40.4	1900	2005 G	25,23612	85,32345	Normal
30/1/24	16:7:44	83	0.1	220	40.4	2200	2305 G	25,23703	85,32354	Normal
30/1/24	16:8:0	83	0.1	240	30.3	2400	2504 G	25,23776	85,32409	Normal
30/1/24	16:8:0	83	0.1	250	30.3	2500	2604 G	25,23861	85,32386	Normal
30/1/24	16:8:19	83	0.1	250	20.2	2200	2305 G	25,23944	85,32384	Normal
30/1/24	16:8:19	83	0.1	250	20.2	2500	2604 G	25,24024	85,32359	Normal
30/1/24	16:9:0	83	0.1	190	20.2	1900	2005 G	25,24111	85,32367	Culvert
30/1/24	16:9:0	83	0.1	200	40.4	2000	2105 G	25,24194	85,32359	Normal
30/1/24	16:9:0	83	0.1	190	40.4	1900	2005 G	25,24288	85,32359	Normal
30/1/24	16:9:0	83	0.1	170	30.3	1700	1806 G	25,24376	85,32362	Normal
30/1/24	16:9:30	83	0.1	210	40.4	2100	2205 G	25,24465	85,32348	Normal
30/1/24	16:9:30	83	0.1	200	30.3	2000	2105 G	25,24541	85,32325	Normal
30/1/24	16:10:0	83	0.1	220	30.3	2200	2305 G	25,24524	85,32226	Normal
30/1/24	16:10:5	83	0.1	200	30.3	2000	2105 G	25,24536	85,32128	Normal
30/1/24	16:10:5	83	0.1	190	10.1	2500	2604 G	25,2452	85,32034	Speed Breaker
30/1/24	16:10:41	83	0.1	170	10.1	1900	2005 G	25,24515	85,31934	Speed Breaker
30/1/24	16:11:16	83	0.1	210	10.1	1700	1806 G	25,24493	85,3185	Speed Breaker
30/1/24	16:12:0	83	0.1	220	10.1	1800	1905 G	25,24424	85,31818	Normal
30/1/24	16:12:0	83	0.1	170	20.2	1900	2005 G	25,24464	85,31731	Normal
30/1/24	16:12:26	83	0.1	310	20.2	3483	3585 G	25,24474	85,31636	Normal
30/1/24	16:14:12	83	0.1	190	20.2	2800	2903 G	25,24458	85,31551	Normal
30/1/24	16:14:12	83	0.1	170	10.1	2500	2604 G	25,24404	85,31483	Curve
30/1/24	16:14:48	83	0.1	210	10.1	1800	1905 G	25,2438	85,31396	Speed Breaker
30/1/24	16:15:0	83	0.1	190	20.2	1900	2005 G	25,24317	85,31343	Normal
30/1/24	16:15:11	83	0.1	310	20.2	3483	3585 G	25,24474	85,31638	Normal
TOTAL=							167101			
IRI=							2289			

30/01/2024
AE Formafur

30.01.24
E.E.