

**कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, रजौली।**

Mob No.: 8986915851.

Email I.D.: - eerwdrajauli@gmail.com

पत्रांक.....175... (3170)

रजौली / दिनांक...16/02/2024

प्रेषक,

ई0 अरविन्द कुमार,
कार्यपालक अभियंता।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण, पटना।

विषय :- नई अनुरक्षण नीति-2018 योजनान्तर्गत आवंटित राशि का उपयोगिता प्रमाण पत्र तथा आवंटन अध्याचना के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है, कि इस प्रमंडल के अधीन नई अनुरक्षण नीति-2018 योजनान्तर्गत पथों में चल रहे कार्य के भुगतान हेतु विहित प्रपत्र में माँग पत्र एवं उपयोगिता प्रमाण पत्र संलग्न करते हुए आग्रह है, कि आवंटन उपलब्ध कराने की कृपा की जाय ताकि कराये गए कार्यों का भुगतान किया जा सके।

अनु० :- यथोक्त।

विश्वासभाजन,


16.02.24

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, रजौली।

Requisition format for Scheme Head :- MR (3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)

Name of Works Division : RWD (W) Division, Rajauli

Sl	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount		Agreement No. & Date	Date of Completion as per Agreement	Actual date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance in Lakh										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/NA/RAJ/22/0001	RUPPO KAWAKOL ROAD TO SADIPUR	15271035238	851/18.02.2022	2.245	118.12	77.66685	26.7787	01/MR-3054/MBD/2022-23	17.07.2023	-	2980.13	25	5.000	0	0	73.78350	
2	RM/NA/RAJ/23/0015	Roh - Seor Road (village Anaila) to Kathara Road via Partapur	10502601031	1942/29.03.2023	6.35	314.55	224.03435	64.1568	09 MR-3054/MBD/2023-24	04.07.2024	-	3020.30	25	5.000	0	0	212.83263	
Total														0.00000	0.00000	286.61613		

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.

FORM GFR 19-A

(See Government of India's Decision (1) below Rule 150)

Form of Utilization Certificate up to the Month of **13-FEBRUARY-2024**.

S. No	Name of Scheme	Sanction No. & Date with Amount (In Rs.lacs)	Amount Received (In Rs.Lacs)	Decrease (In Lacs)	Particulars
1	Bihar Rural Roads New Maint. Policy 2018	As on 25-MARCH-2023	3787.76798	137.05028	Certified that out of Rs. 6333.05162 Lakh received during the Financial Year 2023-24 (27-JANUARY-24) in favour of Executive Engineer, RWD (W) Division, Rajauli, Bihar out of which a sum of Rs. 6071.43370 Lakh has been utilized for the purpose of New Maintenance Policy 2018 Under MR3054 Scheme as given in the margin for which it was sanctioned and Rs. 159.16051 has been surrendered and that the balance of Rs. 102.45741 Lacs remaining unutilized at the end of the said period.
2		Lt. 63 Dt 13.04.23	20.97956	22.11023	
3		Lt. 31 Dt 31.05.23	89.44542		
4		Lt. 78 Dt 24.05.23	198.63594		
5		Lt. 84 Dt 08.06.23	126.74006		
6		Lt. 85 Dt 14.06.23	129.82321		
7		Lt. 92 Dt 28.06.23	613.59155		
8		Lt. 100 Dt 14.07.23	126.21474		
9		Lt. 113 Dt 14.08.23	247.90635		
10		Lt. 117 Dt 28.08.23	24.11419		
11		Lt. 120 Dt 04.09.23	46.69588		
12		Lt. 129 Dt 27.09.23	131.84459		
13		Lt. 136 Dt 10.10.23	101.11183		
14		Lt. 147 Dt 07.11.23	83.40053		
15		Lt. 151 Dt 10.11.23	144.37968		
16		Lt. 155 Dt 21.11.23	104.92788		
		Lt. 159 Dt 29.11.23	37.50471		
		Lt. 14 Dt 06.02.24	317.96752		
			6333.05162	159.16051	

6173.89111

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineers/Superintending Engineer.
- Periodic inspection has been conducted by Executive Engineer/Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant.
- All other codal formalities have been observed.

Physical Progress achieved :-

- Construction of Road Works
- Construction of CD Works

Executive Engineer,
Rural Works Department,
Works Division, Rajauli.

Name of Road- Roh-Seor Road (Village Anaila) to Kathara Road via Partapur												
Batch No- RM/NA/RAJ/23/0015												
Name of Contractor-Ranjeet Kumar												
Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UIV	TEGORY ROAD	IRI	Latitude	Longitude	Event
13/2/24	16:18:10	41	0.1	980	10.1	2800	2745	G	7.45	24.65341	85.40535	Normal
13/2/24	16:18:45	41	0.1	550	10.1	2500	3073	G	6.43	24.65278	85.40473	Normal
13/2/24	16:19:0	41	0.1	460	20.2	3600	3304	G	5.55	24.65214	85.40394	Speed Breaker
13/2/24	16:19:20	41	0.1	500	30.3	3000	2646	G	5.94	24.65145	85.40335	Normal
13/2/24	16:19:20	41	0.1	520	20.2	2200	3817	G	6.14	24.65074	85.40285	Normal
13/2/24	16:19:56	41	0.1	440	20.2	2400	3134	G	5.36	24.65000	85.40239	Curve
13/2/24	16:20:0	41	0.1	310	30.3	2100	3023	G	4.05	24.64913	85.40221	Normal
13/2/24	16:20:31	41	0.1	290	30.3	2900	2853	G	3.85	24.64829	85.40234	Normal
13/2/24	16:20:31	41	0.1	250	20.2	2500	2511	G	3.43	24.64766	85.40199	Normal
13/2/24	16:21:0	41	0.1	330	30.3	2300	3194	G	4.25	24.64749	85.40108	Speed Breaker
13/2/24	16:21:6	41	0.1	320	30.3	2200	3109	G	4.15	24.64753	85.40005	Normal
13/2/24	16:21:6	41	0.1	310	30.3	2100	3023	G	4.05	24.64696	85.39938	Normal
13/2/24	16:21:6	41	0.1	270	30.3	2700	2682	G	3.64	24.64618	85.39899	Curve
13/2/24	16:21:41	41	0.1	300	30.3	3000	3938	G	3.95	24.64538	85.39859	Normal
13/2/24	16:21:41	41	0.1	270	30.3	2700	2682	G	3.64	24.64455	85.39811	Speed Breaker
13/2/24	16:22:0	41	0.1	280	20.2	2800	3767	G	3.74	24.64379	85.39769	Normal
13/2/24	16:22:17	41	0.1	550	20.2	2500	3073	G	6.43	24.64305	85.39712	Normal
13/2/24	16:22:52	41	0.1	600	10.1	3000	2500	G	6.91	24.64183	85.3964	Normal
13/2/24	16:23:0	41	0.1	640	20.2	3400	3842	G	7.29	24.64115	85.39586	Normal
13/2/24	16:23:27	41	0.1	220	30.3	2200	2255	G	3.12	24.64053	85.39519	Normal
13/2/24	16:23:27	41	0.1	250	40.4	2500	2511	G	3.43	24.63982	85.39458	Normal
13/2/24	16:24:3	41	0.1	350	20.2	3500	3365	G	4.46	24.63916	85.39392	Normal
13/2/24	16:24:3	41	0.1	250	30.3	2500	2511	G	3.43	24.63861	85.39322	Normal
13/2/24	16:24:38	41	0.1	230	20.2	2300	2340	G	3.22	24.63782	85.39281	Curve
13/2/24	16:25:0	41	0.1	260	30.3	2600	3596	G	3.54	24.63718	85.39219	Normal
13/2/24	16:25:13	41	0.1	300	30.3	3000	2938	G	3.95	24.63633	85.39178	Normal
13/2/24	16:25:13	41	0.1	290	30.3	2900	3853	G	3.85	24.6355	85.39145	Normal
13/2/24	16:26:0	41	0.1	250	30.3	2500	2578	G	3.43	24.63484	85.39088	Normal
13/2/24	16:26:24	41	0.1	250	30.3	2500	3511	G	3.43	24.63414	85.39022	Normal
13/2/24	16:26:24	41	0.1	260	20.2	2600	2596	G	3.54	24.63333	85.38958	Normal
13/2/24	16:27:0	41	0.1	420	10.1	3200	3963	G	5.16	24.63257	85.38914	Normal
13/2/24	16:27:0	41	0.1	240	30.3	2400	2426	G	3.33	24.63175	85.38931	Normal
13/2/24	16:27:1	41	0.1	290	30.3	2900	2853	G	3.85	24.63087	85.38918	Normal
13/2/24	16:27:20	41	0.1	290	30.3	2900	2853	G	3.85	24.63006	85.38862	Normal
13/2/24	16:27:30	41	0.1	260	30.3	2600	2596	G	3.54	24.62938	85.38813	Normal
13/2/24	16:27:42	41	0.1	220	30.3	2200	2255	G	3.12	24.62852	85.38795	Normal

16.02.24
 JE
 16.02.24
 JE


13/2/24	16:27:50	41	0.1	250	30.3	2500	2511	G	3.43	24.62763	85.38774	Normal						
13/2/24	16:28:6	41	0.1	350	20.2	3500	3365	G	4.46	24.62675	85.38761	Curve						
13/2/24	16:28:17	41	0.1	260	20.2	2600	3596	G	3.54	24.62625	85.38838	Curve						
13/2/24	16:28:22	41	0.1	270	30.3	2700	2682	G	3.64	24.62548	85.3888	Normal						
13/2/24	16:28:26	41	0.1	340	20.2	3400	3280	G	4.36	24.62496	85.38951	Normal						
13/2/24	16:28:30	41	0.1	500	20.2	3000	2646	G	5.94	24.62459	85.39040	Normal						
13/2/24	16:28:41	41	0.1	580	10.1	3800	2329	G	6.72	24.62383	85.39025	Normal						
13/2/24	16:28:52	41	0.1	540	10.1	3400	2988	G	6.33	24.62295	85.39024	Normal						
13/2/24	16:29:13	41	0.1	510	20.2	3100	3731	G	6.04	24.62208	85.39000	Normal						
13/2/24	16:29:20	41	0.1	290	30.3	2900	2853	G	3.85	24.62124	85.38978	Normal						
13/2/24	16:29:35	41	0.1	340	20.2	3400	3280	G	4.36	24.6204	85.38951	Normal						
13/2/24	16:29:46	41	0.1	330	20.2	3300	3194	G	4.25	24.61953	85.38948	Normal						
13/2/24	16:29:50	41	0.1	350	20.2	3500	3365	G	4.46	24.61862	85.38928	Normal						
13/2/24	16:30:18	41	0.1	370	20.2	3700	3536	G	4.52	24.61798	85.3886	Normal						
13/2/24	16:30:29	41	0.1	370	20.2	3700	3536	G	4.66	24.61739	85.38793	Normal						
13/2/24	16:30:35	41	0.1	250	30.3	2500	2511	G	3.43	24.61671	85.38737	Curve						
13/2/24	16:30:50	41	0.1	220	20.2	2200	3255	G	3.12	24.61589	85.38689	Normal						
13/2/24	16:31:45	41	0.1	250	20.2	2500	2511	G	3.43	24.61507	85.38655	Normal						
13/2/24	16:31:53	41	0.1	290	20.2	2900	2853	G	3.85	24.61429	85.38621	Normal						
13/2/24	16:32:24	41	0.1	360	20.2	3600	3450	G	4.56	24.61347	85.38571	Normal						
13/2/24	16:32:35	41	0.1	620	10.1	3200	2671	G	7.10	24.61278	85.3851	Normal						
13/2/24	16:32:46	41	0.1	590	10.1	3900	3415	G	6.81	24.61200	85.38473	Curve						
13/2/24	16:33:0	41	0.1	570	20.2	3700	2244	G	6.62	24.61118	85.38434	Normal						
13/2/24	16:33:28	41	0.1	520	10.1	3200	3817	G	6.14	24.61009	85.38345	Normal						
13/2/24	16:33:49	41	0.1	640	20.2	3400	2842	G	7.29	24.60957	85.38266	Normal						
13/2/24	16:34:30	41	0.1	580	10.1	3800	3385	G	6.52	24.60905	85.38192	Normal						
13/2/24	16:34:41	41	0.1	580	20.2	2800	3329	G	6.72	24.6082	85.38163	Normal						
13/2/24	16:34:52	41	0.050	80	10.1	3000	2208	G	8.79	24.60786	85.38135	Normal						
Total		6.350	24000.00	1464.50	185200.00	193299.00												
Average			375.00	22.88	2893.75	3020.30												

km/h
16/2/24
5/2

km/h
16/2/24
5/2

16.12.24
EC

File : E:\Manish\Maintenance Bump Data of Rajauli\Ranjeet Chariman 15.05.2023\13.02.2024\13022024.xls, Section
Name of Customer : Ranjeet Kumar, Name of Work/ Road : Roh-Seor Road(Village Anaila) to Kathara Road via

[illegible]

Distance = 1000 m

16/02/24
16/02/24
16/02/24

16/02/24
A.E.

Handwritten signature: *Handwritten signature*