कार्यपालक अभियन्ता का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमंडल, बाढ़

पत्रांक 2 2 5 / बाढ़ / दिनांक ... 16.02.2024

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल बाढ़।

सेवा मे.

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव, बिहार ग्रामीण पथ विकास अभिकरण, पटना।

विषय :- नई अनुरक्षन नीति-2018 योजना अन्तर्गत आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है, कि नई अनुरक्षन नीति—2018 योजना अन्तर्गत आवंटन उपलब्ध कराने हेतु विहित प्रपत्र में मॉग पत्र तैयार कर आवश्यक कार्रवाई हेतु संलग्न कर समर्पित की जा रही हैं।

अनु0-यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता ग्रामीण कार्य विभाग, कार्य प्रमुख्न, बाढ़।

FORM GFR 19-A

(See Government of India's Decision (1) below Rule-150)
Form of Utilization Certificate up to the month of **February 2023**

New Maintenance Policy 2018

State – Bihar PIU – E.E., R.W.D., Works Div, Barh

SI.	Sanction No. & D	ate with Amount	Amount Receiv	ed Particulars
No.	(in Rs.		(in Rs. lacs)	
1	Lt. No. 0	05 Dt. 12.01.2021	30.25	000 Certified that out of Rs.
		20 Dt. 19.03.2021	26.56	520 3978.21661 lacs received during
1 14	Lt. No. 2	23 Dt. 26.03.2021	39.06	801 the year 2020-21 to 2023-24in
ï		27 Dt. 04.05.2021	6.92	496 favour of E-in-C, RWD, Bihar
2		30 Dt. 21.05.2021	189.09	
1	Lt. No. 6	64 Dt. 06.12.2021	117.75	118 Patna a sum of 3974.77692 lacs
	Lt. No.0	2 Dt. 03.01.2022	44.17	
18	Lt. No.0	5 Dt. 25.01.2022	135.69	835 of New Maintenance Policy
	Lt. No.1	0 Dt. 21.02.2022	330.22	2018 Schemes as given in the
	Lt. No.1	3 Dt. 28.02.2022	241.97	margin for which it was
	Lt. No.2	0 Dt. 14.03.2022	9.07	sanctioned and that the balance
	Lt. No. 2	22 Dt. 16.03.2022	24.62	
		25 Dt. 17.03.2022	44.73	of Rs 3.43969 Lacs remaining
5,515		35 Dt. 25.03.2022	(3.86	560) unutilized at the end of the period
		43 Dt. 08.04.2022	(0.40	
		46 Dt. 13.04.2022	1.29	9888
		01 Dt. 25.05.2022	290.86	8867
		03 Dt. 08.06.2022	68.36	
		22 Dt. 08.08.2022	239.12	
		35 Dt. 13.10.2022	332.66	6614
		41 Dt. 26.10.2022	35.01	1849
		48 Dt. 30.11.2022	16.27	
14.1		.04 Dt. 10.01.2023	128.14	4300
		. 09 Dt. 23.01.2023	32.04	4782
		. 19 Dt. 14.02.2023	181.83	3614
		. 24 Dt. 23.02.2023	31.54	4905
		.35 Dt.14.03.2023	63.37	7665
	Lt. No	. 53 Dt. 25.03.2023	50.72	2602
	Lt No	. 63 Dt 13.04.2023	86.5	1176
	Lt. No	o. 74 Dt.16.05.2023	0.3	2294
		. 78 Dt. 24.05.2023	32.7	7197
		. 84 Dt. 08.06.2023	16.7	0379
1		. 85 Dt. 14.06.2023	194.6	7715
Δ :		106 Dt. 02.08.2023	125.2	4040
	Lt. No.	113 Dt. 14.08.2023	21.7	4968
1 3	Lt. No.	126 Dt. 18.09.2023	31.6	4743
	Lt. No.	129 Dt. 27.09.2023	85.5	6633
1		136 Dt. 10.10.2023	308.8	3680
N. 100	Lt. No.	151 Dt. 10.11.2023	11.1	9599
		159 Dt. 29.11.2023		37543
	Lt. No.	164 Dt. 06.12.2023	89.9	95494
		167 Dt. 16.12.2023	(-13.36	6368)
		No. Dt. 06.02.2024	75.7	72073
	Total	The state of the state of	3978.2	1661
		tan in the second		

Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned
have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that
the money was actually utilized for the purpose for which it was sanctioned.

Executive Engineer

Rural Works Department
Morks Division, Barh

16/02/24

RWD Works Division, BARH

	1			Requisition against work done (in Lakh)	13		16.68277
	1 新 3 1	17 1837		Total Up-to-date Requision Alloted expenditure as against work Amount in per MIS (in Lakh) done (in Lakh)	D	3	0.00000
Mail		****	Previous Total Alloted Amount (in Lakh)				•
ace kene			Value of	Bitumen Content (in %)	15		5.03
and surr			Thickness Value of	of Bitumen Layer Content (in MM) (in %)	14		22
ectilicano	- 40			ctual Date of Value of IRI Completion in MM/KM	13		2361.000
Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road " New Maintenance Policy 2018" (Initial Recurrication and Surface Renewal)			Actual Date of Completion			,	
	17			Comletion as per Agreement	11		22.03.2024
New Maintenal				Agreement No. & Comfetion as Actual Date of Value of IRI of Bitumen per per Completion in MM/KM Layer (in MM)		OT	3/MBD/ 17.25582 1.35483 23-24 & 23-22.03.2024 06-2023
ral Road "			ount (in Lakh)	5 Year Routine Maintenance		7	1.35483
R (3054) Under Bihar Ru		7	Agreement Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)		20	17.25582
	N (3034) OII		Administrative Approval (A.A)	Amount (in Lakh)		,	0.250 20.552
14 64	ead- IM		, Admi Appr	Length (K.M)		9	
for Scheme Hea	tor scheme n			Administrative Approval (A-A) Letter No. & Date (K.M) Letter No. & Letter No. & Date (K.M)		2	980 & 10.02.2023
	uisition Format	:- BARH	as ber			4	10100313014
	Red	Name of Division:- BARH		Name of Road		8	NH 30A to Bhuapur (Majhauli) PMGSY Road Via Barah
				Package No.		2	MR-N/22- 23/06
		1 7		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1	to the second se

SN

Divisional Accounts Officer RWD, Works Division, Barh.

Executive Engineer
RWD Works Division, BARH
Smurtafa
16/52/24

कार्यपालक अभियन्ता का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमंडल, बाढ़

पत्रांक 224 / बाढ़ / दिनांक 16.02.2024

प्रमाण-पत्र

प्रमाणित किया जाता है, कि बिहार ग्रामीण पथ अनुरक्षण नीति—2018 योजनान्तर्गत एन.एच.30ए ब्राह मंझौली पथ से ब्राह तक पथ का कार्य गुणवत्ता एवं विशिष्टीयों के अनुरूप पूर्ण कराया गया है। पथ के मापी पुस्त की जॉच मेरे द्वारा 10 प्रतिश्रत और सहायक अभियंता 50 प्रतिश्रत एवं कनीय अभियंता के द्वारा शत् प्रतिश्रत किया गया है।

कनीय अभियंता ग्रामीण कार्य विभाग, कार्य अवर प्रमंडल, बेलछी रहायक अभियंता ग्रामीण कार्य विभाग कार्य अवर प्रमंडल, बेलछी

िर्हे हे - प्रें कार्यपालक अभियंता ग्रामीण कार्य विभाग कार्य प्रमंडल, बाढ़।

Name of customer Name of cus	Cood Average Poor Poor Cood Average Poor Cood			Name of work	Ш	: NH 30A to Bhuapur (Majhauli) PMGSY Road Via Barah	apur (Majha	auli) PMG	SY Road V	/ia Barah	E .		3- 3- 2-	
Cood Average Poor	Cood Average Poor			Name of cu	ustomer: Na	evoday Kuma	1,				•			
Cood Average Poor	Cood Average Poor SpeedKantri UlimmKran Corested IRI Status Luitude Direction Longitude Direction Constitution Corested IRI Status Luitude Direction Constitution Corested S.53641524 N S.5398775 E S.500 mm/kran S.500 mm		1		10	(R)	Rural Roa	- T	4					
<4000	Complete Sepecificant Sepecificant Sepecificant Sepecificant Sepecificant Sepecificant Sepecificant Simular		-11	g	poo		Average		1	Poor				
13.2 Km/H 2500.0 mm/Km 256 3.14 Good 25.3841524 N 85.6398775 E 25.0 cm 13.2 Km/H 2500.0 mm/Km 2381 3.25 Good 25.3841524 N 85.6398775 E 24.0 cm 13.2 Km/H 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 85.6398775 E 24.0 cm 25.0 cm	Specificantify UlmanKim Commercial Uniformation Confidence C			Ž	4000	,	4001 - 5000		7	> 5000		1		
230 cm 13.2 km/H 2300.0 mm/km 2286 3.14 Good 25.3841524 N 85.6398775 E 230 cm 13.2 km/H 2400 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2400 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2400 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 3.25 Good 25.3841524 N 85.6398775 E 240 cm 13.2 km/H 2 240.0 mm/km 2381 240.0 mm/km 2381 240.0 mm/km 2381 240.0	230 cm 10.5 KmVH 2300.0 mm/Km 2265 3.14 Good 25.3841524 N 65.6389775 E 23.0 cm 13.2 KmVH 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 65.6389775 E 24.0 cm 13.2 KmVH 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 65.6389775 E 24.0 cm 13.2 KmVH 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 65.6389775 E 24.0 cm 13.2 KmVH 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 65.6389775 E 24.0 cm 13.2 KmVH 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 65.6389775 E 24.0 cm 13.2 KmVH 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 65.6389775 E 24.0 cm 13.2 KmVH 2400.0 mm/Km 2381 3.25 Good 25.3841524 N 65.6389775 E 24.0 cm 13.2 KmVH 2400.0 mm/Km 24.0 cm 13.2 km 24.0 c	Total Distance(r	otal nce(m)	BUMP(cm)	Speed(Km/Hr)	11	Corrected UI (mm/Km)		Status	Latitude	Direction	Longitude	Direction	Remarks
230 cm 132 Km/H 2500,0 mm/Km 2458 3.37 Good 25.3841524 N 65.6399775 E 24.0 cm 132 Km/H 2400,0 mm/Km 2381 3.25 Good 25.3841524 N 65.6399775 E UI Value - 7083.000	230 cm 13.2 Kmtht 2500,0 mm/Km 2381 3.37 Good 25.3841524 N 65.6398775 E 240 cm 13.2 Kmtht 2400,0 mm/Km 2381 3.25 Good 25.3841524 N 65.6398775 E UI Value - 7083. 570	-	8	23.0 cm	10.5 Km/Hr	2300.0 mm/Km	2266		Good	25.3841524	z	85.6399775	w	Normal
240 cm 13.2 kmrtr 2400 mmrkm 2381 3.25 Good 25.3841524 N 65.6399775 E UI Value - 7083.000 UI Value - 2.361.000	240 cm 13.2 km/rt 2400 mm/km 2381 325 Good 25.341524 N 65.6399775 E UI Value - 7083.000 UI Value - 2361.000	Š		25.0 cm	13.2 Km/Hr	2500.0 mm/Km	2456	3.37	Good	25.3841524	z	85.6399775	ш	Normal
UI Value - 7083.500 UI Value - 2361.500	UI Value - 7083.500	250	\exists	24.0 cm		2400.0 mm/Km	2361	3.25	Good	25.3841524	z	85.6399775	ш	Normal
111 Yalue -	Ul Value-	Total Correct	9	\$ 111	Valu	16-	708	3.00	ρ					
50-124 16/2/24 16/2/24 16/2-24										かには				

			a
1224, Section No: 116, Eq			
oad Via Barah , Date: 13/		0.2	Sor 2 . 6/
pur (Majbauli) PMGSY Ro		Distance*1000 m	
6 , Road: NH 30A to Bhua		0.1	44/4/2
Name of Customer: Navoday Kumar, Machine no: 19216, Road: NH 30A to Bhuapur (Majhauli) PMGSY Road Via Barah, Date: 13/02/24, Section No: 116, Equation: Y=0.950X+80.8			42/20/24
e of Customer: Navoday			age To

iou: Y=0.950X+80.8				
Name of Customer: Navoday Kumar, Machine no: 19216, Road: NH 30A to Bhuapur (Majhauli) PMGSY Road Via Barah, Date: 13/02/24, Section No: 116, Equation: Y=0.950X+80.8			2	
PMGSY Road Via Barab, Date			0 m	Son The state of t
I 30A to Bhuapur (Majhauh)			Distance*1000 m	i, a
achine no: 19216 , Road: NE			1.0	16 [2.124] A E. Bolo D.
nstomer: Navoday Kumar , M				402y 16/03/24
	요 20 20 20 20 20 20 20 20 20 20 20 20 20	202		

Name of Work— Situation of Work— Agency by which work is executed— Date of Measurement— No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work)

Particulars	Details	of actua	al measu	rement	Contents
raiticulais	No.	L.	В.	D.	of area
1/10 - Coust	7 10	ed fr	om N	H30	
4 Bara	h Ma	niha	di P	ath	
to Ba		7	1.		
Ageny	Nov	oday)Creme	1	
Agreemen	+ - g	no - H	R-N/2	2-23)	parti /06
Dolla of	Start		3.06.	23	
Dola of	lomp	Wion-		63.2	24
					,
100	1			0.00	

Sch. XLV-Form No. 134

	Details	of actua	l measur	ement	Contents
Particulars	No.	l.	B.	D.	of area
. Frond	ey ar	dfin	ey lo	yo	
	- 26			J	7.6
	vicle	-1y-	7 - 3	no s	
	e	10107	28.1	_1	32184
				PO 18	39689-
Held	1% 60	Lour	dess:	61	5396 = 0
Ada 1	81. 43	37	-+	627	F-144 =
Add S	ignor	ofe fe	4	8 2	14122
				618	53641
Deducti	M	1100	de les	: طالبا	185364
- 11	1		Sell		6 8277
dalex 12/02	mener	50	12/2	4	
0 1310			1 /	/H	
		2-1	P		
		Sv	505		
		13	5-2-	24	
				Ŋ.	_
	+	1	1 0	+	
					1