

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of well -	Bariyara				
	Area: 14.49 x 14.49				
	- 214.41 sq. ft.				
	To Loholi Kharabara				
	Path Ka Namam Kharabara				
Agency -	Dagshani Construction				
	- Private Limited				
	At - Bhoda, Khairat				
	Dist - Jamui				
Ag No -	11 S B D / 22 - 23				
Date of work order -	16/3/22				
Date of work completion -	15/12/22				
Actual Date of Completion -					

(1) Gravel	Sub base -				
	with well grade				
	Material (Grading-I)				
10x	5.10x	2.30x	0.10	-	11.73 m ³
8x	2.30x	1.90x	0.10	-	3.486 m ³
16x	1.60x	1.30x	0.10	-	3.228 m ³
18x	1.40x	0.90x	0.10	-	1.282 m ³
25x	2.20x	1.40x	0.10	-	7.70 m ³
35x	2.10x	1.90x	0.10	-	13.965 m ³
28x	2.40x	2.10x	0.10	-	14.112 m ³
19x	2.50x	2.40x	0.10	-	11.4 m ³
23x	1.70x	1.50x	0.10	-	5.565 m ³
15x	1.90x	1.80x	0.10	-	5.13 m ³
6x	2.0x	1.40x	0.10	-	1.32 m ³

77.826 m³

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	10x	30.0x	3.75x	0.10	= 112.5m ²
	1x	10.0x	3.60x	0.10	= 3.60m ²
	10x	30.0x	3.75x	0.10	= 112.5m ²
	2x	30.0x	3.75x	0.10	= 22.5m ²
	1x	10.0x	3.05x	0.10	= 3.05m ²
	1x	15.0x	3.65x	0.10	= 5.475m ²
					✓ = 828.175m ²

✓ 4. Providing and applying

Tack coat with Bitu-

-men emulsion (RS1)

4x 30.0x 3.75 = 450.0m²

1x 2.0x 3.75 = 7.5m²

✓ = 457.5m²

✓ 5. With Seal Surface

(Type-B)

Providing laying and

rolling 20 mm thick

(Pme).

vide item No. (4) VTMP-14

@ 44 = 457.5m²

✓ 6. Road marking with

Applied thermoplastic

i) BT side

2x 3x 300x0.100 = 18.0m²

2x 1x 10.0x0.10 = 2.0m²

✓ = 20.0m²

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(8) Re-laid reflectorised Traffic signs:					
(i) 600 mm equilateral triangle — Qty: 4 Nos					
@ 131.95 = 76 Each					13983.00
(ii) 600 mm x 450 mm — Rectangular Qty: 4 Nos					
@ 40.04 = 98 Each					16020.00
(iii) 600 mm Circular Qty: 4 Nos					
@ 47.45 = 41 Each					18982.00
vide infra (8) vmp (7)					
(9) Providing and fixing Reinforced concrete — at concrete —					
(i) 200 mm stone					
vide infra (9) vmp (8)					
Qty: 13 Nos					
@ 634 = 220 Each					8245.00
(ii) 100 mm stone					
Qty: 4 Nos					
@ 2350 = 61 Each					9402.00
(10) Granular sub-base with well Graded Material (Gr: B)					
Grading - I					

Continuation

CO 23,27401.00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			BS	1	8546090
					8546054
Add 12% GST	(i)				1025.530
Add 1% L.C.	(i)				85460
Add 2% T.P.	(i)				69547
UTMP (72)			BS	24	26584
					9726628
As per Ag. B. 10-10					
12% GST	(i)				1175349
					8550679
Less previous			BS		8550643
1st on A/c Bill					/
Page No	(ii)				1648534
					6902109
(d) 2					6902145

Attended
Waseem
Khalid
E.E.

Material Statement

(i) Stone metal	=	72.362 m ³
(ii) Local sand	=	31.012 m ³
(iii) Stone metal	=	26.024 m ³
(iv) Screening metal	=	13.154 m ³
(v) Stone	=	242.5 m ³
(vi) Sand	=	321.25 m ³
(vii) Portland Cement	=	0.1143 M.T
(viii) Bitumen	=	0.8692 M.T
(ix) Stone chips	=	12.35 m ³
(x) E/wall	=	170.10 m ³

(d) 2
 or ditto
 or

Continuation