

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल, फुलपरास।

पत्रांक...4110...21/2/24

दिनांक...23/02/2024

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, फुलपरास ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण,
बिहार, पटना ।

विषय:- शीर्ष NEW MAINTENANCE POLICY- 2018 (MR-3054) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है शीर्ष NEW MAINTENANCE POLICY - 2018 (MR-3054) योजना अन्तर्गत पथ में संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाय ताकि संवेदक का भुगतान किया जा सके।

अनु०:-

1. अधियाचना प्रमाण पत्र 1 पृष्ठ में।
2. उपयोगिता प्रमाण पत्र एक प्रति ।

विश्वासभाजन

23/2/24
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, फुलपरास।
21/2/24

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)
Form of Utilisation Certificate Upto the month of 20 Feb-2024
New Maintenance policy - 2018

PIU – Executive Engineer, R.W.D (W) Division, Phulparas

SL. No	Name of Scheme	Sanction No. & Date with Amount (In Rs. lacs)	Amount Received (In Rs. lacs)	Particulars
1	Construction of Rural roads under New maintenance policy-2018	Previous letter – 151 Dt - 10.11.2023 Authorisation letter – 14 Dt - 06.02.2024	3014.85523 237.50691	Certified that out of 3252.36214 Lakh received during the years up to 2023-24 in favour of Ex. Engineer, RWD (W) Division Phulparas, Madhubani, Bihar, a sum of Rs. 3250.51222 Lakhs has been utilized for the purpose of New maintenance policy-2018 as given in the margin for which the balance of Rs 1.84992 Lakh remaining unutilized at the end of the period under.
Total =			3252.36214	

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- I. Works have been supervised by Executive Engineer/Superintending Engineer.
- II. Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- III. Construction materials have been tested.
- IV. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- V. All other codal formalities have been observed.

3. Physical Progress achieved :-

- I. Construction of Road Works.
- II. Construction of CD Works.

Executive Engineer
R.W.D (W) Division, Phulparas
21/2/24

21/2/24

Format of Requisition under Head New Maintenance policy - 2018
Name of Division :- RWD (W) Division phulparas.

Sl No	Package No.	Name of road	Project ID as per MIS	Name of Contractor	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of BIL (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
						Length (in km)	Amount of (in lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	RM/MA/PHU/23/0002	const. of road from mahadeva chowk to garwa via hasiram pati	31909903036	Pradip Kumar Jha	A.A Lt No- 1447/dt- 28.02.2023	0.700	41.16	28.87922	9.01558	18MBD/2023-24	03.05.2024	21.12.2023	3126	25.02	5.00	18.74680	18.74680	8.03435	Demand against limit allotment
2	RM/MA/PHU/23/0002	BANGAMA BAZAR SAMITI TO MIYA TOL	31909912021	Pradip Kumar Jha	A.A Lt No- 1447/dt- 28.02.2023	1.300	78.528	57.57729	16.29998	18MBD/2023-24	03.05.2024	21.12.2023	3000	25.02	5.02	40.14465	40.14465	17.20486	Demand against limit allotment
3	RM/MA/PHU/23/0003	Phulparas to Surjahi	31909802179	Sanjay Sharma	A.A Lt No- 1447/dt- 28.02.2023	0.510	47.549	36.97569	7.20590	20MBD/2023-24	25.05.2024	29.12.2024	3216	25.03	5.05	25.49607	25.49607	10.92690	Demand against limit allotment
4	RM/MA/PHU/23/0001	STATION RD - BAIRYAH	31909802082	Sanjay Sharma	A.A Lt No- 1447/dt- 28.02.2023	0.560	41.09	31.57489	6.74887	20MBD/2023-24	25.05.2024	29.12.2024	3325	25.02	5.04	21.76300	21.76300	9.32700	Demand against limit allotment
5	RM/MA/PHU/23/0007	CHHAJANA LADDO LAL CHAUPAL TO BARRIER	31909912011	Ashok Kumar	A.A Lt No- 531/dt- 05.08.2022	1.330	90.951	56.69773	16.45152	24MBD/2022-23	17.12.2023	11.12.2023	3184	25.02	5.03	38.90198	38.90198	16.67229	Demand against limit allotment
6	RM/MA/PHU/23/0007	CHIKNA MADHYA VIDYALAYA T BISHARIA	31909912012	Ashok Kumar	A.A Lt No- 531/dt- 05.08.2022	1.510	93.59	57.64042	17.11485	24MBD/2022-23	17.12.2023	07.12.2023	2697	25.03	5.05	39.54372	39.54372	16.94732	Demand against limit allotment
7	RM/MA/PHU/23/0007	Construction of Road from Chikna Paswan Tola P.M.G.S.Y to	31909901001	Ashok Kumar	A.A Lt No- 531/dt- 05.08.2022	2.000	124.31	76.67646	15.50642	24MBD/2022-23	17.12.2023	09.12.2023	2786	25.02	5.02	52.91069	52.91069	22.67601	Demand against limit allotment
Total =										101.78873									

21/12/24

Executive Engineer
R.W.D/W/Div. Phulparas
21/12/24

OFFICE OF THE EXECUTIVE ENGINEER
RWD WORKS DIVISION PHULPARAS

Name of Scheme:- Phulparas to Suriyahi, PACKAGE No-
RM/MA/PHU/23/0003, Project ID-31909802179

Certified that all item wise 100%
Measurement has been taken by me

Arvind Kumar
29/12/2023
Junior Engineer
RWD Work Section, Phulparas
Works Division, Phulparas

Certified that all item wise 50%
Measurement has been checked by me

Sunil Kumar
29/12/2023
Assistant Engineer
RWD Work Section, Phulparas
Works Division Phulparas

Certified that all item wise 10%
Measurement has been checked by me

Ma. 12/23
Executive Engineer
Rural work Department
Works Division Phulparas

Name of work	Phulparas to Suriyahi		
Name of customer	Sanjay Sharma		
(R) Rural Road			
Good	Average		Poor
< 4000	4001 - 5000		> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
29/12/23	12:32:15	58	100	100	35.0 cm	1.1 Km/Hr	3500.0 mm/Km	3529	4.68	Good	26.2564212	N	86.4413426	E	Normal
29/12/23	12:32:48	58	100	200	34.0 cm	20.9 Km/Hr	3400.0 mm/Km	3435	4.55	Good	26.2564297	N	86.4413678	E	Normal
29/12/23	12:33:07	58	100	300	32.0 cm	19.9 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26.2564945	N	86.4413893	E	Normal
29/12/23	12:33:29	58	100	400	31.0 cm	19.4 Km/Hr	3100.0 mm/Km	3153	4.21	Good	26.2565412	N	86.4414215	E	Normal
29/12/23	12:33:54	58	100	500	25.0 cm	3.6 Km/Hr	2500.0 mm/Km	2589	3.53	Good	26.2565634	N	86.4414452	E	Normal
29/12/23	12:34:32	58	100	600	33.0 cm	15.1 Km/Hr	3300.0 mm/Km	3341	4.44	Good	26.2565872	N	86.4414786	E	Normal

Average Correct IRI - 3216

Arshind Sharma
29/12/2023
J.E

Sanjay Sharma
29/12/2023
J.E

29/12

Path D:\All Agreement & requestion Data\All Scheme Requestion\New Maintenance policy-2018\Requation letter No\29.12.2023 Sanjay Sharma\Phulparas to Suriyahi.tst

Name of Customer: Sanjay Sharma

Name of Work/Road Phulparas to Suriyahi

Lab Job Number 58

Date

Friday December 29, 2023

Section No.

70

m 0.940 c 239.3

Test Date

Friday

19210

Machine no.

19210

Start S No.

Start E No.

Weather

Start Location

End Location

Road Name Phulparas to Suriyahi

Road Type

Side

UIV Range 1900

Dist Range 0

Equations Y = 0.940 X + 239.3

Interval

To 4500

To 0.7

To 0.1


mm/km

*1000 m

Graph Corrected UIV's Distance Corrected IRI v/s distance Data

Graph

Name of Customer: Sanjay Sharma , Machine no: 19210 , Road: Phulparas to Suriyahi , Date: 29/12/23 , Section No: 70 , Equation: Y = 0.940 X + 239.3



Arvind Sharma
29/12/2023
J.E

Sanjay Sharma
29/12/2023
J.E

Sanjay Sharma
29/12/2023
J.E

OFFICE OF THE EXECUTIVE ENGINEER
RWD WORKS DIVISION PHULPARAS

Name of Scheme:- STATION RD - BAIRYAH, PACKAGE No-
RM/MA/PHU/23/0001, Project ID-31909802082

Certified that all item wise 100%
Measurement has been taken by me

Ashwini Shankar
29/12/23
Junior Engineer
RWD Work Section, Phulparas
Works Division, Phulparas

Certified that all item wise 50%
Measurement has been checked by me

Sunil Kumar
29/12/23
Assistant Engineer
RWD Work Section, Phulparas
Works Division Phulparas

Certified that all item wise 10%
Measurement has been checked by me

M. S. S. S.
29-12-23
Executive Engineer
Rural work Department
Works Division Phulparas

Name of work	STATION RD - BAIRYAH	
Name of customer	Sanjay Sharma	
(R) Rural Road		
Good	Average	Poor
< 4000	4001 - 5000	> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction 1	Remarks
29/12/23	14:42:12	59	100	100	32.0 cm	1.1 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26 3216211	N	86 5395142	E	Normal
29/12/23	14:42:48	59	100	200	37.0 cm	20.9 Km/Hr	3700.0 mm/Km	3717	4.88	Good	26 3216782	N	86 5372482	E	Normal
29/12/23	14:43:15	59	100	300	31.0 cm	19.9 Km/Hr	3100.0 mm/Km	3153	4.21	Good	26 3209784	N	86 5395151	E	Normal
29/12/23	14:43:42	59	100	400	32.0 cm	19.4 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26 3209332	N	86 5381750	E	Normal
29/12/23	14:44:21	59	100	500	29.0 cm	3.6 Km/Hr	2900.0 mm/Km	2965	3.99	Good	26 3196323	N	86 5355521	E	Normal
29/12/23	14:44:53	59	100	600	36.0 cm	15.1 Km/Hr	3600.0 mm/Km	3623	4.77	Good	26 3196021	N	86 5353351	E	Normal

Average Correct IRI - 3325

Arvind Sharma
29/12/2023
T.E

Sanjay Sharma
29/12/2023
A.C

Sanjay Sharma
29.12.23

Path: D:\All Agreement & requisition Data\All Scheme Requisition\New Maintenance policy-2018\Requisition letter No\29-12-2023 Sanjay Sharma\Station Road to Bairyahtol

Name of Customer: Sanjay Sharma
 Name of Work/Road: STATION RD - BAIRYAH
 Lab Job Number: 59
 Date: Friday, December 29, 2023
 Section No. 66


Test Date: Friday, December 29, 2023
 Machine no. 19210
 Start S No.
 Start E No.
 Weather
 Start Location
 End Location

Road Name: STATION RD - BAIRYAH
 Road Type
 Side
 UIV Range: 2200
 Dist Range: 0
 Equations: $Y = 0.940 X + 239.3$
 Interval: 1250
 To: 4700
 To: 0.7
 mm/km
 *1000 m

Graph Corrected UI v/s Distance Corrected IRI v/s distance Data

Graph

Name of Customer: Sanjay Sharma, Machine no: 19210, Road: STATION RD - BAIRYAH, Date: 29/12/23, Section No: 70, Equation: $Y = 0.940 X + 239.3$



Arvind Sharma
 29/12/2023
 2E

Sanjay
 29/12/23
 AV

29.12.23