

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल, फुलपरास।

पत्रांक...4110...21/2/24

दिनांक...23/02/2024

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, फुलपरास ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण,
बिहार, पटना ।

विषय:- शीर्ष NEW MAINTENANCE POLICY- 2018 (MR-3054) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है शीर्ष NEW MAINTENANCE POLICY - 2018 (MR-3054) योजना अन्तर्गत पथ में संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाय ताकि संवेदक का भुगतान किया जा सके।

अनु०:-

1. अधियाचना प्रमाण पत्र 1 पृष्ठ में।
2. उपयोगिता प्रमाण पत्र एक प्रति ।

विश्वासभाजन

23/2/24
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, फुलपरास।
21/2/24

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)
Form of Utilisation Certificate Upto the month of 20 Feb-2024
New Maintenance policy - 2018

PIU – Executive Engineer, R.W.D (W) Division,Phulparas

SL. No	Name of Scheme	Sanction No. & Date with Amount (In Rs. lacs)	Amount Received (In Rs. lacs)	Particulars
1	Construction of Rural roads under New maintenance policy-2018	Previous letter – 151 Dt - 10.11.2023 Authorisation letter – 14 Dt - 06.02.2024	3014.85523 237.50691	Certified that out of 3252.36214 Lakh received during the years up to 2023-24 in favour of Ex. Engineer, RWD (W) Division Phulparas, Madhubani, Bihar, a sum of Rs. 3250.51222 Lakhs has been utilized for the purpose of New maintenance policy-2018 as given in the margin for which the balance of Rs 1.84992 Lakh remaining unutilized at the end of the period under.
Total =			3252.36214	

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- I. Works have been supervised by Executive Engineer/Superintending Engineer.
- II. Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- III. Construction materials have been tested.
- IV. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- V. All other codal formalities have been observed.

3. Physical Progress achieved :-

- I. Construction of Road Works.
- II. Construction of CD Works.

Executive Engineer
R.W.D (W) Division, Phulparas
21/2/24

21/2/24

Format of Requisition under Head New Maintenance policy - 2018
Name of Division :- RWD (W) Division phulparas.

Sl No	Package No.	Name of road	Project ID as per MIS	Name of Contractor	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of BIL (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
						Length (in km)	Amount of (in lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	RM/MA/PHU/23/0002	const. of road from mahadeva chowk to garwa via hasiram pati	31909903036	Pradip Kumar Jha	A.A Lt No- 1447/dt- 28.02.2023	0.700	41.16	28.87922	9.01558	18MBD/2023-24	03.05.2024	21.12.2023	3126	25.02	5.00	18.74680	18.74680	8.03435	Demand against limit allotment
2	RM/MA/PHU/23/0002	BANGAMA BAZAR SAMITI TO MIYA TOL	31909912021	Pradip Kumar Jha	A.A Lt No- 1447/dt- 28.02.2023	1.300	78.528	57.57729	16.29998	18MBD/2023-24	03.05.2024	21.12.2023	3000	25.02	5.02	40.14465	40.14465	17.20486	Demand against limit allotment
3	RM/MA/PHU/23/0003	Phulparas to Surjahi	31909802179	Sanjay Sharma	A.A Lt No- 1447/dt- 28.02.2023	0.510	47.549	36.97569	7.20590	20MBD/2023-24	25.05.2024	29.12.2024	3216	25.03	5.05	25.49607	25.49607	10.92690	Demand against limit allotment
4	RM/MA/PHU/23/0001	STATION RD - BAIRYAH	31909802082	Sanjay Sharma	A.A Lt No- 1447/dt- 28.02.2023	0.560	41.09	31.57489	6.74887	20MBD/2023-24	25.05.2024	29.12.2024	3325	25.02	5.04	21.76300	21.76300	9.32700	Demand against limit allotment
5	RM/MA/PHU/23/0007	CHHAJANA LADDO LAL CHAUPAL TO BARRIER	31909912011	Ashok Kumar	A.A Lt No- 531/dt- 05.08.2022	1.330	90.951	56.69773	16.45152	24MBD/2022-23	17.12.2023	11.12.2023	3184	25.02	5.03	38.90198	38.90198	16.67229	Demand against limit allotment
6	RM/MA/PHU/23/0007	CHIKNA MADHYA VIDYALAYA T BISHARIA	31909912012	Ashok Kumar	A.A Lt No- 531/dt- 05.08.2022	1.510	93.59	57.64042	17.11485	24MBD/2022-23	17.12.2023	07.12.2023	2697	25.03	5.05	39.54372	39.54372	16.94732	Demand against limit allotment
7	RM/MA/PHU/23/0007	Construction of Road from Chikna Paswan Tola P.M.G.S.Y to	31909901001	Ashok Kumar	A.A Lt No- 531/dt- 05.08.2022	2.000	124.31	76.67646	15.50642	24MBD/2022-23	17.12.2023	09.12.2023	2786	25.02	5.02	52.91069	52.91069	22.67601	Demand against limit allotment
Total =										101.78873									

21/12/24

Executive Engineer
RWD/Div. Phulparas
21/12/24

OFFICE OF THE EXECUTIVE ENGINEER
RWD WORKS DIVISION PHULPARAS

Name of Scheme:- BANGAMA BAZAR SAMITI TO MIYA TOL, PACKAGE No-
RM/MA/PHU/23/0002, Project ID-31909912021


**Certified that all item wise 100%
Measurement has been taken by me**


13/12/2023
Junior Engineer
RWD Work Section, Laukhi
Works Division, Phulparas

**Certified that all item wise 50%
Measurement has been checked by me**


13/12/2023
Assistant Engineer
RWD Work Section, Laukhi
Works Division Phulparas

**Certified that all item wise 10%
Measurement has been checked by me**


06.1.24
Executive Engineer
Rural work Department
Works Division Phulparas


1707 2-nd Agreement 3 measurement Data (M Scheme Roadwork) New Measurement Policy 2018 (Revision lower No. 127 12 2023) Pradip Kumar Jha Bhangana Bazar Samal to Mya Tol Rd

Name of Customer: Pradip Kumar Jha
 Name of Motor/Road: BANGANA BAZAR SAMITI TO MYA TOL
 Lab ID/ Number: m 0.940 c 239.3
 Date: Sunday 10 December 2023
 Section No.: 70

Test Date: Sunday 10 December
 Machine no.: 19210
 Street S No.:
 Street E No.:
 Weather:
 Start Location:
 End Location:
 Road Name: BANGANA BAZAR SAMITI TO MYA TOL
 Road Type:
 Side:
 UIV Range: 1700 To 4700 Interval 1500 mm/km
 Dist Range: 0 To 0.9 0.1 *1000 m
 Equations: $Y = 0.940 X + 239.3$

Graph Connected UIV vs Distance Connected RV vs distance Data

Name of Customer: Pradip Kumar Jha, Machine no: 19210, Road: BANGANA BAZAR SAMITI TO MYA TOL, Date: 10/12/23, Section No: 70, Equation: $Y = 0.940 X + 239.3$



Search
13/12/2023
576

13/12/2023

13/12/2023

Name of work : BANGAMA BAZAR SAMITI TO MIYA TOL

Name of customer : Pradip Kumar Jha

(R) Rural Road		
Good	Average	Poor
< 4000	4001 - 5000	> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	Run(P/cm)	Speed(Km/hr)	U/m/min/Km	Corrected Un (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction†	Remarks
10/12/23	15:23:14	44	100	100	21.0 cm	15.8 Km/hr	3100.0 mm/Km	3153	4.21	Good	26.3580261	N	86.5894822	E	Normal
10/12/23	15:23:41	44	100	200	22.0 cm	12.8 Km/hr	2700.0 mm/Km	2707	3.19	Good	26.3578782	N	86.5894413	E	Normal
10/12/23	15:23:58	44	100	300	24.0 cm	21.4 Km/hr	3400.0 mm/Km	3435	4.55	Good	26.3578321	N	86.5894021	E	Normal
10/12/23	15:23:17	44	100	400	25.0 cm	18.8 Km/hr	2400.0 mm/Km	2549	3.53	Good	26.3578073	N	86.5893797	E	Normal
10/12/23	15:23:33	44	100	500	22.0 cm	22.2 Km/hr	3200.0 mm/Km	3247	4.32	Good	26.3577583	N	86.5893610	E	Normal
10/12/23	15:23:46	44	100	600	21.0 cm	23.8 Km/hr	2100.0 mm/Km	2213	3.07	Good	26.3577380	N	86.5893641	E	Normal
10/12/23	15:23:01	44	100	700	23.0 cm	27.0 Km/hr	3300.0 mm/Km	3341	4.44	Good	26.3576662	N	86.5893796	E	Normal
10/12/23	15:23:15	44	100	800	27.0 cm	25.2 Km/hr	3700.0 mm/Km	3717	4.88	Good	26.3576063	N	86.5893746	E	Normal

Average Correct IRI-3000

13/12/2023
JG

13/12/2023
JG

06.1.14

5/10/2024

OFFICE OF THE EXECUTIVE ENGINEER
RWD WORKS DIVISION PHULPARAS

Name of Scheme:- Construction of Road from const. of road from mahadeva chowk to garwa via kasiram patti, PACKAGE No-RM/MA/PHU/23/0002, Project ID-31909903036

**Certified that all item wise 100%
Measurement has been taken by me**


20/12/2023

Junior Engineer
RWD Work Section, Ghoghardiha
Works Division, Phulparas

**Certified that all item wise 50%
Measurement has been cheked by me**


20/12/2023

Assistant Engineer
RWD Work Section, Ghoghardiha
Works Division Phulparas

**Certified that all item wise 10%
Measurement has been cheked by me**


27/12/23

Executive Engineer
Rural work Department
Works Division Phulparas

Name of work : Mahdeva Chowk to Garwa Via Kasiram Rajvahi	
Name of customer : Pradeep Kumar Jha	
(R)Rural Road	
Good	Average
< 4000	4001 - 5000
Poor	> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
10/12/23	16:31:11	45	100	100	34.0 cm	15.9 Km/Hr	3400.0 mm/Km	3435	4.55	Good	26.2649462	N	86.4094293	E	Normal
10/12/23	16:31:52	45	100	200	28.0 cm	12.8 Km/Hr	2800.0 mm/Km	2871	3.87	Good	26.2649354	N	86.4094132	E	Normal
10/12/23	16:32:25	45	100	300	32.0 cm	21.4 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26.2649125	N	86.4093964	E	Normal
10/12/23	16:32:56	45	100	400	25.0 cm	18.8 Km/Hr	2500.0 mm/Km	2589	3.53	Good	26.2648954	N	86.4093829	E	Normal
10/12/23	16:33:21	45	100	500	31.0 cm	22.2 Km/Hr	3100.0 mm/Km	3153	4.21	Good	26.2648856	N	86.4093710	E	Normal
10/12/23	16:33:58	45	100	600	26.0 cm	23.9 Km/Hr	2600.0 mm/Km	2683	3.65	Good	26.2648721	N	86.4093596	E	Normal
10/12/23	16:34:27	45	100	700	39.0 cm	27.0 Km/Hr	3900.0 mm/Km	3905	5.1	Good	26.2648563	N	86.4093430	E	Normal

Average correct UI - 3126

21/2
20/12/2023

20/12/2023

Executive Engineer
Rural Works Department
Works Division Phulparas

27/12

Selected File Path


Path : E:\Bump IT\15.12.2023\Mahadeva Chowk to Garwa Via Kasiram Rajvahi.txt

Name of Customer: Pradeep Kumar Jha		Road Name: Mahadeva Chowk to Garwa Via Kasiram Rajvahi	
Lab Job Number: 45	Name of Work/Road: Mahadeva Chowk to Garwa Via Kasiram Rajvahi	Road Type:	Side:
Date: Sunday, December 10, 2023	m 0.940 c 239.3	UIV Range: 1900 To 5000	Interval: 1550
Section No: 12		Dist Range: 0 To 0.8	mm/km: 1000
		Equations: $Y = 0.940 X + 239.3$	

Graph Corrected UIR v/s Distance Corrected IRI v/s distance Data

Graph

Name of Customer: Pradeep Kumar Jha, Machine no: 19210, Road: Mahadeva Chowk to Garwa Via Kasiram Rajvahi, Date: 10/12/23, Section No: 12, Equation: $Y = 0.940 X + 239.3$



ATL - CHI

Search

103 PM

Executive Engineer
 Rural Works Department
 Works Division Phulparas

21/12/2023
 20/12/2023