

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of Work - Repair & Maint of road					
from Kangkha to Gatahpur					
Agency - SHAI Prasad.					
Ag. No - 32/NR/NBD/2023-24					
Dow - 14.07.23					
To C - 13.04.23					
Date of Measurement -					
Further Measurement Nil					
					
17/02/24					
JE					

<u>Abstract of Est</u>					
(1/1)	Cleaning & grubbing road land.				
P/10	0.352 Hect				
	① 72697 = 86				k = 25590 = 00
(2/2)	Scarifying the existing bituminous road surface.				
P/10	226.004 ²				
	① 20 = 19				k = 4563 = 00
(3/3)	Const. of subgrade and earthen shoulder with approved material				
P/10	1037.524 ³				
	① 258 = 85				k = 268562 = 00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(4/4)	Const of 450 by providing well graded material.				
P/10		72.534 ³			
	C	1568=17			b=113739=00
(5/6)	Providing, laying, spreading and compacting grade-2 material.				
P/10		44.984 ³			
	C	3393=78			b=152652=00
(6/7)	Providing, laying, spreading & compacting				
P/11		262.5034 ³			
	C	3412=25			b=895726=00
(7/8)	Providing & applying prime coat with bitumen emulsion (SS-1)				
P/11		1487.004 ²			
	C	60=32			b=89696=00
(8/9)	Providing and applying tack coat with bitumen emulsion (RS-1)				
P/11		1487.004 ²			
	C	20=57			b=30588=00
(9/10)	Providing & applying tack coat with bitumen emulsion (RS-1)				

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(4/4)	Const of 150 by providing hollowed material.				
P/10		72.534 ³			
	C	1568±17		b=	113739=00
(5/6)	Providing, laying, spreading and compacting grade-2 material.				
P/10		44.984 ³			
	C	3393 = 78		b=	152652=00
(6/7)	Providing, laying, spreading & compacting grade-3 material.				
P/11		262.5034 ³			
	C	3412 = 25		b=	895726=00
(7/8)	Providing & applying prime coat with bituminous emulsion (SS-1)				
P/11		1487.004 ¹			
	C	60 = 32		b=	89696=00
(8/9)	Providing and applying tack coat with bituminous emulsion (RS-1)				
P/11		1487.004 ²			
	C	20 = 57		b=	30588=00
(9/10)	Providing & applying tack coat with bituminous emulsion (RS-1)				

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
P/11		44	16.23	4'	
	@	17	= 12		6 = 75606 = 00
(10/11)	Providing laying and siding of close boarded premium carpet				
P/11		1487.00	4'		
	@	235	= 46		6 = 350129 = 00
(11/12)	Providing and laying Semi dense bituminous				
P/11		110.40	843		
	@	11962	= 51		6 = 1320733 = 00
(12/13)	Const. of dry lean concrete sub base				
	over a prepared Subgrade.				
P/12		22.32	43		
	@	3183	= 611		6 = 71058 = 00
(13/14)	Const. of un-reinforced plain cement concrete pavement.				
P/12		241.50	43		
	@	7587	= 28		6 = 1832328 = 00
(14/15)	Ordinary dry k. m. stone				
P/12		3.00	0000		
	@	267	= 14		6 = 7851 = 00
(15/16)	Sloom stone.				
P/12		8.00	0000		
	@	765	= 61		6 = 6125 = 00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(14/12)	Providing and fixing of 2 nos of steel door frame.				
P/12		256.00 each			
	①	263=40			67430=00
(17/18)	Supplying & installation of delineators.				
P/12		29.00 each			
	①	1207=26			35011=00
(18/19)	Providing & fixing of retro-reflective.				
	Continuous band.				
P/13		12.00 each			
	①	4044=19			48530=00
(19/20)	600mm circular.				
P/13		2.00 each			
	①	5471=77			10944=00
(20/21)	600mm x 450mm rectangular.				
P/13		4.00 each			
	①	5325=64			21303=00
(21/22)	Painting two coats including prime coat.				
P/13		51.84 m ²			
	①	127=28			6598=00
(22/23)	Painting new letter and figures.				
P/13		1408.00 cm			
	①	0.718			1011=00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(23/24)		Planting of tree by the road.			
P/13		63.000000			
		@ 1259 = 23			6 = 79331.00
(24/25)		Providing & fixing of typical H.H.S.Y. informative sign board.			
P/13		3.000000			
		@ 1087 = 30			6 = 32614.00
(25/26)		Providing and laying of hot applied thermoplastic.			
P/14		253.2042			
		@ 822 = 97			6 = 208376.00
(26/27)		Providing and laying of hot applied thermoplastic.			
P/14		118.8042			
		@ 855 = 49			6 = 101632.00
(27/28)		E/W in excavation for structure.			
P/14		3132 m ³			
		@ 396 = 97			6 = 12435.00
(28/29)		Providing concrete for plain/reinforced concrete in open foundation.			
P/14		28.39043			
		@ 5784 = 110			6 = 164211.00

Continuation

Continuation