

कार्यपालक अभियंता, का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी

पत्रांक..... 59870 / दिनांक..... 11/01/24

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सीतामढ़ी।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय:-



शीर्ष बिहार नई अनुरक्षण नीति 2018 (MR 3054) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक इस प्रमंडल अंतर्गत चल रहे नई अनुरक्षण नीति 2018 (MR 3054) में स्वीकृत योजनाओं के विभिन्न कार्यों के लिए संलग्न विवरणी अनुसार भुगतान हेतु आवंटन उपलब्ध कराने की कृपा की जाय।

अनु०:- यथोक्त।


विश्वासभाजन


11/01/24
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सीतामढ़ी।
 11/01/24 

Requisition Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)
Name of Works Division RWD, Works Division- Sitamarhi

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Length (in KM)	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No. Date	Date of Completion as per Agreement	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to Date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
						Amount (in Lakh)	5 Years Routine Maintenance (in Lakh)	Initial Rectification With Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/2022-23/ Sitamarhi/12	NH-77 JOGABANA - BASABATTI	31607902162	Lt. No. -1362 DI-24.03.22	10.354	530.87000	129.70000	456.29069	112.04544	25/MBU/22 23	15.10.2023	2667	25mm	5.00%	221.62309	221.62493	231.35641	
					10.354	530.87000	129.20000	456.29069	112.04544						221.62309	221.62493	231.35641	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
2. Up-to date Physical Progress has been uploaded in MIS


Executive Engineer
RWD (W) Division,
Sitamarhi
09/10/24
11/11/24

FORM GFR 19-A

(See Government of India's Decision (1) below Rule 150)

Form of Utilization Certification up to the month of January 2024

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in Rs.)	Particulars
1	Construction of Rural Road New Maintenance Policy 2018	Up to Date Received Allotment	Rs. 1374007844.00	Certified that out of Rs 1374007844.00 received during the years 2023-24 in favor of Executive Engineer Sitamarhi. Bihar a sum of Rs. 1317440537.00 has been utilized for the purpose of New Maintenance Policy 2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs 56567307.00 remaining unutilized at the end of the period under report
	Total:			

2. Certified that I have satisfied myself that the condition on which the grant-in-aid was sanctioned have been duly fulfilled /are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- I Works have been supervised by Executive Engineer/Superintending Engineer.
- li Periodical inspection has been conducted by Executive Engineer/Superintending
- lii Construction materials have been tested.
- lv Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer
- V All other codal formalities

3. Physical Progress achieved:-

- I Construction of Road Works.
- li Construction of CD works


11/01/24
Executive Engineer,
R.W.D. Works,
Division, Sitamarhi.

11/01/24

Office of The Executive Engineer,
Rural Works Department, Works Division, Sitamarhi

Name of Road:-NH-77 Jogababa - Basabatti

Name of Scheme:- MR(NEW MAINT POLICY)

Name of Contractor:-Dilip Kumar

Length of Road:-10.354 KM

Project ID:- 31607902162

Package No.- MR-N/2022-23/Sitamarhi/12

Name of Block:-Dumra

Certified that all item wise
100% measurement has been
taken by me

Certified that all item wise 50%
measurement has been checked
by me

Certified that all item wise
10% measurement has been
checked by me


Junior Engineer,
Rural Works Department,
Works Section, Bathnaha
Works Division, Sitamarhi


Assistant Engineer,
Rural Works Department,
Works Sub Division, Bathnaha
Works Division, Sitamarhi


Executive Engineer,
Rural Works Department,
Works Division, Sitamarhi


Name of Customer: [Duke Kuma]
 Name of Work: [177 JOGABANA - BASABATTI]
 Road: [114]
 Lab Job number: [114]
 Date: [08/01/24]
 Section No: [97]

Test Date: [03/01/2024]
 Road Name: [177 JOGABANA - BASABATTI]
 Machine No: [196]
 Road Type: [R] RURAL ROAD
 Start S No: []
 Start E No: []
 Side: []
 Interval: []
 Weather: []
 UV Range: [950] To [5000] m/km
 Dist Range: [0] To [102] [01] * 1000 m
 End Location: []
 Equation: []

Print Generate Report and Graph

Redraw Graph

Map View



[Signature]
 11/01/24
 DE

[Signature]
 11/01/24
 DE

[Signature]
 11/01/24

Lab Job number :114

Date :3-01-2024

Name of Customer : DILIP KUMAR

Name of Work/Road :NH-77 JOGABANA - BASABATTI

Date	Time	Section	Length in km	Bumps in mm	Speed Rate mm/km	OR mm/km	IRI ROAD	Category	Latitude	ongitude	Event
3/1/24	9:44:39	97	0.1	210	30.3	2100	2518 G	26.69183	85.53588	Normal	
3/1/24	9:45:0	97	0.1	170	30.3	1700	2063 G	26.69198	85.53488	Normal	(R) RURAL ROAD
3/1/24	9:45:16	97	0.1	190	30.3	1900	2290 G	26.69236	85.53399	Normal	Good Average Poor
3/1/24	9:45:18	97	0.1	230	30.3	2300	2745 G	26.69292	85.53318	Normal	<4000 4001-5000 >5001
3/1/24	9:45:29	97	0.1	200	30.3	2000	2404 G	26.6934	85.53236	Normal	
3/1/24	9:45:52	97	0.1	160	30.3	1600	1950 G	26.69394	85.53153	Normal	
3/1/24	9:46:0	97	0.1	210	30.3	2100	2518 G	26.6944	85.53067	Normal	
3/1/24	9:46:05	97	0.1	210	30.3	2100	2518 G	26.695	85.52995	Normal	
3/1/24	9:46:27	97	0.1	210	20.2	2100	2518 G	26.69554	85.52912	Normal	
3/1/24	9:46:29	97	0.1	280	10.1	2800	3313 G	26.69605	85.52823	Normal	
3/1/24	9:46:31	97	0.1	290	10.1	2900	3426 G	26.69655	85.52741	Normal	
3/1/24	9:47:2	97	0.1	260	30.3	2600	3086 G	26.69709	85.52667	Normal	
3/1/24	9:47:26	97	0.1	210	30.3	2100	2518 G	26.69776	85.52598	Normal	
3/1/24	9:47:33	97	0.1	210	30.3	2100	2518 G	26.69854	85.5254	Normal	
3/1/24	9:47:40	97	0.1	170	30.3	1700	2063 G	26.69904	85.52461	Normal	
3/1/24	9:47:49	97	0.1	190	30.3	1900	2290 G	26.69958	85.52382	Normal	
3/1/24	9:48:0	97	0.1	230	30.3	2300	2745 G	26.70003	85.52288	Normal	
3/1/24	9:48:13	97	0.1	200	30.3	2000	2404 G	26.70044	85.52199	Normal	
3/1/24	9:48:18	97	0.1	160	30.3	1600	1950 G	26.70078	85.52106	Normal	
3/1/24	9:48:25	97	0.1	210	30.3	2100	2518 G	26.70091	85.52007	Normal	
3/1/24	9:48:48	97	0.1	210	30.3	2100	2518 G	26.70138	85.51923	Normal	
3/1/24	9:49:0	97	0.1	210	20.2	2100	2518 G	26.70179	85.51832	Normal	
3/1/24	9:49:23	97	0.1	280	10.1	2800	3313 G	26.70246	85.51774	Normal	
3/1/24	9:50:34	97	0.1	170	30.3	1700	2063 G	26.70284	85.51682	Normal	
3/1/24	9:51:9	97	0.1	260	30.3	2600	3086 G	26.70307	85.51589	Normal	
3/1/24	9:51:44	97	0.1	280	10.1	2800	3313 G	26.70327	85.5149	Bridge	
3/1/24	9:52:19	97	0.1	290	10.1	2900	3426 G	26.70344	85.51392	Normal	
3/1/24	9:52:29	97	0.1	200	30.3	2000	2404 G	26.70338	85.513	Normal	
3/1/24	9:52:39	97	0.1	160	30.3	1600	1950 G	26.70324	85.51202	Normal	
3/1/24	9:53:0	97	0.1	210	30.3	2100	2518 G	26.70284	85.51109	Normal	
3/1/24	9:53:18	97	0.1	210	30.3	2100	2518 G	26.70244	85.51022	Normal	
3/1/24	9:53:29	97	0.1	210	20.2	2100	2518 G	26.70222	85.50929	Normal	
3/1/24	9:54:4	97	0.1	280	10.1	2800	3313 G	26.70216	85.50828	Normal	
3/1/24	9:54:8	97	0.1	290	10.1	2900	3426 G	26.70186	85.50731	Normal	

$$Y = 0 * X^2 + 1.136 * X + 132.5$$

11/01/24

11/01/24

11/01/24

3/1/24	9:54:40	97	0.1	260	30.3	2600	3086 G	26.70141	85.50648	Normal
3/1/24	9:55:0	97	0.1	190	30.3	1900	2290 G	26.70104	85.50564	Normal
3/1/24	9:55:15	97	0.1	210	30.3	2100	2518 G	26.70052	85.5048	Normal
3/1/24	9:55:25	97	0.1	280	20.2	2800	3313 G	26.70014	85.50391	Normal
3/1/24	9:55:35	97	0.1	180	30.3	1800	2177 G	26.69999	85.50293	Normal
3/1/24	9:56:0	97	0.1	300	20.2	3000	3540 G	26.69992	85.50185	Normal
3/1/24	9:56:26	97	0.1	300	20.2	3000	3540 G	26.69973	85.50088	Normal
3/1/24	9:57:1	97	0.1	180	30.3	1800	2177 G	26.6996	85.49987	Normal
3/1/24	9:58:11	97	0.1	270	20.2	2700	3199 G	26.6997	85.49887	Normal
3/1/24	9:59:0	97	0.1	230	20.2	2300	2745 G	26.69969	85.49793	Culvert
3/1/24	9:59:22	97	0.1	300	10.1	3000	3540 G	26.69975	85.49692	Normal
3/1/24	9:59:42	97	0.1	280	20.2	2800	3313 G	26.69983	85.49598	Normal
3/1/24	10:0:08	97	0.1	180	30.3	1800	2177 G	26.70002	85.49495	Normal
3/1/24	10:0:21	97	0.1	270	20.2	2700	3199 G	26.70024	85.49396	Normal
3/1/24	10:0:32	97	0.1	230	20.2	2300	2745 G	26.70042	85.49303	Normal
3/1/24	10:0:42	97	0.1	300	10.1	3000	3540 G	26.70038	85.49199	Normal
3/1/24	10:1:0	97	0.1	210	20.2	2100	2518 G	26.70018	85.49103	Normal
3/1/24	10:1:8	97	0.1	230	20.2	2300	2745 G	26.70006	85.49002	Normal
3/1/24	10:1:14	97	0.1	180	20.2	1800	2177 G	26.69999	85.48906	Normal
3/1/24	10:1:28	97	0.1	180	30.3	1800	2177 G	26.70003	85.48801	Normal
3/1/24	10:1:43	97	0.1	190	20.2	1900	2290 G	26.70048	85.48719	Normal
3/1/24	10:2:0	97	0.1	230	20.2	2300	2745 G	26.70095	85.4863	Normal
3/1/24	10:2:18	97	0.1	180	10.1	1800	2177 G	26.70134	85.48535	Normal
3/1/24	10:2:38	97	0.1	170	20.2	1700	2063 G	26.70175	85.48453	Normal
3/1/24	10:3:0	97	0.1	250	20.2	2500	2972 G	26.70204	85.48359	Normal
3/1/24	10:4:4	97	0.1	250	20.2	2500	2972 G	26.70171	85.48263	Normal
3/1/24	10:5:0	97	0.1	190	30.3	1900	2290 G	26.7018	85.4817	Normal
3/1/24	10:5:15	97	0.1	210	30.3	2100	2518 G	26.70265	85.48148	Normal
3/1/24	10:6:25	97	0.1	170	30.3	1700	2063 G	26.70308	85.48059	Normal
3/1/24	10:7:0	97	0.1	290	10.1	2900	3426 G	26.70324	85.47961	Speed Breaker
3/1/24	10:7:36	97	0.1	230	30.3	2300	2745 G	26.70332	85.47867	Normal
3/1/24	10:8:11	97	0.1	200	30.3	2000	2404 G	26.70367	85.47776	Normal
3/1/24	10:8:46	97	0.1	160	30.3	1600	1950 G	26.70395	85.47678	Normal
3/1/24	10:9:22	97	0.1	210	30.3	2100	2518 G	26.70426	85.47584	Normal
3/1/24	10:9:22	97	0.1	210	30.3	2100	2518 G	26.70463	85.47495	Normal
3/1/24	10:10:0	97	0.1	280	10.1	2800	3313 G	26.70495	85.47399	Normal
3/1/24	10:10:32	97	0.1	290	10.1	2900	3426 G	26.70526	85.47306	Normal
3/1/24	10:11:8	97	0.1	260	30.3	2600	3086 G	26.70557	85.47214	Normal
3/1/24	10:11:8	97	0.1	230	30.3	2300	2745 G	26.70587	85.47125	Normal
3/1/24	10:11:8	97	0.1	230	30.3	2300	2745 G	26.70623	85.47027	Normal

11/21/24
 11/21/24
 11/21/24
 11/21/24

3/1/24	10:12:0	97	0.1	190	30.3	1900	2290 G	26.70649	85.46933	Normal
3/1/24	10:12:18	97	0.1	210	30.3	2100	2518 G	26.70672	85.46837	Normal
3/1/24	10:13:0	97	0.1	170	30.3	1700	2063 G	26.7069	85.46739	Normal
3/1/24	10:13:29	97	0.1	190	30.3	1900	2290 G	26.70706	85.46641	Normal
3/1/24	10:14:0	97	0.1	230	30.3	2300	2745 G	26.70726	85.46544	Normal
3/1/24	10:14:4	97	0.1	200	30.3	2000	2404 G	26.70766	85.4646	Normal
3/1/24	10:14:39	97	0.1	160	30.3	1600	1950 G	26.70836	85.46402	Normal
3/1/24	10:15:15	97	0.1	210	30.3	2100	2518 G	26.70888	85.46316	Normal
3/1/24	10:15:50	97	0.1	210	30.3	2100	2518 G	26.70939	85.46236	Curve
3/1/24	10:17:0	97	0.1	210	20.2	2100	2518 G	26.71012	85.46229	Curve
3/1/24	10:18:0	97	0.1	280	10.1	2800	3313 G	26.71099	85.46215	Normal
3/1/24	10:18:11	97	0.1	290	10.1	2900	3426 G	26.71112	85.46123	Normal
3/1/24	10:19:0	97	0.1	260	30.3	2600	3086 G	26.71133	85.4602	Normal
3/1/24	10:19:22	97	0.1	230	30.3	2300	2745 G	26.71155	85.45924	Normal
3/1/24	10:20:0	97	0.1	190	30.3	1900	2290 G	26.7117	85.45828	Normal
3/1/24	10:20:32	97	0.1	210	30.3	2100	2518 G	26.71208	85.45734	Normal
3/1/24	10:21:7	97	0.1	290	10.1	2900	3426 G	26.71283	85.45684	Bridge
3/1/24	10:21:43	97	0.1	190	30.3	1900	2290 G	26.71341	85.45608	Normal
3/1/24	10:22:0	97	0.1	230	30.3	2300	2745 G	26.71397	85.45537	Normal
3/1/24	10:22:18	97	0.1	200	30.3	2000	2404 G	26.71459	85.45463	Normal
3/1/24	10:22:53	97	0.1	160	30.3	1600	1950 G	26.71523	85.45384	Normal
3/1/24	10:23:0	97	0.1	210	30.3	2100	2518 G	26.71583	85.45311	Normal
3/1/24	10:23:29	97	0.1	210	30.3	2100	2518 G	26.71642	85.45241	Normal
3/1/24	10:24:4	97	0.1	280	10.1	2800	3313 G	26.71776	85.45108	Normal
3/1/24	10:24:39	97	0.1	290	10.1	2900	3426 G	26.71845	85.45044	Normal
3/1/24	10:25:0	97	0.1	200	30.3	2000	2404 G	26.71916	85.4498	Normal
AVERAGE						2667				

Revised
11/5/12/24
JE

11/11/24
JE

11/01/24
JE