कार्यपालक अभियंता का कार्यालय, ग्रामीण कार्य विभाग, कार्य प्रमंडल बगहा-1

पत्रांक 122

बगहा-1/ दिनांक 25/01/24

प्रेषक.

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बगहा-1।

सेवा में.

अपर मुख्य कार्यपालक पदाधिकारी —सह—सचिव, नोडल पदाधिकारी, ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :- मुख्यमंत्री ग्राम सम्पर्क योजना (SC) अन्तर्गत चयनित पथों के लिए प्राप्त राशि का उपयोगिता प्रमाण-पत्र एवं अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि MMGSY(SC) योजना अन्तर्गत भुगतान हेतु अधियाचना विहित प्रपत्र मे तैयार कर आवश्यक अग्रेतर कार्रवाई हेतु समर्पित किया जाता -है। अधियाचना प्रपत्र के साथ उपयोगिता प्रमाण पत्र भी संलग्न है। साथ ही संवेदक का नाम प्राधिकार पत्र में जोड़ने की कृपा किया जाय।

अतः निर्वेदन है कि अंधियाचित राशि विमुक्त करने की कृपा की जाय

ताकि कराये गये कार्य का भुगतान किया जा सके।

अनु0- 1. उपयोगिता प्रमाण-पत्र Form GFR 19A

2. अधियाचना पत्र

विश्वासभाजन

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बगहा—1

*FORM GFR 19-A

(See Government of India's decision (I) below rule- 150) Form of Utilization certificate up to the month November - 2023 PIU:- E.E RWD(W)DIV-BAGAHA-1

Amount Sanction No.& Date received **Particulars** SL.NO. Name of Schemes (In Lacs) with Amount (In Lacs) 2 3 5 1 1 MMGSY(SC) 6833.31248 Certified Rs. CFMS that out 2429.80330 9263.11578 . Lacs of grants-in-Bank aid sanctioned during the years 2021-22 to 2023-24 in of Executive Engineer R. W. D. Works Division, BAGAHA-1

Certified that I have satisfied myself that the conditions on which the grant-in-aid was sanctioned have been duly fulfilled, are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

9263,11578

Divisional Accounts Officer
RWD Works Division, Bagaha-1

Kinds of cheeks exercised:-

Works has been supervised by Executive Engineer / Superintending Engineer.

TOTAL

- ii. Periodic as inspection has been conducted by Executive Engineer / Superintending Engineer.
- iii. Construction materials have been tested.
- iv. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer.
- All other codal formalities have been observed.
- Physical Progress achieved:-
- i. Construction of Road Works.
- ii. Construction of CD Works.

Executive Engineer

R.W.D. Works Division, Bagaha-1

of Rs 9262.35387.

Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 0.55290

(Bank)Lac remaining unutilized

Rs.

been utilized

And

at the end of the

Lacs for the

0.20901

period

of MMGSY(SC)

sum

has

purpose

(CFMS)

Rural Works Department

Cobolejon :- Rural Works Denartment, Works Division Bagaha-1. MMGSY (SC) Allotment Requisition Format

I					Name of	Vame of Division :- Rul	ALL WOLLDS INC.	in the second	TOTAL PARTY	Kurai works Department, works program		Organ proces	that are previden	Dange with	
87		Administra	thre Sanction	Agreement	Amount				Date of	-	Astroni Date of	STATE STATE	幸 はなない	Appendix On	affight
No.	Name of Read	Leagth	Amount of	Cook, Weh	Mars Vota	Name of Contractor	Agroment Na.	Desc	Completion	diff of the Baw, copyrig	Completion	Or many	(base)	V mary	77
	3		1	1	100	5	9	7	20	6	10	=	77		1
L			-				100000000000000000000000000000000000000			***	44 00 00	16.16669	44 53323	15,57755	MEN VS CO.
	Paroraha to Lohar Tola	0,755	58,130	51,91764	5,64348	Ramosinear Presad	47SBD/2020-21	05.12.2020	04.09.28201	Complete	31.00.66	20,12,200	-		10000
4	Control of the contro	STATE OF	The state of the s	No contraction	Necessary										

अधिवापना पूर्ण विविध्य के अनुस्ता किये गये उत्तयों के दिए किया जा रहा है निकाली प्रक्रिंट मादे पुरत में कि जा चुनी है। इन कर्ज में NOM, SQM की मोद्र प्रियमी मादि के जुना के प्रमाण प्रतिक्रिक कर किया जाएगा।
 गुणालन प्रतिक्रार प्राप्त होने के अंदर किन्त्रों का मुगतान कर एचलेगित प्रमाण पत्र सर्मित कर किया जाएगा।

कर्य फाल पर नागरिक रूपना पट एवं स्थल प्रवेतहरूता स्थापित क्षिया गमा है।

4 प्रसंत्र QM-1 एएं उपविधिता प्रमान पत्र (19A) संतरन है।

पथ निर्माण के लिए कूर्ण तम्बाई उन्तरम्ब है जिले सीएक की Hass Over पन दिया गया है।

मधिषक भी Maditanies एवं Nadanery अभीन की आवश्यकता नहीं है एका संवेदक द्वारा मीग नहीं वह नई है।

