

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य सिमरी बख्तियारपुर।

पत्रांक:- 1693

सिमरी बख्तियारपुर दिनांक:- 29.7.2024

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सिमरी बख्तियारपुर।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
ब्राडा, पटना।

विषय:- 3054 बिहार ग्रामीण पथ नई अनुरक्षण नीति 2018 के योजना अन्तर्गत में
अधियाचित राशि का आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषयक प्रासंगिक पत्र के अनुपालन में 3054 बिहार ग्रामीण पथ नई
अनुरक्षण नीति 2018 के योजना अन्तर्गत राशि की माँग संलग्न विहित प्रपत्र में पथवार की
गई है।

अतः भवदीय से अनुरोध है कि विहित प्रपत्र के कॉलम 18 में अंकित कुल राशि
का आवंटन उपलब्ध कराने की कृपा की जाय। अधियाचित राशि के संदर्भ में Bump
Intrigater Report की छाया प्रति संलग्न कर समर्पित किया जा रहा है।

अनु० यथोक्त।

विश्वासभाजन

29/07/24

कार्यपालक अभियंता,

ग्रामीण कार्य विभाग,

कार्य प्रमंडल, सिमरी बख्तियारपुर।


29/07/24


Requisition Format for Scheme Head - MR (3054) Under Bihar Rural Road maintenance Policy 2018 (Initial Rectification and Surface Renewal)

Name of Division : Simri Bakhtiyarpur

Sl. No	Package no.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lac)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (I Lac)	up to date expenditure as per MIS (in Lac)	Requisition Against work done (In lac)	Remarks
					Length (In Km)	Amount (in Lac)	Initial Rectification with Surface Renewal (in lac)	5 years Routine Maintenance (In lac)										
1	RM/SA/SIM/24/0002	Suhat Kachra Main road to Rajender Prasad House via the house of Dinesh Sah.	N209044001014	Letter no-6120 Dated- 04.12.2023	0.840	59.61500	42.56751	4.38156	28 MBD/2023-24/ 16.3.2024	15.12.2024	27.07.2024	2.630	25mm	4.90%	0.00000	0.00000	42.56751	Road Complete
2	RM/SA/SIM/24/0002	Pama Panchayat bhawan TO Dhaboli High School Via Sirha Tola	20904412013	Letter no-6120 Dated- 04.12.2023	3.020	174.41400	125.54000	26.35000	28 MBD/2023-24/ 16.3.2024	15.12.2024	27.7.2024	2.960	25mm	4.90%	0.00000	0.00000	125.54000	Road Complete
3	RM/SA/SIM/24/0002	Shri Jay Kishor Mehta house to World Bank road via Thadhi	20904301016	Letter no-6120 Dated- 04.12.2023	2.040	116.85100	94.07151	13.01000	28 MBD/2023-24/ 16.3.2024	15.12.2024	27.7.2024	2.720	25mm	4.90%	0.00000	0.00000	94.07151	Road Complete


29/7/24


29.7.24
25


29/10/24
Executive Engineer
RWD Works Division
Simri Bakhtiyarpur

29/10/24

Form GFR 19- A
(See Government of India's Decision (I) below Rule - 150)
Form of Utilization Certificate upto the month of July -2024
New Maintenance Policy 2018

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs)	Amount Received (in lacs)	Particulars
1	1	Letter No 79 Dated 19.06.2024	Rs 5630.99658 Vide Letter No 79 Dated 19.06.2024	Certified that out of RS 5630.99658 lacs of grants in aid sanctioned during the Years up to 2024-25 in favour of Executive Engineer, RWD Works Division Simri Bakhtiyarpur under this Department, a sum of Rs 5490.54969 lacs has been utilized for the purpose of New_MR Scheme remaining 140.44689 unutilized at the end of the period under report.
		Total :	5504.61582	

Certified and verified myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled / are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of Checks exercised :-

- i Works have been supervised by Executive Engineer/ Superintending Engineer.
- ii Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- iii Construction material have been tested.
Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- iv
- v All other codal formalities have been observed.

Physical Progress achieved :-

- i Construction of Road works.
- ii Construction of CD works

Sr D.A.O
RWD works Division
Simri Bakhtiyarpur

Executive Engineer
RWD works Division
Simri Bakhtiyarpur

SN
29/07/24
M
29.7.24

Name of work		Pama Panchayat bhawan TO Dhaboli High School Via Sirha Tola													
Name of customer		Raja Traders (Prop- Bipin Kumar Jha)													
(R)Rural Road															
Good					Average					Poor					
< 4000					4001 - 5000					> 5000					
Date	Time	Test No	Distance(m)	Total Distance(m)	BUMF(cm)	Speed(Km/Hr)	Ulgm(km)	Corrected UI (mm/km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
27/07/2022	15:24:42	207	0	0	0.0 cm	17.2 Km/Hr	0.0 mm/Km	88	0.17	Good	25.835128	N	86.834485	E	Normal
27/07/2022	15:25:02	207	100	100	27.0 cm	17.4 Km/Hr	2700.0 mm/Km	2610	3.56	Good	25.835128	N	86.834485	E	Normal
27/07/2022	15:25:20	207	100	200	21.0 cm	19.2 Km/Hr	2100.0 mm/Km	2050	2.87	Good	25.835128	N	86.834485	E	Normal
27/07/2022	15:25:38	207	100	300	25.0 cm	19.8 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/07/2022	15:25:53	207	100	400	19.0 cm	20.7 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.835128	N	86.834485	E	Normal
27/07/2022	15:26:07	207	100	500	23.0 cm	15.3 Km/Hr	2300.0 mm/Km	2237	3.1	Good	25.835128	N	86.834485	E	Normal
27/07/2022	15:26:22	207	100	600	27.0 cm	17.4 Km/Hr	2700.0 mm/Km	2610	3.56	Good	25.829937	N	86.837878	E	Normal
27/07/2022	15:26:38	207	100	700	17.0 cm	20.4 Km/Hr	1700.0 mm/Km	1676	2.4	Good	25.829937	N	86.837878	E	Normal
27/07/2022	15:26:55	207	100	800	18.0 cm	26.7 Km/Hr	1800.0 mm/Km	1770	2.51	Good	25.829937	N	86.837878	E	Normal
27/07/2022	15:27:11	207	100	900	26.0 cm	40.9 Km/Hr	2600.0 mm/Km	2517	3.44	Good	25.829937	N	86.837878	E	Normal
27/07/2022	15:27:28	207	100	1000	23.0 cm	15.3 Km/Hr	2300.0 mm/Km	2237	3.1	Good	25.829937	N	86.837878	E	Normal
27/07/2022	15:27:44	207	100	1100	27.0 cm	17.4 Km/Hr	2700.0 mm/Km	2610	3.56	Good	25.829937	N	86.837878	E	Normal
27/07/2022	15:28:00	207	100	1200	23.0 cm	15.3 Km/Hr	2300.0 mm/Km	2237	3.1	Good	25.825051	N	86.830675	E	Normal
27/07/2022	15:28:14	207	100	1300	27.0 cm	17.4 Km/Hr	2700.0 mm/Km	2610	3.56	Good	25.825051	N	86.830675	E	Normal
27/07/2022	15:28:50	207	100	1400	23.0 cm	15.3 Km/Hr	2300.0 mm/Km	2237	3.1	Good	25.825051	N	86.830675	E	Normal
27/07/2022	15:29:24	207	100	1500	15.0 cm	14.5 Km/Hr	1500.0 mm/Km	1489	2.16	Good	25.825051	N	86.830675	E	Normal
27/07/2022	15:29:39	207	100	1600	16.0 cm	17.1 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.825051	N	86.830675	E	Normal
27/07/2022	15:29:52	207	100	1700	27.0 cm	17.4 Km/Hr	2700.0 mm/Km	2610	3.56	Good	25.825051	N	86.830675	E	Normal
27/07/2022	15:30:05	207	100	1800	26.0 cm	14.5 Km/Hr	2600.0 mm/Km	2517	3.44	Good	25.827194	N	86.829375	E	Normal

29/7/24

29/10/24

Name of work		: Pama Panchayat bhawan TO Dhaboli High School Via Sirha Tola														
Name of customer :		Raja Traders (Prop- Bipin Kumar Jha)														
(R)Rural Road																
		Good		Average				Poor								
		< 4000		4001 - 5000				> 5000								
27/07/2022	4	15:30:18	207	100	1900	27.0 cm	17.4 Km/Hr	2700.0 mm/Km	2610	3.56	Good	25.827194	N	86.829375	E	Normal
27/07/2022	4	15:30:31	207	100	2000	11.0 cm	25.7 Km/Hr	1100.0 mm/Km	1116	1.67	Good	25.827194	N	86.829375	E	Normal
27/07/2022	4	15:30:44	207	100	2100	23.0 cm	15.3 Km/Hr	2300.0 mm/Km	2237	3.1	Good	25.827194	N	86.829375	E	Normal
27/07/2022	4	15:30:58	207	100	2200	19.0 cm	23.6 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.827194	N	86.829375	E	Normal
27/07/2022	4	15:31:11	207	100	2300	25.0 cm	29.4 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.828882	N	86.827188	E	Normal
27/07/2022	4	15:31:28	207	100	2400	25.0 cm	29.4 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.828882	N	86.827188	E	Normal
27/07/2022	4	15:31:44	207	100	2500	23.0 cm	15.3 Km/Hr	2300.0 mm/Km	2237	3.1	Good	25.828882	N	86.827188	E	Normal
27/07/2022	4	15:47:17	207	100	2600	19.0 cm	23.6 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.828882	N	86.827188	E	Normal
27/07/2022	4	15:47:51	207	100	2700	25.0 cm	29.4 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.828882	N	86.827188	E	Normal

29/7/24

29/10/24
865

3.92

Name of Customer: Raja Traders (Prop- Bipin Kumar Jha), Machine no: 19215, Road: Pama Panchayat bhawan TO Dhaboli High School Via Sirha Tola, Date: 29/07/24, Section No: 207, Equation: $Y=0.934X+88.4$

2.98

2.04

1.09

0.15

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2

Distance*1000 m

[Signature]
29/7/24

[Signature]
29/07/24



Name of work : Suhel Kachra Main road to Rajender Prasun House via the

house of Dinesh sah

Name of customer : Raja Traders (Prop. Bipin Kumar Jha)

(R)Rural Road

Good

Average

Poor

< 4000

4001 - 5000

> 5000


Date	Time	Test No	Distance(m)	Total Distance(m)	BUMF(cm)	Speed(km/hr)	U/(mm/km)	Corrected U/(mm/km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
27/7/2024	17:16:35	205	0	0	0.0 cm	15.7 Km/hr	0.0 mm/km	89	0.17	Good	25.772247	N	86.689486	E	Normal
27/7/2024	17:16:54	206	100	100	16.0 cm	7.1 Km/hr	1600.0 mm/km	1583	2.28	Good	25.772247	N	86.689486	E	Normal
27/7/2024	17:17:21	206	100	200	13.0 cm	23.1 Km/hr	1300.0 mm/km	1303	1.91	Good	25.772247	N	86.689486	E	Normal
27/7/2024	17:17:44	206	100	300	25.0 cm	44.5 Km/hr	2500.0 mm/km	2423	3.33	Good	25.773697	N	86.69532	E	Normal
27/7/2024	17:18:01	206	100	400	28.0 cm	43.6 Km/hr	2800.0 mm/km	2704	3.67	Good	25.773697	N	86.69532	E	Normal
27/7/2024	17:18:18	206	100	500	25.0 cm	44.5 Km/hr	2500.0 mm/km	2423	3.33	Good	25.773697	N	86.69532	E	Normal
27/7/2024	17:18:37	206	100	600	16.0 cm	27.0 Km/hr	1600.0 mm/km	1583	2.28	Good	25.773184	N	86.69534	E	Normal
27/7/2024	17:18:57	206	100	700	25.0 cm	44.5 Km/hr	2500.0 mm/km	2423	3.33	Good	25.773184	N	86.69534	E	Normal
27/7/2024	17:19:11	206	100	800	28.0 cm	43.6 Km/hr	2800.0 mm/km	2704	3.67	Good	25.773184	N	86.69534	E	Normal
27/7/2024	17:19:11	206	100	900	16.0 cm	27.0 Km/hr	1600.0 mm/km	1583	2.28	Good	25.773184	N	86.69534	E	Normal

24.7.24

25/07/24



name of Customer: Raja Tardora (Prop. Rajm Kumar Jha), Machine no. 10715, Road Subal Kachra Main road to Rajender Prasas House via the house of Dwarb. s.b., Date: 29/07/24, Section No. 203, Equation: Y=0.934X+83



0
1
2
3
4
5
6
7
8
9

$\frac{25}{29107124}$
66

Name of work	: Shri Jay Kishor Mehta house to World Bank road via Thadhi
---------------------	---

Name of customer :	Raja Traders (Prop- Bipin Kumar Jha)
---------------------------	--------------------------------------

(R)Rural Road		
Good	Average	Poor
< 4000	4001 - 5000	> 5000


Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
27/7/2024	14:23:01	206	0	0	0.0 cm	15.7 Km/Hr	0.0 mm/Km	88	0.17	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:23:17	206	100	100	16.0 cm	7.1 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:23:34	206	100	200	13.0 cm	23.1 Km/Hr	1300.0 mm/Km	1303	1.91	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:23:53	206	100	300	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:24:12	206	100	400	20.0 cm	32.4 Km/Hr	2000.0 mm/Km	1956	2.75	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:24:30	206	100	500	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:24:47	206	100	600	20.0 cm	32.4 Km/Hr	2000.0 mm/Km	1956	2.75	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:25:03	206	100	700	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:25:33	206	100	800	20.0 cm	32.4 Km/Hr	2000.0 mm/Km	1956	2.75	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:25:42	206	100	900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:28:22	206	100	1000	16.0 cm	27.0 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:28:43	206	100	1100	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:29:00	206	100	1200	16.0 cm	7.1 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:29:16	206	100	1300	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:30:07	206	100	1400	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:30:27	206	100	1500	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.835128	N	86.834485	E	Normal
27/7/2024	14:30:42	206	100	1600	15.0 cm	28.5 Km/Hr	1500.0 mm/Km	1489	2.16	Good	25.834852	N	86.83439	E	Normal
27/7/2024	14:31:00	206	100	1700	19.0 cm	33.1 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.834852	N	86.83439	E	Normal
27/7/2024	14:31:18	206	100	1800	25.0 cm	37.4 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.834852	N	86.83439	E	Normal
27/7/2024	14:31:35	206	100	1900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.834852	N	86.83439	E	Normal
27/7/2024	14:31:56	206	100	2000	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.834852	N	86.83439	E	Normal

Name of work	:	Shri Jay Kishor Mehta house to World Bank road via Thadhi
Name of customer	:	Raja Traders (Prop- Bipin Kumar Jha)
(R)Rural Road		
Good	Average	Poor
< 4000	4001 - 5000	> 5000

27/7/2024	14:32:17	206	100	2100	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.834852	N	86.83439	E	Normal
-----------	----------	-----	-----	------	---------	------------	--------------	------	------	------	-----------	---	----------	---	--------

Atul
29/7/24

Name of Customer: Raja Traders (Prop- Bipin Kumar Jha) , Machine no: 19215 , Road: Shri Jay Kishor Mehta house to World Bank road via Thadhi , Date: 29/07/24 , Section No: 206 , Equation: $Y=0.934X+88.4$



[Signature]
29/7/24