

**कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, हथुआ।**

पत्रांक- 934

दिनांक- 31-7-2024

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

सेवा में,

सचिव,
बिहार, ग्रामीण पथ विकास अभिकरण,
बिहार, पटना।

विषय :- बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि उपलब्ध कराने के संबंध में।


महाशय,

उपरोक्त विषयक बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि की अधियाचना विहित प्रपत्र में की जा रही है।

अतः भवदीय से अनुरोध है कि कॉलम 18 में अंकित राशि उपलब्ध कराने की कृपा की जाय।

अनु0- यथोक्त।

विश्वासभाजन,



31.07.24
कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

Requisition Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)																				
Name of Works Division :- Rural Works Department, Works Division Hathua.																				
Sl No.	Package No.	Name of Road	Project ID as Per MIS	Administrative Approval (AA) Letter No & Date.	Administrative Approval (AA)			Agreement Amount (In Lakh)			Agreement No & Date	Date & Completion as per Agreement.	Actual Date of Completion	Value of IRI (in MM/KM)	Thickness of Bitumen layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Alloted Amount (In Lakh)	UP-to date expenditure as per MIS (In Lakh)	Requisition against work done. (In Lakh)	Remarks
					Length (In Lakh)	Amount (In Lakh)	Initial Rectification with surface Renewal (In Lakh)	5 Year Routine Maintenance (In Lakh)												
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
1	MR-N-23-24/Hathua-03	Luhsi to Mirgani.	31407108020	Letter-1960, Dt-17.07.2023	9.100	602.100	506.32637	76.94616	11/MBD/2023-24 Date-02.12.2023	01.09.2024	-	Good	25	5.00	500.37668	500.00565	0.12485	Complete		
					9.100	602.100	506.32637	76.94616							500.37668	500.00565	0.12485			

प्रमाणित किया जाता है कि पथ में कराये गये कार्य मानक एवं विशिष्टियों के अनुरूप है।


J.E
Uchkagaon


D.A.O
R.W.D Works Division, Hathua.


Executive Engineer,
R.W.D Works Division, Hathua.

FORM GFR 19 - A

(See Government of India's Decision (1) below Rule - 150)

Form utilisation Certificate up to the month of Up to 21.06.2024

MR-3054 (New Maintenance Policy-2018)

RWD Works Division - HATHUA

	Head	Amount Received		Expenditure		Balance	
		IN A/C-	0.00	IN A/C-	0.00	IN A/C-	0.00
1	MR-3054 (New Maintenance Policy-2018)	By CFMS-	1184942127.00	By CFMS-	1184893978.00	By CFMS-	48149.00
		Total-	1184942127.00	Total-	1184893978.00	Total-	48149.00
						Certified that sum of Rs 11848.94 Lac has been utilized for the purpose of MR-3054 (New Maintenance Policy-2018) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 0.48149 Lac Lacs remaining utilized at the end of the period under.	

2. Certified that I have satisfied myself that the conditions on which the grants-in aid was sanctioned have been duly

Kind of Checks exercised :-

(i) Works have been supervised by Executive Engineer/Superintending Engineer.

(ii) Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.

(iii) Construction material have been tested.

(iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.

(v) All other codal formalities have been observed.

3. Physical Progress achieved :-


(i) Construction of Road Works.

(ii) Construction of CD Works


 31.7.24

D.A.O

Rural Works Department
Works Division Hathua


 31.07.24

Executive Engineer

Rural Works Department
Works Division Hathua

Name of work : Lahusi se mirganj															
Name of customer : M/S Durga Construction															
(R)Rural Road															
GoodAveragePoor															
< 40004001 - 5000> 5000															
Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
04/04/24	13:44:02	85	0	0	0.0 cm	0.0 Km/Hr	0.0 mm/Km	245	0.43	Good	26.4381285	N	84.2470407	E	Normal
04/04/24	13:45:07	85	100	100	17.0 cm	7.2 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.4381285	N	84.2470407	E	Normal
04/04/24	13:45:32	85	100	200	19.0 cm	14.1 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3711920	N	84.3371897	E	Normal
04/04/24	13:46:00	85	100	300	13.0 cm	12.9 Km/Hr	1300.0 mm/Km	1462	2.12	Good	26.3720674	N	84.3374338	E	Normal
04/04/24	13:46:24	85	100	400	18.0 cm	15.0 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3727636	N	84.3376322	E	Normal
04/04/24	13:46:45	85	100	500	18.0 cm	16.9 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3736086	N	84.3376322	E	Normal
04/04/24	13:47:12	85	100	600	13.0 cm	13.3 Km/Hr	1300.0 mm/Km	1462	2.12	Good	26.3743410	N	84.3378611	E	Normal
04/04/24	13:47:32	85	100	700	18.0 cm	18.0 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3753920	N	84.3382502	E	Normal
04/04/24	13:47:55	85	100	800	16.0 cm	15.7 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3761206	N	84.3386698	E	Normal
04/04/24	13:48:11	85	100	900	14.0 cm	22.0 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3771772	N	84.3390665	E	Normal
04/04/24	13:48:24	85	100	1000	16.0 cm	27.0 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3776255	N	84.3388987	E	Normal
04/04/24	13:48:39	85	100	1100	12.0 cm	24.4 Km/Hr	1200.0 mm/Km	1368	2	Good	26.3785334	N	84.3385782	E	Normal
04/04/24	13:48:52	85	100	1200	17.0 cm	26.4 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3788099	N	84.3383341	E	Normal
04/04/24	13:49:04	85	100	1300	19.0 cm	29.4 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3788099	N	84.3383341	E	Normal
04/04/24	13:49:17	85	100	1400	14.0 cm	29.7 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3813448	N	84.3382654	E	Normal
04/04/24	13:49:30	85	100	1500	12.0 cm	27.7 Km/Hr	1200.0 mm/Km	1368	2	Good	26.3822603	N	84.3383799	E	Normal
04/04/24	13:50:02	85	100	1600	16.0 cm	11.1 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3827448	N	84.3377314	E	Normal
04/04/24	13:50:19	85	100	1700	17.0 cm	20.0 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3836107	N	84.3376169	E	Normal
04/04/24	13:50:35	85	100	1800	11.0 cm	22.2 Km/Hr	1100.0 mm/Km	1275	1.88	Good	26.3844690	N	84.3372278	E	Normal
04/04/24	13:50:52	85	100	1900	18.0 cm	20.6 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3853445	N	84.3371134	E	Normal
04/04/24	13:51:33	85	100	2000	18.0 cm	8.5 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3862238	N	84.3370600	E	Normal

31.7.2024
NE


31/7/24
T.E

B1-57-29

Name of work : Lahusi se mirganj															
Name of customer : M/S Durga Construction															
		(R)Rural Road													
		Good		Average				Poor							
		< 4000		4001 - 5000				> 5000							
04/04/24	13:51:50	85	100	2100	15.0 cm	21.4 Km/Hr	1500.0 mm/Km	1649	2.36	Good	26.3872004	N	84.3369608	E	Normal
04/04/24	13:52:05	85	100	2200	22.0 cm	24.6 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.3879080	N	84.3368845	E	Normal
04/04/24	13:52:25	85	100	2300	24.0 cm	18.0 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.3889093	N	84.3370295	E	Normal
04/04/24	13:52:48	85	100	2400	22.0 cm	16.0 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.3897314	N	84.3366661	E	Normal
04/04/24	13:53:04	85	100	2500	23.0 cm	22.5 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.3902197	N	84.3364420	E	Normal
04/04/24	13:53:20	85	100	2600	21.0 cm	21.6 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.3912439	N	84.3365259	E	Normal
04/04/24	13:53:36	85	100	2700	21.0 cm	23.1 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.3921442	N	84.3365869	E	Normal
04/04/24	13:53:50	85	100	2800	22.0 cm	25.2 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.3930674	N	84.3369608	E	Normal
04/04/24	13:54:06	85	100	2900	24.0 cm	23.1 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.3936777	N	84.3374033	E	Normal
04/04/24	13:54:28	85	100	3000	29.0 cm	16.6 Km/Hr	2900.0 mm/Km	2960	3.98	Good	26.3945322	N	84.3375483	E	Normal
04/04/24	13:54:44	85	100	3100	24.0 cm	22.0 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.3955488	N	84.3376474	E	Normal
04/04/24	13:55:00	85	100	3200	26.0 cm	21.8 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.3964529	N	84.3376932	E	Normal
04/04/24	13:55:17	85	100	3300	20.0 cm	21.3 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.3972864	N	84.3378611	E	Normal
04/04/24	13:55:31	85	100	3400	27.0 cm	25.2 Km/Hr	2700.0 mm/Km	2773	3.75	Good	26.3981256	N	84.3383112	E	Normal
04/04/24	13:55:46	85	100	3500	21.0 cm	24.0 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.3989019	N	84.3385096	E	Normal
04/04/24	13:55:59	85	100	3600	27.0 cm	27.9 Km/Hr	2700.0 mm/Km	2773	3.75	Good	26.3998136	N	84.3387232	E	Normal
04/04/24	13:56:27	85	100	3700	23.0 cm	14.1 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.4008074	N	84.3389673	E	Normal
04/04/24	13:58:33	85	100	3800	25.0 cm	20.7 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	13:58:44	85	100	3900	22.0 cm	30.9 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	13:58:56	85	100	4000	24.0 cm	32.0 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	13:59:07	85	100	4100	21.0 cm	30.9 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	13:59:18	85	100	4200	19.0 cm	33.0 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.4010744	N	84.3390284	E	Normal

31/2/24

Name of work : Lahusi se mirganj															
Name of customer : M/S Durga Construction															
(R)Rural Road															
Good		Average		Poor											
< 4000		4001 - 5000		> 5000											
04/04/24	13:59:29	85	100	4300	20.0 cm	33.1 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	13:59:39	85	100	4400	20.0 cm	33.4 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	13:59:50	85	100	4500	22.0 cm	33.3 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	14:00:02	85	100	4600	16.0 cm	31.2 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	14:00:13	85	100	4700	19.0 cm	32.7 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	14:00:24	85	100	4800	22.0 cm	32.4 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4010744	N	84.3390284	E	Normal
04/04/24	14:00:35	85	100	4900	23.0 cm	32.0 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.4113531	N	84.3399439	E	Normal
04/04/24	14:00:47	85	100	5000	20.0 cm	31.8 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4120569	N	84.3399439	E	Normal
04/04/24	14:00:58	85	100	5100	14.0 cm	31.2 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.4130011	N	84.3401041	E	Normal
04/04/24	14:01:10	85	100	5200	22.0 cm	30.3 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4138918	N	84.3401728	E	Normal
04/04/24	14:01:21	85	100	5300	22.0 cm	31.3 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4148073	N	84.3402185	E	Normal
04/04/24	14:01:32	85	100	5400	22.0 cm	32.7 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4155493	N	84.3402491	E	Normal
04/04/24	14:01:43	85	100	5500	27.0 cm	33.8 Km/Hr	2700.0 mm/Km	2773	3.75	Good	26.4165583	N	84.3403025	E	Normal
04/04/24	14:01:53	85	100	5600	22.0 cm	34.9 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4176111	N	84.3403330	E	Normal
04/04/24	14:02:04	85	100	5700	26.0 cm	34.5 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.4183798	N	84.3403635	E	Normal
04/04/24	14:02:14	85	100	5800	27.0 cm	33.9 Km/Hr	2700.0 mm/Km	2773	3.75	Good	26.4193773	N	84.3403330	E	Normal
04/04/24	14:02:25	85	100	5900	26.0 cm	33.8 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.4201384	N	84.3403025	E	Normal
04/04/24	14:02:36	85	100	6000	20.0 cm	34.2 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4206591	N	84.3402338	E	Normal
04/04/24	14:02:46	85	100	6100	22.0 cm	34.5 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4218760	N	84.3398142	E	Normal
04/04/24	14:02:56	85	100	6200	22.0 cm	34.5 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4227266	N	84.3391428	E	Normal
04/04/24	14:03:07	85	100	6300	20.0 cm	34.2 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4234018	N	84.3387537	E	Normal
04/04/24	14:03:18	85	100	6400	22.0 cm	33.4 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4240980	N	84.3384104	E	Normal

 31.7.2024 NE
 31.7.2024 S.E.

Name of work : Lahusi se mirganj															
Name of customer : M/S Durga Construction															
(R)Rural Road															
Good			Average			Poor									
< 4000			4001 - 5000			> 5000									
04/04/24	14:03:37	85	100	6500	21.0 cm	19.6 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.4246950	N	84.3384104	E	Normal
04/04/24	14:04:02	85	100	6600	26.0 cm	15.0 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:04:20	85	100	6700	26.0 cm	19.0 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:04:37	85	100	6800	24.0 cm	21.1 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:05:16	85	100	6900	25.0 cm	9.7 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:05:47	85	100	7000	21.0 cm	11.2 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:06:07	85	100	7100	22.0 cm	18.0 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:06:24	85	100	7200	22.0 cm	20.8 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:06:45	85	100	7300	26.0 cm	18.0 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:07:05	85	100	7400	28.0 cm	17.1 Km/Hr	2800.0 mm/Km	2866	3.87	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:07:17	85	100	7500	26.0 cm	29.1 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:07:31	85	100	7600	22.0 cm	25.7 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:08:07	85	100	7700	26.0 cm	10.5 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:08:48	85	100	7800	25.0 cm	9.0 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:09:17	85	100	7900	24.0 cm	12.4 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:09:50	85	100	8000	20.0 cm	10.8 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:10:13	85	100	8100	25.0 cm	15.5 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:10:32	85	100	8200	21.0 cm	18.9 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:10:52	85	100	8300	27.0 cm	17.8 Km/Hr	2700.0 mm/Km	2773	3.75	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:11:13	85	100	8400	23.0 cm	17.6 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:11:30	85	100	8500	22.0 cm	20.6 Km/Hr	2200.0 mm/Km	2305	3.18	Good	26.4246950	N	84.3370295	E	Normal
04/04/24	14:11:44	85	100	8600	20.0 cm	25.4 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4246950	N	84.3370295	E	Normal


31/7/24

Name of work :		Lahusi se mirganj													
Name of customer :		M/S Durga Construction													
(R) Rural Road															
Good		Average		Poor											
< 4000		4001 - 5000		> 5000											
04/04/24	14:11:56	85	100	8700	20.0 cm	29.7 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4248950	N	84.3370295	E	Normal


 21/2/24
 E.E


 31-07-24

Name of Customer: M/S Durga Construction , Machine no: 19193 , Road: Lahusi se mirganuj , Date: 04/04/24 , Section No: 85 , Equation: $Y=0.936X-245.3$



3.5
31/7/24
T.E

31.7.24
T.E

31.7.24
T.E