

Distance of coil

4	Restoration of soil		
	with NH ₄ Soil		

24.88 m^2 मध्ये पृष्ठ (49)

el 386.14/2	—	15	9607
-------------	---	----	------

$\frac{2}{2} 1$	main	of	earth	—
	shoulder			

361.69	n ^L	mid	Page	(49)
--------	----------------	-----	------	------

ca 57.56/n ⁴	—	19	20819
-------------------------	---	----	-------

$\frac{3}{(3)}$	Repair of pot holes
	holes - do -

27.26 n	- mol -	Page.	(50)
---------	---------	-------	------

ely 401.85/rL	—	11155
---------------	---	-------

Continuation.

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
4/1) Patel's repair work interior of building					
23.24 sq. mtr. (Page - 50)					
at 298.12/m ²				15	3277
5/1) Maint. of road signs - no					
0.520 km mtr. (Page - 50)					
at 1077.81/km				15	560
6/1) Maint. of road & 1 km stone					
1.040 km mtr. (Page - 50)					
at 702.29/km				15	790
7/1) cutting of branches of trees					
01 no mtr. (Page - 50)					
at 109.74/each				15	110.
8/1) Maint. of trees by road side					
40 no mtr. (Page - 50)					
at 574.05/each				15	22962
9/1) P.W. & applying huc works water based paint - no					
128.00 m ² mtr. (Page - 50)					
at 90.98/m ²				15	11645

Material used	
North wall	133.382 m ²
Bikher 5-90 -	120 kg
Emulsion 2-1 -	12 kg
stone chips -	1.50 m ²
crushed sand -	0.34 m ²

(P.H.)
06/11/23