

Government of Bihar



e-Stamp

Certificate No.

IN-BR-2301099599

Certificate Issue Date

20-Oct-2023 01:32 PM

GRN No.

BHR20231000651663E

Unique Doc Reference

EST-BR-4600-2300037450

Party Name

ARVIND NARAIN SINGH

Purchased by

: ARVIND NARAIN SINGH

Purpose

: Agreement or Memorandum of an Agreement Article no (05)

Stamp Duty Paid (Rs.)

: 1000 (One Thousand Only)

Reg. Fee (Rs.)

: 0 (Zero Only)

LLR & P Fee (Rs.)

: 0 (Zero Only)

Miscellaneous Fee (Rs.)

: 0 (Zero Only)

Discore SC (Rs.)

0 (Zero Only)

Total Amount (Rs.)

1000 (One Thousand Only)

Supplemental Agreement No. 160-19020-21

Daic. 12 - 12 . 2013

Whereas the Employer is desirous that the Contractor execute GBC Bhawanipur Bazar To Bhawanipur Mauze, (Tender ID-84176) [name and identification number of contract] (hereinafter called "the Works") and thereafter undertake routine maintenance for five years; and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects and routine maintenance therein at a cost of Rs. 83,01,086.00 (Rupees Eighty-three lacs one thousands eighty-six Only)



IN 2301103631

Executive Engine

The onus of checking the legitimacy is on the users of the certificate.In case of any discrepancy please inform the Competent Authority.

NOW THIS AGREEMENT WITNESSETH as follows:

- In the Agreement ,words and expression shall have same meaning as are respectively assigned 1. to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
- In consideration of the payments to be made by the Employer to the Contractor as hereinafter 2. mentioned, the Contractor hereby covenants with the Employer to execute and complete the works and remedy and defects therein in conformity in all aspects with previsions of the Contract and undertaking routine maintenance for five years.
- The Employer hereby covenants to pay the Contractor in consideration of the execution and 3. completion of the Works and the remedying the defects wherein and undertaking routine maintenance for five years, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
- There are following documents shall be deemed to form and read and construed as part of this 4. Agreement, viz:
 - Latter of Acceptance; i)
 - Notice of proceed with the works; ii)
 - Contractor's Bid iii)
 - Contract Data; iv)
 - Special Conditions of Contract and General Conditions of Contract; v)
 - Specifications; vi)
 - vii) Drawings;
 - viii) Bill of Quantities; and
 - Any other documents listed in the Contract Data as forming part of the contract.

In witness whereof the parties thereto have caused this Agreement to be executed the day and year first before written. The Common seal of Was hereunto affixed in the presence of: Signed, Sealed and Delivered by the said In the presence of: Binding Signature of Contractor Binding Signature of Employer

Mering Naraly Enily Arvind Narain Singh,

Vill-Agarwa, Motihari, East Champaran, Bihar-845401

Rural Works Department, ks Division, Raxaul

		ed byvide Letter No D	ated	
	Rate approve	ed byvide Letter No	attu	
1	SBD Agreement No.			
2	Name of Scheme	MMGSY (SC)		
3	Tender ID	84176		
4	Name of Road	GBC Bhawanipur Bazar To Bhawanipur Mauze		
5	Lenth of Road	1.100 K.M	Τ	
6	Name of Contractor	Arvind Narain Singh		ised Amount
7	Tender Amount		8,418,109	8,744,429
	(i) Construction C		7,483,673	7,809,993
	(ii) 1st Year Maint.		39,858 108,207	39,858
	(iii) 2nd Year Maint		301,593	108,207
	(iv) 3rd Year Maint		149,296	301,593 149,296
	(v) 4th Year Maint.		335,482	335,482
	(vi) 5th Year Maint.		934,436	934,436
	(vii) Total Five Year		8,418,109	8,744,429
	(viii) Total Cost of C	Construction and Five Year Maintenance	0,410,107	0,744,423
8	Percentage Less	5.07%		
. 9	Agreement Amou	nt -	7,991,311	8,301,086
	(i) Construction Co	ost	7,104,251	7,414,026
	(ii) 1st Year Maint.	Cost	37,837	37,837
	(iii) 2nd Year Maint.	Cost	102,721	102,721
	(iv) 3rd Year Maint.	Cost	286,302	286,302
	(v) 4th Year Maint.	Cost	141,727	141,727
	(vi) 5th Year Maint.	Cost	318,473	318,473
((vii) Total Five Year	Maintenance cost	887,060	887,060
(viii) Total Cost of Co	onstruction and Five Year Maintenance	7,991,311	8,301,086
10 R	Required Performan	ce Security & Additional Performance Security		
(4	A) Performance Sec	urity (2%)	159,826	166,022
(E	Additional Perform	rmance Security (0.25X5+0.5X(5.07-5) = 1.285 %	102,688	106,669
	Total Performan	nce Security & Additional Performance Security	262,515	272,691
11 Da	erformance Constitute 8	Addition to the second		

11 Performance Security & Additional Performance Security deposited

12 Date of Start

13 Date of Completion

14 Maintenance Period 5 Years from Actual date of Completion

Arvind Narain Singh Vill-Agarwa, Motihari

East Champaran, Bihar-845401

2112/23

Executive Engineer,
Rural Works Department,
Works Division Poyaul

Works Division, Raxaul

Tende	r Inviting Authority:- Executive Engineer, R.W.D. Works Name of Work:	G.B.C. Bha	wanipur B	azar to Bhawanip	ur mauze
	ct No: Civil Works			Excess (+)	%
Bidder Vame:	SCHEDULE OF	WORKS		I = # - A - d Data	AMOUNT
varre.	Description of work	No.or	Unit	Estimated Rate Figure	Rs. P
SI.		Qty.		10,697.24	0.00
No.	Construction of Reference & Working Benchmark as per	0.00	Per Km.	10,097.24	
•	Specification and drawing 200.1 & 200.2 Specification and drawing 200.1 & 200.2 Construction of Reference Pillars/Burjees as per	0.00	Per Km.	11,265.85	0.00
2	Construction of Reference	-			
3	specification and drawing 200.1 & 200.2 Clearing and grubbing road land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per Technical Specification Clause 201.		Hectare	51,133.76	9.0
4	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical	0.00	Cum.	174.94	0,0
5 C a a re	Specification Clause 301.5 Construction of subgrade & earthen shoulders with approved material obtained from borrow pits with all lifts and lead, transporting to site, spreading, grading to equired slope and compacted to meet requirement of tables 300.2 with lead upto 1000m as per Technical specification Clause 301.4.1	0.00	Cum.	176.5	0.0
ol tra ar	construction of embankment with approved material btained from borrow pits with a lift upto 1.5m, ansporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 100m as per Technical	0.00	Cum.	58.7	0 -0:
ca 1.5	pecification Clause 301.5. Recavation for roadway in soil using manual means for surrying of cut earth to embankment site with a lift upto 5 m and lead upto 50 m as per Technical Specification ause 302.3	0.00	Cum.	74.1	6 9.
bridra	ying brick soling layer on prepared sub-grade with ck on , graded and cross-section shown on the awing filling joints with sand and earth, over brick ing watering and rolling the same with three	0.00	Sqm.	472.4	1
gra gra met thre	neeled Road roller 80-100kN as per TS clause 412. Instruction of granular sub-base by providing well ded material, spreading in uniform layers with motor der on prepared surface, mixing by mix in place thod with rotavator at OMC, and compacting with the wheel 80-100 kN static roller capacity to achieve desired density, complete as per Technical acification Clause 401 (For Grading I Material)	0.00	Cum.	APPOP 2,777.7 QUAN superintendin	
aggi spec hand kN ii broo coan	viding, laying, spreading and compacting stone regates of specific sizes to water bound macadam cification including spreading in uniform thickness, d packing, rolling with smooth wheel roller 80-100 in stages to proper grade and camber, applying and ming, stone screening to fill-up the interstices of se aggregate, watering and compacting to the ired density Grading 3 as per Technical cification Clause 405.	0.00	Cum.	Works Circle Works Circle Jury 3,462.9	Monhari 06

Mancine 405.

displ

5110/23

Executive Engines.
Rural Works Department
Works Division, Raxaul

	Inviting Authority:- Executive Engineer, R.W.D. Works D Name of Work:	B.B.C. Bhaw	anipur b	azar to Bhawanip	
-	t No: Civil Works			Excess (+)	%
Bidder				Executiv	
ame:	SCHEDULE OF	Estimated Rate	AMOUNT		
SI.	Description of work	No.or Qty.	Unit	Figure	Rs. P
No.	cost with bitumen	aty.			
11	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0kg/sqm using mechanical means as per Technical Specification	0.00	Sqm.	44.70	0.00
12	Providing and applying tack coat with Biturier emulsion (RS-1) using emulsion distributor at the rate of 0.25-0.30kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as	0.00	Sqm.	15.20	0.00
13	per Technical Specification Clause 503. Mix Seal Surfacing with Waste Plastic (Type B) By Mechanical Means- Providing, laying and rolling of close graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type-B) aggregates using penetration grade bitumen to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN static roller and finishing to required level and grades as per Technical Specification Clause 509	0.00	Sqm.	219.0	7 0.0
14	Construction of un-reinforced, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M 25 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork, spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and Technical Specification Clause 1501	0.00	Cum	Superin Rural V	oved tending Engineer Vorks Department
15	(i) 5th Kilometre Stone (precast)- Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703	o	Each	Works 4,001	Circle, Motinari
16	(ii)Ordinary Kilometer Stone (Precast)- Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703	C) Each	2,459	.68 0
17	(iii)200 m stone (precast)- Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703		Each	633	.64 00

Lugue Marona 21 Mm

Executive Engines
Rural Works Department
Works Division, Raxaul

TOTAL T	nviting Authority:- Executive Engineer, R.W.D. Works	Division, Ra	axaul		
	Name of Work:	G.B.C. Bha	wanipur B	azar to Bhawanip	our Mauze
Contrac Bidder	t No: Civil Works				
Name:				Excess (+)	%
varre.	SCHEDULE OF	WORKE			
SI.	Description of work	No.or	Unit	Estimated Rate	AMOUNT
No.	- s-silpaen er nen	Qty.	0,,,,,	Figure	Rs. P
18	Reinforced cernent concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704	0	Each	510.34	0.00
19	Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and Technical Specification Clause 1701 (For culverts)	0.00	Sqm.	97.96	0.00
20	Providing and applying 2 coats of water based cement paint to unplastered concrete surface after cleaning the surface of dirt, dust, oil, grease, efflorescence and applying paint @ of 1 litre for 2 sqm. (at rigid pavement below road marking)	0.00	Sqm.	90.98	0.00
21	Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes.	. 0	Sqm.	735.44	0.00
22	Printing new letter and figures of any shade with synthetic enamel paint black or any other approved colour to give an even shade as per drawings and Technical Specification Clause 1701	0	/cm ht/lette	8	
23	Providing and fixing of typical MMGSY informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	0	Each	Superintending Rural Works De Works Circle	Engineer

dicter

Lengua toward compre

2110123

Executive Enginee
Rural Works Department
Works Division, Raxaul

	Inviting Authority:- Executive Engineer, R.W.D. Works Di Name of Work:	B.C. Bhaw	anipur Ba	azar to Bhawanip	ur Mauze
	t No: Civil Works				
idder lame:				Excess (+)	%
ane.	SCHEDULE OF	WORKS			
SI.	Description of work	No.or	Unit	Estimated Rate	AMOUNT
No.	D. M. D. M. D.	Qty.		Figure	Rs. P
24	Providing and fixing of typical Maintenance Board as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	0	Each	11,476.79	0.00
25	600 mm equilateral triangle- Providing and fixing of retro- reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting as per drawings and Technical Specification Clause 801	0	No.	3,532.4	3 0.00
26	600 mm Circular- Providing and fixing of retro- reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting as per drawings and Technical Specification Clause 801	0	No.	4,846.4	0.00
27	600 mm x 450 mm rectangular- Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting as per drawings and Technical Specification Clause 801	0	No.	4,179.	- 0
28	900 mm side octagon- Providing and fixing of retro- reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting as per drawings and Technical Specification Clause 801	0	No.	8,136.	
29	Providing and laying 300 mm Dia RCC Hume pipe NP-3 for irrigation purpose	0.00	RM	708.	0.00 Superintending Eng
30	Planting of Trees and their Maintenance for one Year Planting of trees by the road side (Avenue trees) in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yard/sludge manure, planting the saplings, backfilling the trench, watering, fixing the tree guard and maintaining the plants for one year	0.00	Each		Rural Works Depar
31	Earth work in excavation for foundation of structures upto 3.0 m depth as per drawing and technical specification clause 1104	62.42	2 cum	269	.32 16810.99
32	Sand Filling in Foundation Trenches as per drawing and technical specification Clause 1108 - rate as per item No. 11.2 (I) of Chapter 11	• 2.9	0 cum	400	1161.7
33	Brick Flat Soling in foundation: Brick	0:0	0 sqm	289	0.0 Viv

Lange Hours Clause 1108

[6] ×1

Executive Engineral Works Division, Raxaul

	Inviting Authority:- Executive Engineer, R.W.D. Works Name of Work:	Division, Ra	axaul wanipur E	Bazar to Bhawanip	our Mauze
		O.D.O. Dile	.wampur -	•	-
ontrac	t No: Civil Works				
idder lame:				Excess (+)	%
dille.	- AND THE OF	Wanya		Excess	70
SI.	SCHEDULE OF Description of work	No.or	Unit	Estimated Rate	AMOUNT
No.		Qty.	Onn	Figure	Rs. P
34	Providing PCC Grade M15 for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203	6.00	cum	6,012.19	36073,14
35	Brick Masonary work in cement mortar (1:4) in head wall complete as per drawing and technical specification clause 1109 in cement mortar 1:4	0.00	cum	5,704.42	0.00
36	Providing and laying 1000 mm Dia RCC pipe NP-3 for culverts on first class bedding of PCC M10 (1:3:6) in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonary works in head	⊲0.90	m	3,629.11	0.00
37	Plastering with cement mortar (1:4) on brick work in sub- structure as per Technical Specifications	0:90	sqm	189.84	0.00
38	Providing 1.5 mm cement punning including curing carriage of water with all leads and lifts as per building specification and direction of E/I	0 :00	sqm	57.27	0.00
39	Providing Reinforced cement RCC GRADE M-25 concrete in box cell complete as per drawings and technical specification Clauses 802, 804,805, 806, 807, 1202 and 1204.	16.07	cum	7,499.75	120520.98
40	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 (Graular Materials)	3.36	cum	2,649.65	8902.82
41	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204,3,7	8.00	Each	83.11	664,88
42	Providing and laying boulder apron for bed protection with stone boulders of minimum size and weight as per Table 1300.1, no fragment weighing less than 25 kg laid dry complete as per drawing and technical specifications Clause 1301.	25.92	etim	3,364.03	87195.66
43	Supplying, fitting and placing HYSD bar reinforcement (Fe 415) in substructrue complete as per drawings and technical specification Clauses 1002, 1005, 1010 & 1202	0 0.0 0	MT	45,918.00	2 88 77
	Add GST @ 12% Add Cess @ 1%			34653 · 2887 · \$8	2713 30
50	Total Construction Cost (A) = Maintenance for 1st year	Belon	Year '	39858.00	3,06,603.03
51	Maintenance for 2nd year	0	Year	108207.00	0.00
52	Maintenance for 3rd year	0	Year	301593,00	0.00
	Maintenance for 4th year	0	Year	149296,00	0.00
54	Maintenance for 5th year Add GST @ 12%	o vincer	Year	335482.00	
	Add Come @ 400	Interior i			0.00
	Dup	dmest			0.00
	Total Maintenance Cost (B) = Rural Works Dep	and made			0.00

B.O.Q. is appoored for Rs 309776.00

(Theree Lat Nine thousand Seven hundred seventy six

only) as per letter no gue at 25.3.2

Superintending

Executive Engines.

Start Works Descriment
Works Discontinuent

Superintending Engineer Rural Works Department Works Circle, Mothari

Ohur 11 2923

मुख्य अभियंता –3 का कार्यालय ग्रामीण कार्य विभाग, बिहार, पटना

3/10/1

पत्रांक:- II/मु0अ0-3,त0स्वी0-07-286 / 2023 प्रेषक

पटना दिनांक:-

मुख्य अभियंता—3, ग्रामीण कार्य विभाग, बिहार, पटना। सेवा में

> अधीक्षण अभियंता, ग्रमीण कार्य विभाग, कार्य अंचल, मोतिहारी।

विषय:- शीर्ष एम0एम0जी0एस0वाई0(एस0सी0) अन्तर्गत कार्य प्रमंडल, रक्सौल के अधीन प्राप्त 01 अदद पथ के प्राक्कलन पर पुनरीक्षित तकनीकी स्वीकृति प्रदान करने के संबंध में।

प्रसंगः—आपका पत्रांक—1187 अनु0 दिनांक—05.10.2023 एवं अभियंता प्रमुख, ग्रामीण कार्य विभाग, बिहार का पत्रांक—941 अनु0 दिनांक—25.03.2022

महाशय.

उपर्युक्त विषयक प्रासंगिक पत्र द्वारा प्राप्त कार्य प्रमंडल, रक्सौल के अधीन स्वीकृत पथ के प्राक्कलन पर विभागीय पत्र में दिये गये निदेश के आलोक में पुनरीक्षित तकनीकी स्वीकृति प्रदान कर लौटाया जा रहा है जिसकी विवरणी निम्न है:—

SI. No.	Name of Division	Name of Scheme	Length (in KM)	Department Ref Lett. No./Date	A.A. Amount (in Lakh) Construction Cost & Maintanance Cost	Revised T.S. Amount (in Lakh) (At. Agmt. Rate)	FDR Amount (in Lakh)
1.	Raxaul	G.B.C Bhawanipur Bazar To Bhawinipur Mauze	1.100	1086/14.10.19	82.23	83.01	3.098

2. निर्माण कार्य एम0एम0जी0एस0वाई0 की मार्गदर्शिका के अनुरूप किया जाएगा।

 स्वीकृत प्राक्कलन की जॉच अधीक्षण अभियता, अपने स्तर से कर लेगें यदि किसी प्रकार की संशोधन की आवश्यकता हो, तो मुख्यालय को सूचित करेंगे।

4. समर्पित किए गए प्राक्कलन की तकनीकी स्वीकृति इस आधार पर दी जाती है कि प्रस्तुत किए गए प्राक्कलन वास्तविक कार्य स्थल के निर्माण के लिए कार्य स्थल के अनुरुप तैयार की गई है, जिसमें पथ एवं पुल निरुपण सम्बंधित सारी आवश्यकता पूरी कर ली गई है।

5. अधीक्षण अभियंता, पथों का निरीक्षण प्रतिवेदन एवं कार्यों के संबंध में समीक्षात्मक टिप्पणी मुख्यालय

को 5वीं तिथि को उपलबंध कराना सुनिश्चित करेंगे।

6. पुनरीक्षित प्राक्कलन के नये मदों का दर प्राथमिक एकरारनामा के दर से निर्धारित होगी, जिसका तात्पर्य यह है कि प्राथमिक एकरारनामा के समय सक्षम पदाधिकारी द्वारा अनुमोदित दर अतिरिकत मद की दर के लिए मार्गदर्शक होगी। यह उससे कम हो सकती है किन्तु किसी भी परिस्थिति में यह प्राथमिक एकरारनामा की दर से अधिक नहीं होगी। प्राक्कलन की स्वीकृति दरों की स्वीकृति नहीं समझी जाये।

पुनरीक्षित प्राक्कलन का दर मूल एकरारनामा के ब्यू के समान होगा तथा नया मद का दर भी

मूल एकरारनामा के दर पर आधारित होगा।

8. अधीक्षण अभियंता, कार्य अंचल, मोतिहारी ऐसे मदों के दर जो अनुसूचित दर में नहीं है, कर दर अपने अंचल स्तर से राज्यस्तरीय, अनुसूचित दर निर्धारण समिति के द्वारा अनुमोदित सामाग्रियों के दर के आधार पर MORD Data book analysis के आधार पर दर विश्लेषण करते हुए

मुख्य अभियंता -3 का कार्यालय ग्रामीण कार्य विभाग, बिहार, पटना

पत्रांकः- ॥/मु०अ०-३,त०स्वी०-०७-२८६ / २०२३ पिति। २०५-

पटना दिनांक:- 13-10-23

प्रेषक,

मुख्य अभियंता-3, ग्रामीण कार्य विभाग, बिहार, पटना।

सेवा में.

अधीक्षण अभियंता, ग्रमीण कार्य विभाग. कार्य अंचल, मोतिहारी।

विषय:- शीर्ष एम0एम0जी0एस0वाई0(एस0सी0) अन्तर्गत कार्य प्रमंडल, रक्सौल के अधीन प्राप्त 01 अदद पथ के प्राक्कलन पर पुनरीक्षित तकनीकी स्वीकृति प्रदान करने के संबंध में।

प्रसंग:-आपका पत्रांक-1187 अनु0 दिनांक-05.10.2023 एवं अभियंता प्रमुख, ग्रामीण कार्य विभाग, बिहार का पत्रांक-941 अनु० दिनांक-25.03.2022

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र द्वारा प्राप्त कार्य प्रमंडल, रक्सौल के अधीन स्वीकृत पथ के प्राक्कलन पर विभागीय पत्र में दिये गये निदेश के आलोक में पुनरीक्षित तकनीकी स्वीकृति प्रदान कर लौटाया जा रहा है जिसकी विवरणी निम्न है:-

Sl. No.	Name of Division	Name of Scheme		Department Ref Lett. No./Date	A.A. Amount (in Lakh) Construction Cost & Maintanance Cost	Revised T.S. Amount (in Lakh) (At. Agmt. Rate)	FDR Amount (in Lakh)
1.	Raxaul	G.B.C Bhawanipur Bazar To Bhawinipur Mauze	1.100	1086/14.10.19	82.23	83.01	3.098

निर्माण कार्य एम०एम०जी०एस०वाई० की मार्गदर्शिका के अनुरूप किया जाएगा।

स्वीकृत प्राक्कलन की जॉच अधीक्षण अभियता, अपने स्तर से कर लेगें यदि किसी प्रकार की संशोधन की आवश्यकता हो, तो मुख्यालय को सूचित करेंगे।

4. समर्पित किए गए प्राक्कलन की तकनीकी स्वीकृति इस आधार पर दी जाती है कि प्रस्तुत किए गए प्राक्कलन वास्तविक कार्य स्थल के निर्माण के लिए कार्य स्थल के अनुरुप तैयार की गई है, जिसमें पथ एवं पुल निरुपण सम्बंधित सारी आवश्यकता पूरी कर ली गई है।

5. अधीक्षण अभियंता, पथों का निरीक्षण प्रतिवेदन एवं कार्यों के संबंध में समीक्षात्मक टिप्पणी मुख्यालय

को 5वीं तिथि को उपलबंध कराना सुनिश्चित करेंगे।

पुनरीक्षित प्राक्कलन के नये मदों का दर प्राथमिक एकरारनामा के दर से निर्धारित होगी, जिसका तात्पर्य यह है कि प्राथमिक एकरारनामा के समय सक्षम पदाधिकारी द्वारा अनुमोदित दर अतिरिकत मद की दर के लिए मार्गदर्शक होगी। यह उससे कम हो सकती है किन्तु किसी भी परिस्थिति में यह प्राथमिक एकरारनामा की दर से अधिक नहीं होगी। प्राक्कलन की स्वीकृति दरों की स्वीकृति नहीं समझी जाये।

पुनरीक्षित प्राक्कलन का दर मूल एकरारनामा के दर के समान होगा तथा नया मद का दर भी

मूल एकरारनामा के दर पर आधारित होगा।

अधीक्षण अभियंता, कार्य अंचल, मोतिहारी ऐसे मदों के दर जो अनुसूचित दर में नहीं है, कर दर अपने अंचल स्तर से राज्यस्तरीय, अनुसूचित दर निर्धारण समिति के द्वारा अनुमोदित सामाग्रियों के दर के आधार पर MORD Data book analysis के आधार पर दर विश्लेषण करते हुए मुख्यालय को सूचित करेंगे। ताकि मुख्यालय अनुसूचित दर निर्धारण समिति की बैठक में उसका अनुमोदन का S.O.R तैयार करने की दिशा में कार्रवाई की जा सके।

9. स्थल पदाधिकारी द्वारा लम्ब काट एवं आड़ी काट के आधार पर मिट्टी की मात्रा की गणना कर

भूगतान किया जायेगा। 10. अधीक्षण अभियंता, कार्य अंचल, मोतिहारी को निदेश दिया जाता है कि नये मद का दर विश्लेषण जाँच कर संतुष्ट हो लेगें एवं पुनरीक्षित तकनीकी स्वीकृति के उपरान्त लोक निर्माण

संहिता के सुसंगत कंडिका के अनुरूप अग्रेतर आवश्यक कार्रवाई करेंगे। 11. अतिरिक्त कार्य के भुगतान हेतु अभियंता प्रमुख का पत्रांक-941 अनु0 दिनांक-25.03.2022 का

अनुपालन करना सुनिश्चित करेंगे। अन्0- स्वीकृत प्राक्कलन की मूल प्रति।

विश्वासुभाजन

पटना, दिनांक:- 13 - 10 - 23 ज्ञापांक:- ५६५) प्रतिलिपि:-कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, रक्सौल को सूचनार्थ एवं आवश्यक कार्रवाई हेत् अग्रसारित।

मुख्य अभियंता— ज्ञापांकः – पटना, दिनांकः – 13 – 10 – 23 पटना, दिनांकः – 13 – 10 – 23 प्रतिलिपिः – नोडल पदाधिकारी, एम०एम०जी०एस०वाई०, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ

एवं आवश्यक कार्रवाई हेत् अग्रसारित।

ज्ञापांकः– रिट्या पटना, दिनांकः– 13 – 10 – 23 प्रतिलिपिः– अभियंता प्रमुख, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु

अधीक्षण अभियंता का कार्यालय ग्रामीण कार्य विभाग,कार्य अंचल, मोतिहारी

पत्रांक 1187 (अन्त) मोतिहारी, दिनांक 05/10/2023

प्रेषक:-

अधीक्षण अभियंता ग्रामीण कार्य विभाग कार्य अंचल मोतिहारी

मुख्य अभियंता-3 ग्रामीण कार्य विभाग बिहार पटना ।

कार्य प्रमंडल रक्सौल के अधीन MMGSY(SC) अन्तर्गत पथ के पुनरीक्षित तकनीकी स्वीकृति के सम्बन्ध में।

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल रक्सील के पत्रांक-1119 अनु0

दिनांक-25.09.2023

उपर्युक्त विषयक कार्य प्रमंडल रक्सौल के अधीन MMGSY(SC) अन्तर्गत निम्नलिखित पथ का प्राक्कलन पुनरीक्षित तकनीकी स्वीकृति हेतु समर्पित किया जाता है।

क्र.सं	पथ का नाम	लम्बाई	पुनरीक्षित तकनीकी
		(कि0मी0में)	स्वीकृति की राशि
			(लाख में)
1	GBC Bhawanipur Bazar to Bhawanipur Mauze	1.100	83.011

अनु०— यथोक्त।

विश्वासभाजन

अधीक्षण अभियंता ग्रामीण कार्य विभाग, कार्य अंचल, मोतिहारी