

कार्यपालक अभियंता का कार्यालय  
ग्रामीण कार्य विभाग, कार्य प्रमण्डल दरभंगा-2

Mail ID-rwdcedbg2@gmail.com

पत्रांक-1095 अ३/

दिनांक-19-06-2024

प्रेषक,

ई० अवधेश कुमार,  
कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्र०, दरभंगा-2

सेवा में,

सचिव-सह-सशक्त पदाधिकारी,  
ब्राडा-सह-अतिरिक्त मुख्य कार्यपालक पदा०,  
विश्वेश्वरैया भवन पटना।

विषय:- MMGSY (New) योजना अन्तर्गत पंचवर्षीय अनुरक्षण राशि की अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि MMGSY (New) योजना अन्तर्गत अंकित मापीपुस्त के अनुसार पंचवर्षीय अनुरक्षण की राशि मॉग हेतु अधियाचना विहित प्रपत्र में तैयार कर अधियाचना पत्र समर्पित की जा रही है।

अतः श्रीमान् से अनुरोध है कि अधियाचित कुल राशि- 8.38543 लाख (कुल आठ लाख, अड़तीस हजार पाँच सौ, तैंतालीस रुपये) मात्र रुपये का आवंटन उपलब्ध कराने की कृपा की जाय।

अनु०:-यथोक्त।


विश्वासभाजम्



(अवधेश कुमार)

कार्यपालक अभियंता,

ग्रामीण कार्य विभाग, कार्य प्र०, दरभंगा-2



**ग्रामीण कार्य विभाग, कार्य प्रमंडल, दरभंगा-2**  
**मुद्रणशी धान सम्पत्ति (चू) योजना अन्तर्गत Maintenance Fund हेतु राशि की अधियाचना**

क्र.सं.	स्व.का.नाम	संरक्षक का नाम	कार्य पूर्ण होने की वास्तविक तिथि	पूर्व से उपलब्ध कराये गये राशि का विवरणी							कुल राशि (VHS के अनुसार पर)	वर्तमान अधियाचित राशि का विवरणी						
				प्रथम वर्ष (लाख में)	द्वितीय वर्ष (लाख में)	तृतीय वर्ष (लाख में)	चतुर्थ वर्ष (लाख में)	पंचम वर्ष (लाख में)	कुल (लाख में)	प्रथम वर्ष (लाख में)		द्वितीय वर्ष (लाख में)	तृतीय वर्ष (लाख में)	चतुर्थ वर्ष (लाख में)	पंचम वर्ष (लाख में)	कुल (लाख में)		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
1	Haruman Nagar Muzedhi Mushari to Dakshinchari Kamti Tola.	Sri Ashish Yadav	31.07.2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55872	0.67835	0.00	0.00	0.00	1.23707		
2	Mahana Primary School To Narha Mushari Tola	Sri Ashish Yadav	07.09.2019	0.44126	0.52957	1.04737	0.00	0.00	2.02120	2.02120	0.00	0.00	0.00	0.00	0.00	1.16348		
3	PVGSY Path Tatar to Brahman Tola	Sri Ashish Yadav	31.10.2018	0.39653	0.46762	0.90072	0.00	0.00	1.76487	1.76487	0.00	0.00	0.00	1.12196	1.45810	2.58006		
4	PVVD Path North to Ghuat Tak	Sri Ashish Yadav	07.11.2018	0.34480	0.00	0.71494	0.75870	0.00	1.81844	1.81844	0.00	0.43459	0.00	0.00	1.15904	1.50363		
5	PVGSY Gandhi Chowk To Dhariga	Sri Rakesh Kumar Ray	23.12.2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	1.81119	0.00	0.00		1.81119		
				Total=										8.18543				

**FORM GFR 19-A**

(See Government of India's Decision (1) below Rule- 150)  
Form of Utilisation Certificate up to the month of June-2024  
Maintenance Account for MMGSY New Yojna Year 2024-25


PIU.....



Sl. No	Name of Scheme	Sanction No. & Date with Amount (In Rs. Laes)	Amount Received (In Rs. Laes)	Particulars
1	Maintenance Account for MMGSY (New)	Additional CEO-cum- Secretary BRRDA, Patna. CFMS Lt No-38 we Dt.- 14.06.2024	By CFMS Rs. 356.70909	Certified that out of Rs 356.70909 laes received during the years 2024- 25 in favour of Ex. Engineer RWD work division Darbhanga-2 a sum of Rs 321.37777 laes has been utilized for the purpose of Maintenance Account for Mukhya Mantri Gram Sampark Yojna New Schemes as given in the margin for which it was sanctioned and that the balance of Rs 35.33132 laes remaining unutilized at the end of the period under.
	Total		356.70909	

2. Certified that I have satisfied myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

**Kind of Checks exercised :-**

- Works have been supervised by Executive Engineer/ Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- Constructions materials have tested.
- Measurements have been recorded in the MBs and test check conduction by the Assistant Engineer/ Executive Engineer
- All other codal formalities have been observed.

  
D. A. O.  
R.W.D. Works Division  
Darbhanga-2

  
Executive engineer,  
R.W.D. Works Division  
Darbhanga-2  
  
19.06.24