

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पूर्वी-1

पत्रांक...1057 3/3

दिनांक...27/06/21

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पूर्वी-1

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण,
बिहार पटना।


विषय:- शीर्ष नाबार्ड अंतर्गत वित्तीय वर्ष 2024-25 में अनुरक्षण मद में व्यय हेतु आवंटन की मांग।

महाशय,

उपर्युक्त विषय प्रासंगिक पत्र के संबंध में शीर्ष नाबार्ड अंतर्गत वित्तीय वर्ष 2024-25 में अनुरक्षण मद में व्यय हेतु संलग्न विवरणी के अनुसार 5.02864 (पाँच लाख दो हजार आठ सौ चौसठ) रुपये का आवंटन उपलब्ध कराने की कृपा की जाये ताकि किये गये कार्यों का भुगतान किया जा सके।

अनुलग्नक:-यथोक्त

विश्वासभाजन


कार्यपालक अभियंता
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पूर्वी-1

26/6/21

26/6/21

राज्य योजना (नाबार्ड) अंतर्गत पथों में पंचवर्षीय अनुरक्षण अधियाचना प्रपत्र

क्र० सं०	कार्य प्रमंडल का नाम	योजना का नाम	एकराशनाना के अनुसार प्राक्कानित राशि वर्षवार					कुल राशि (लाख में)	व्यय की राशि वर्षवार					कुल राशि (लाख में)	प्रशासनिक स्वीकृति की राशि एवं प्रस्ताव पत्रांक (लाख में)	पंचवर्षीय अनुरक्षण की राशि सहित अनुमोदित परिमाण विपत्र की राशि (लाख में)	अनुरक्षण हेतु प्रशासनिक स्वीकृति का पत्रांक / दिनांक	मूल निर्माण कार्य करने की वास्तविक तिथि	वर्तमान अधियाचित राशि					कुल अधियाचित राशि (लाख में)	
			प्रथम वर्ष राशि (लाख में)	द्वितीय वर्ष राशि (लाख में)	तृतीय वर्ष राशि (लाख में)	चतुर्थ वर्ष राशि (लाख में)	पंचम वर्ष राशि (लाख में)		प्रथम वर्ष राशि (लाख में)	द्वितीय वर्ष राशि (लाख में)	तृतीय वर्ष राशि (लाख में)	चतुर्थ वर्ष राशि (लाख में)	पंचम वर्ष राशि (लाख में)						प्रथम वर्ष राशि (लाख में)	द्वितीय वर्ष राशि (लाख में)	तृतीय वर्ष राशि (लाख में)	चतुर्थ वर्ष राशि (लाख में)	पंचम वर्ष राशि (लाख में)		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
1	Muzaffarpur East-1	NARANGI JIWANATH PRADHANMANTRI ROAD to GOVINDPUR SE KHAIRA ROAD TAK	0.75112	0.89116	1.87714	2.29424	2.73439	8.54805	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	LI No 5761 Dt.05.05.2017 129.410 Lakh	124.22515	LI No 5761 Dt.05.05.2017	04.04.2018				2.29425	2.73439	5.02864	5.02864


1 कार्य विभाजियों के अनुरूप पूर्ण कर लिया गया है।

1 कार्य विशिष्टियों के अनुरूप पूर्ण कर लिया गया है।

2 पथ में MOWMU/POWMAE से संबंधित कोई सुधार प्रतिवेदन लंबित नहीं है।

3 अनुमोदित परिमाण विपत्र की कुल राशि प्रशासनिक स्वीकृति की राशि से 20% अधिकतम सीमा के भीतर है साथ ही अनुमोदित परिमाण विपत्र के मदों का विस्तार का विचलन भी 20% से ज्यादा नहीं है।

4 अनुलानक - प्रशासनिक स्वीकृति का पत्र, अनुमोदित परिमाण विपत्र एवं एकराशनाना की अभिप्रायित प्रति।


 कार्यपालक अभियंता,
 ग्रामीण कार्य विभाग, कार्य प्रमंडल,
 मुजफ्फरपुर पूर्वी-1
 26/04/2018

बिहार सरकार
ग्रामीण कार्य विभाग

पत्रांक - मु0 अ0-4 (मु0)-नाबार्ड-03-39/2017

/पटना, दिनांक-

प्रेषक,

संजय कुमार, भा0प्र0से0

अपर सचिव।

सेवा में,
महालेखाकार, बिहार
वीरचन्द पटेल पथ, पटना।
विषय:- योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य
योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत बिहार राज्य के विभिन्न
जिलों में (परिशिष्ट-1 के रूप में संलग्न सूची के अनुरूप) कुल 67 पथ निर्माण योजनाओं पर पथवार प्रशासनिक स्वीकृति
प्रदान करने के संबंध में।
महाशय,

निदेशानुसार योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम
विकास-राज्य योजना-उप शीर्ष-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उप शीर्ष के
अन्तर्गत बिहार राज्य के विभिन्न जिलों में (परिशिष्ट-1 के रूप में संलग्न सूची के अनुरूप) कुल 67 पथ निर्माण
योजनाओं जिसकी लम्बाई 84.766 कि0मी0 एवं राशि रु0 53.3065967 करोड़ (तिरपन करोड़ तीस लाख पैसठ हजार नौ
सौ सड़सठ रु0 मात्र) है-हेतु पथवार प्रशासनिक स्वीकृति प्रदान की जाती है।

परिशिष्ट-1

नाबार्ड संपोषित योजना अन्तर्गत वित्तीय वर्ष 2017-18 के लिए प्रशासनिक अनुमोदित योजनाओं की सूची :-								
SL No.	District	Works Division	Block	MMGSY CNCPL NO.	Name of Road	Length (K.M)	TA Amount (In Lacs)	Amount Lac/K.M
1	2	3	4	5	6	7	8	9
1	Patna	Patna	Fatuha	S038	Saidpur Chandasi Path to Yamanpura	0.555	38.482	69.3369369
2	Patna	Patna	Khushrupur	S04	NH-30 se 100m Aage (Nagarnausa Taraf) to Harijan Tola	0.515	36.039	69.9786408
3	Patna	Patna	Daniyawar	S06	NH-30A Jodhan Bigha	0.525	34.848	66.3771429
4	Patna	Danapur	Maner	S030	Maner-Haldichapra Road to Dhajawa tola	1.00	69.86850	69.8685
5	Patna	Danapur	Bihta	S042	Bihta Bikram Road to Kanchanpur Yadav Tola	1.10	68.48430	62.2584545
6	Patna	Masaurhi	Punpun	S03	Pothi Bripur Path to Parthu main Road Mahadalit tola.	1.00	59.90840	59.9084
7	Patna	Masaurhi	Masaurhi	S033	Nadaul Bhagwanganj Path to Nadauna.	0.35	20.92597	59.7884857
8	Patna	Masaurhi	Dhanarua	S024	Sewai Mode to Tadwan	2.10	127.44	60.6857143
9	Patna	Paliganj	Naubatpur	S020	Bari Tairaila to Bedulli	1.06	65.80	62.0754717
10	Patna	Paliganj	Dulhin Bazar	S016	Pali Masaurhi Road to Shihi Takiya (Nawada)	1.10	61.53	55.9363636
11	Patna	Paliganj	Naubatpur	S014	Gonwan Paltu Chhitani Road to Nawadina	0.55	30.90	56.1818182
12	Patna	Paliganj	Bikram	S026	Tiluchak Sundarnur road to Taripur	0.3	22.80250	76.008
13	Lakhisarai	Lakhisarai	Chanan	S024	PMGSY Malya to South Manjhi tola Malya	0.720	40.774	56.6305556

SL No.	District	Works Division	Block	MMGSY CNCPL No.	Name of Road	Length (K.M)	TA Amount (In Lacs)	Amount Lac/K.M
1	2	3	4	5	6	7	8	9
14	Lakhisarai	Lakhisarai	Lakhisarai	S013	T012 ODR to Saarobaro Harijan Tola	1.125	68.519	60.9057778
15	Lakhisarai	Lakhisarai	Ramgarh Chowk	S015	L033 to Ramnagar	0.790	46.503	58.864557
16	Lakhisarai	Lakhisarai	Suryagarha	S031	L049 Sahur to Jagira	0.620	39.752	64.116129
17	Lakhisarai	Lakhisarai	Halsi	S011	Sethna Salaunza Nahar Road to Baajitpur.	1.610	78.99	49.0621118
18	Lakhisarai	Lakhisarai	Pipariya	S01	Middle School Diyara Pipariya to Karari Pipariya.	1.865	135.95	72.895442
19	Lakhisarai	Lakhisarai	Ramgarh Chowk	S02	L056 to Bhamariya Manjhi Tola	1.600	93.44	58.40
20	Katihar	Katihar	Hasanganj	S01	Madarsa Chowk to Bagghabari	1.05	67.296	64.0914286
21	Katihar	Katihar	Hasanganj	S012	T01 to Naga Tola	0.575	38.608	67.1443478
22	Sheikhpura	Sheikhpura	Barbigha	S005	Barbugha Toy path Terapur more to Saraiya.	0.936	56.075	59.909188
23	Sheikhpura	Sheikhpura	Chewara	S038	Ekray Path to Kemra Mushari	0.745	48.460	65.0469799
24	Sheikhpura	Sheikhpura	Sheikhpura	S010	Mehus Chimani par to Maniauri via Nawada	0.730	43.348	59.3808219
25	Supaul	Triveniganj	Triveniganj	S129	PWD Parsahi sadak Kuwar Yadav ke ghar to Parsahi Mohan Yadav Tola tak.	0.846	60.76	71.820331
26	Chapra	Chapra-2	Jalalpur	S016	Bangra to Bangra -4.	1.195	68.715	57.5020921
27	Chapra	Chapra-2	Jalalpur	S054	Dhenki to Devbariya tak.	0.500	28.174	56.348
28	Chapra	Chapra-2	Lahladpur	S049	Purusetampur Sonia PMGSY Kishanpur Lauaar Panchayat Bhawan se Bhatbaliya khas.	0.515	39.073	75.8699029
29	Chapra	Chapra-1	Garkha	S057	Dhanaura High School to Dhanaura Jaggu Singh ke ghar tak.	0.39	31.015	79.525641
30	Chapra	Chapra-1	Sadar Chapra	S036	Middle School Fakuli to Umdha.	1.055	58.328	55.2872038
31	Chapra	Chapra-1	Sadar Chapra	S019	Mathiya Gramin Sadak to Hasanpurva Chhat Talab tak.	0.700	44.519	63.5985714
32	Chapra	Madhaura	Amnaur	S062	Raipura Mura PMGSY Path to Hakama Paschim Tola.	0.57	68.439	70.5556701
33	Chapra	Madhaura	Taraiya	S034	Yakuchak Pachraur PMGSY to Pokhara tak	0.605	25.623	42.3520661
34	Chapra	Madhaura	Panapur	S036	Ubhawa Bhola Pandey ke ghar to Masjid tak	0.445	29.037	65.2516854
35	Chapra	Madhaura	Panapur	S030	Totha PMGSY to Simari Pakki Sadak	0.999	62.17	62.2322322
36	Chapra	Sonpur	Maker	S18	Maker-Mahesh Chapra PMGSY to Purshotimpur Bazar	1.595	104.87	65.7492163

Sl No.	District	Works Division	Block	MMGSY CNCPL No.	Name of Road	Length (K.M)	TA Amount (In Lacs)	Amount Lac/K.M
1	2	3	4	5	6	7	8	9
37	Chapra	Sonpur	Maker	S001	Bishunpura Piprahi PMGSY Sadak to Gandak Nahar	3.375	194.45	57.6148148
38	Chapra	Sonpur	Dariyapur	S04	Khajauli PMGSY path se Ghanechapra gram in path tak.	1.845	120.12	65.1056911
39	Chapra	Chapra-1	Nagra	S011	Chapra-Masrakh PWD Road (Yogendra Singh ke Ghar) to Afaur Purab Tola.	2.040	110.32	54.0784314
40	Chapra	Chapra-1	Nagra	S015	T05 Sargatti PMGSY to takiya.	1.685	98.30	58.3382789
41	Chapra	Chapra-2	Baniyapur	S039	Dhobwal Sekhpura PMGSY se Gowa Piparpatti Nagdevi Tola hote	1.950	114.43	58.6820513
42	Chapra	Chapra-2	Baniyapur	S054	Harpur Karah PMGSY se Ram Tola tak	1.690	108.43	64.1597633
43	Chapra	Chapra-2	Lahaladpur	S024	Ekma Masrakh PMGSY Sansa Transfermer ke pass se Shambhu Chapra Khas tak	1.805	103.22	57.1855956
44	Chapra	Madhaura	Amnaur	S043	Salkhua Marhaura PMGSY Path to Parsa Bhatti PMGSY Road.	2.890	179.18	62.00
45	Chapra	Madhaura	Masrakh	S070	Nirsu dhala Pakki sadak to 40 RD Nahar Pul tak.	3.250	203.10	62.4923077
46	Chapra	Madhaura	Madhaura	S016	Silauri Paharpur PMGSY Path to Mathiya tak	2.550	134.16	52.6117647
47	Chapra	Madhaura	Masrakh	S021	Masrakh Sahajitpur road to Sankauli PCC.	2.095	140.89	67.2505967
48	Chapra	Madhaura	Taraiya	S02	Bhataura Primary School to Bhataura Devi Asthan.	1.415	91.98	65.0035336
49	Muzaffarpur	Muzaffarpur East-1	Bandra	S031	Patsara dhobi tola samudaiy bhawan to Baijnathpur.	2.490	170.38	68.4257028
50	Muzaffarpur	Muzaffarpur East-1	Kurhani	S06	PMGSY (Kharauna Dih) to Harijan Dalit Basti	0.850	54.30	63.8788235
51	Muzaffarpur	Muzaffarpur East-1	Bandra	S032	Karmaith Kewatsa path to Marha tola	0.650	46.74	71.9076923
52	Muzaffarpur	Muzaffarpur East-1	Kurhani	S05	MMGSY (Paltan Chaudhary ke Ghar) to Jairam Tola (Kharauna Dih)	0.57	45.70	80.1754386
53	Muzaffarpur	Muzaffarpur East-1	Sakra	S030	PMGSY Rasulpur Maniyari to Muslim Tola.	1.125	80.14	71.2355556
54	Muzaffarpur	Muzaffarpur East-1	Sakra	S051	Karja Jaitpur road Nawada kedar misra ke ghar to Repura muslim tola tak.	1.787	109.12	61.2345679
55	Muzaffarpur	Muzaffarpur East-1	Saraiya	S098	Nargi Jivnath PMGSY road to Govindpur se Khaira road tak.	2.207	129.410	58.6361577

Sl. No.	District	Works Division	Block	MMGSY CNCFL No.	Name of Road	Length (K.M)	TA Amount (In Lacs)	Amount Lac/K.M
1	2	3	4	5	6	7	8	9
56	Muzaffarpur	Muzaffarpur East-1	Sakra	S033	Middle school Majhauria to Satpura muraul block siman tak.	2.260	154.860	68.5221239
57	Muzaffarpur	Muzaffarpur East-1	Musahari	S046	SH102 Ramesh Thakur ke Dalan to Patahi Jagannath Late Kalyan Thakur ke ghar tak	1.00	76.04	76.04
58	Begusarai	Teghara	Bachhwara	S029	Tara to Maranchi	0.51	35.86	70.3137255
59	Samastipur	Samastipur	Samastipur	S026	L073 Chaknoor to Sahni Tola	0.700	47.63	68.0428571
60	Begusarai	Teghara	Bhagwanpur	S049	S048 Mahadalit tola to Larwapur Bandh via house of Munna Mahto (Telan)	1.340	92.57	69.0820896
61	Begusarai	Teghara	Bhagwanpur	S048	Naula pul to Kharmooli via Jokia Bandh, Khakhara Gusha	4.105	249.01	60.6601705
62	Madhubani	Fulparas	Khutauna	S060	Malik Arjun Thakur Ghar to Kolhatta	1.901	133.73	70.3471857
63	Siwan	Siwan-1	Hasanpura	S021	Arjal Bazar to Mandrauli Mauja Bhediari Tola	1.000	65.736	65.736
64	Siwan	Siwan-1	Siswan	S026	Naya Gao PWD Road to Chhotaki Nawada via Badaki Nawada	0.500	33.568	67.136
65	Siwan	Siwan-1	Siwan	S02	Siwan Lakadi Path ke Orma Uttar Tola Kothi to Bindusar Hamid	1.050	69.866	66.5390476
66	Siwan	Siwan-1	Siswan	S05	Siswan Chapra CMDG Road to Tolapur	0.800	54.443	68.05375
67	Siwan	Siwan-1	Hasanpura	S027	Laheji Bazar to Mandrauli	1.000	67.513	67.513
Total						84.766	5330.65967	

2. इस योजना को दो वित्तीय वर्ष 2017-18 एवं 2018-19 में पूरा किये जाने का लक्ष्य है।
3. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, संबंधित कार्य प्रमंडल, योजना की विस्तृत कार्य योजना तैयार करेंगे तथा उसके अनुरूप कार्यों को समयबद्ध ढंग से पूर्ण कराना सुनिश्चित करेंगे।
4. कार्यपालक अभियंता, संबंधित कार्य प्रमंडल सुनिश्चित करेंगे कि स्वीकृत पथ किसी अन्य योजना के अन्तर्गत सम्मिलित नहीं है।
5. कार्यपालक अभियंता, संबंधित कार्य प्रमंडल, योजना के कार्य सम्पादन हेतु निकासी एवं व्ययन पदाधिकारी होंगे।
6. कार्य ई-निविदा के माध्यम से Standard Bidding Document के आधार पर कराया जायेगा।
7. कार्यों की गुणवत्ता सुनिश्चित करने की जिम्मेवारी संबंधित कार्यपालक अभियंता की होगी; किये गये कार्यों का भुगतान गुणवत्ता के जाँचफल के गुण-दोष के आधार पर किया जायेगा।
8. योजना के क्रियान्वयन से पूर्व इस पर सक्षम पदाधिकारी से प्रावैधिक स्वीकृति प्राप्त कर ली जायेगी। प्रावैधिक स्वीकृति के समय सभी सक्षम प्राधिकार IRC SP-72 वर्ष 2015 एवं IRC SP-62 वर्ष 2014 के तकनीकी प्रावधानों का अक्षरशः अनुपालन सुनिश्चित करेंगे।
9. इस योजना का व्यय योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूँजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष निम्नका निम्न कोड P-4515001030105 एवं स्कीम कोड-5369 के अन्तर्गत वित्तीय वर्ष 2017-18 में उपबंधित राशि से विकलनीय होगा।
10. योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूँजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत वित्तीय वर्ष 2017-18 में 454.31 लाख रुपये का बजट उपबंध स्वीकृत है।

11. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, संबंधित कार्य प्रमंडल, द्वारा योजना का भौतिक एवं वित्तीय प्रगति प्रतिवेदन प्रत्येक माह के 10 तारीख तक निश्चित रूप से कक्षा संबंधित अभियंता एवं संबंधित मुख्य अभियंता, पटना के माध्यम से विभाग को संप्रसारित कराया जायेगा।

12. इन योजनाओं का निर्माण नाबार्ड के तहत कराये जाने के प्रस्ताव पर मृग मुखर्जी महोदय, बिहार सरकार का अनुमोदन प्राप्त है।

13. इन पंचायत योजनाओं के प्रशासनिक स्वीकृति के प्रस्ताव पर सचिका सं०- मु० अ०-4 (मु०) नाबार्ड-03-39/2017 के मु० सं०-12/टि० पर दिनांक 07.04.17 को अनुमोदन प्राप्त है।

14. बिहार कोषागार संहिता में निहित प्रावधानों के आलोक में बजट प्रावधान के अंतर्गत ही राशि की निकासी की जाय।

15. वित्त विभाग के संकल्प संख्या-4-45/94-301 दि (2) दिनांक 31.01.1995 एवं वित्त विभाग के पत्रांक स्कीम (8)-11-2005-5090 दि (2) दिनांक 15.09.05 एवं 295 दिनांक 24.03.15 के आलोक में तथा वित्त विभाग के संकल्प सं० 96 दिनांक 03.01.2008 में निहित निर्देशों का अक्षरशः पालन किया जाय तथा बिहार वित्त नियमावली के सुसंगत प्रावधानों के आलोक में योजना में सम्बंधित राशि की संप्रत्यक्षा के आधार पर व्यय की जाय। यह आदेश आंतरिक वित्तीय सलाहकार की सहमति प्राप्त कर निर्गत किया जा रहा है। आंतरिक वित्तीय सलाहकार की सहमति सचिका सं०- मु० अ०-4 (मु०) नाबार्ड-03-39/2017 के पृष्ठ संख्या-15/टि० पर दिनांक- 28.4.17 को प्राप्त है।

16. यह राशि उत्ती नद में खर्च की जायेगी, जिसके लिए पुनर्विनियोजित की गयी है, अन्य में नहीं।

17. योजना के लिए संबंधित कार्यपालक अभियंता से वित्तीय कार्य योजना मांगी जायेगी एवं प्रावधानों की विशिष्टताओं के अनुसार निर्धारित समय सीमा के अंदर कार्य पूर्ण करना सुनिश्चित किया जाय।

18. योजना के कार्यान्वयन के क्रम में इनका निर्धारित निरीक्षण (नियमित अंतराल पर) अनिवार्य रूप से किया जाय तथा प्रतिवेदन अभिलेखबद्ध किया जाय।

19. वित्त विभाग के पत्रांक-770, दिनांक 20.09.11 के द्वारा सूचित किया गया है कि नाबार्ड से RIDF के अन्तर्गत नई परियोजनाओं की प्रशासनिक अनुमोदन प्राप्त करने के उपरान्त ही स्वीकृति हेतु नाबार्ड को भेजी जाये।

विश्वासनामज

ह०/-
(संजय कुमार)
अपर सचिव

ज्ञापक- मु० अ०-4 (मु०) नाबार्ड-03-39/2017

/पटना, दिनांक-

प्रतिलिपि- सभी संबंधित कोषागार पराधिकारी, जिला कोषागार/उप कोषागार को सूचना एवं आवश्यक कार्रवाई हेतु प्रेषित।

ह०/-
अपर सचिव

ज्ञापक- मु० अ०-4 (मु०) नाबार्ड-03-39/2017

/पटना, दिनांक- 05/05/17

प्रतिलिपि- माननीय मंत्री के आप्त सचिव, ग्रामीण कार्य विभाग/प्रधान सचिव, योजना एवं विकास विभाग/वित्त विभाग (आय-व्यय शाखा)/आंतरिक वित्तीय सलाहकार, ग्रामीण कार्य विभाग/प्रमंडल सचिवालय एवं समन्वय विभाग/कार्मिक एवं प्रशासनिक सुधार विभाग, सभी संबंधित प्रमंडलीय आयुक्त/सभी संबंधित जिला पराधिकारी/सभी संबंधित उप विकास आयुक्त/अभियंता प्रमुख एवं ग्रा० का० वि०, बिहार, पटना/सभी संबंधित मुख्य अभियंता, पटना, ग्रामीण कार्य विभाग/मु० अ०-4 (मुख्यालय), ग्रा० का० वि०, सभी संबंधित अधीक्षण अभियंता, ग्रा० का० वि०, कार्य अंचल/सभी संबंधित कार्यपालक अभियंता, ग्रा० का० वि० कार्य प्रमंडल/मुख्य महाप्रबंधक नाबार्ड, बिहार क्षेत्रीय कार्यालय, (मौला कम्पलेक्स, पॉपवही नजिरा) डाक बंगला रोड, पटना को सूचना एवं आवश्यक कार्रवाई हेतु प्रेषित। अतिरिक्त नोट, ग्रामीण कार्य विभाग को विभाग के वेबसाइट पर अपलोड करने हेतु प्रेषित।

अपर सचिव



२९९९ ९९.९.२०१८ १००० मसस गाव कसससस
पंचभिरवा खैरा (मुक एजीमेर) 419065
विनाम कसस सिद्ध

REVISED AGREEMENT FORM

The Agreement No. 79SBD/2017-18 made earlier of construction of Road & CD Work of Nargi Jivnath PMGSY road to Govindpur se Khaira Road of Rs.1,13,87,458.00 between Executive Engineer R.W.D. Works Division, Muzaffarpur East-1 (name and address of Employer) hereinafter called "the employer" and M/s Gaurav Construction Village - Panchbhirwa, P.O.-Madhaul, Distt.-Muzaffarpur, hereinafter called "the contractor" on the other part is revised to Rs. 1,11,80,263.00 (Rs. One Crore Eleven Lakh Eighty Thousand Two Hundred Sixty Three Only) on this day the as a result of revision of BOQ by Supretending Engineer, RWD Work Circle Muzaffarpur on 08.10.2018. (Memo No.1941 enc. dt.08.10.2018)

ॐ नमो भगवते वासुदेवाय

Executive Engineer
RWD Works Division
Muzaffarpur East-1
11/10/18

अधीक्षण अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य अंचल, मुजफ्फरपुर

पत्रांक :- 1763 अंशु

/दिनांक:- 8/10/18

प्रेषक,

अधीक्षण अभियंता
ग्रामीण कार्य विभाग, कार्य अंचल,
मुजफ्फरपुर।

सेवा में,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्रमंडल,
मुजफ्फरपुर पूर्वी-1

विषय:- पुनरीक्षित परिमाण विपत्र अनुमोदन के संबंध में।

प्रसंग:- आपका पत्रांक 1763 अनु0 दिनांक 03.10.2018

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र के आलोक में शीर्ष एम0एम0जी0एस0वाई राज्य योजना अंतर्गत निम्नलिखित पथ का पुनरीक्षित परिमाण विपत्र अनुमोदनोपरांत एक प्रति में संलग्न कर आवश्यक कार्रवाई हेतु प्रेषित किया जा रहा है।

S. N.	Name of Road	Length (in Km.)	Revise BOQ with 5 Year Maintenance (In Lakh)
1	3	4	7
1	Nargi Jivnath PMGSY Road To Govindpur Se khaira Road Under NABARD	2.207	111.80263

अनुलग्नक : यथोक्त

विश्वासभाजन

(Signature)
अधीक्षण अभियंता,
ग्रामीण कार्य विभाग, कार्य अंचल,
मुजफ्फरपुर

(Signature)

(Signature)
Executive Engineer
RWD Works
Muzaffarpur
(Signature)
11/10/18

BILL OF QUANTITY**Name Of Work : Nargi Jivvnath PMGSY Road To Govindpur Se khaira Road Under NABARD****SCHEDULE OF WORKS**

Sl. No.	Description of work	No.or Qty.	Unit	Estimated Rate	AMOUNT Rs. P
1	Setting out Setting out as MORTH Specification 100 item Nos (i), (ii), (iii) & (iv)	2.207	KM	4063.960	8989.16
1	(ii) Construction of Reference Pillars/Burjees = 76 Nos SOR Item No.-1.16	2.207	KM	1862.100	4109.65
2	Clearing and grubbing road land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per Technical Specification Clause 201 SOR Item No.-2.2 By manual means	0.880	Hectare	45966.850	40450.83
3	Construction of embankment with material obtain from roadway cutting Excavation for roadway in soil using manual means for carrying of out earth to embankment site with a lift up to 1.5 m and lead up to 50m as per Technical Specification Clause 302.3 SOR Item No.-3.5 (i)	5027.420	cum	129.498	651040.33
3	Excavation for road work in soil by mechanical means including cutting and pushing the earth to side of embankment up to a distance of 100 m including trining bottom and side slopes in accordance with requirement of line, grades and Cressection	216.735	cum	28.710	6222.46
4	Construction of embankment with approved material obtained from borrow pits with a lift up to 1.5m transporting to site, spreading grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead up to 1000m as per Technical Specification Clause 301.5 SOR Item No.-3.4	1501.690	cum	159.310	239234.23
5	Box cutting for pavement construction Excavation for roadway in soil using manual means for carrying of out earth to embankment site with a lift up to 1.5 m and lead up to 50m as per Technical Specification Clause 302.3 SOR Item No.-3.5 (i)	216.735	cum	113.290	24553.91
6	Construction of granular sub-base with recovered material & Local sand (grading-I) (mix in place method) by providing well graded material spreading local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401 SOR Item No.-4.1.401(Aii)	986.314	cum	2919.570	2879612.76
7	WBM Grading 3 Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.80 -100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405 SOR Item No.-4.7 (3)(A)	629.185	cum	3720.550	2340914.25
8	Laying brick soling layer on prepared sub-grade with brick on end edging according to lines, graded and cross-section shown on the drawing filling joints with sand and earth, spreading 25 mm thick layer of earth over brick soling, watering and rolling the same with three wheel road roller 80-100 kN as per Technical Specification Clause 412 SOR Item No.-4.18	500.000	sqm	630.910	315455.00
9	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502 SOR Item No.-5.1 (i)	6520.875	sqm	47.460	309480.73
10	Tack Coat Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per Technical Specification Clause 50	6520.875	sqm	15.770	102834.20
11	Mix Seal Surfacing By Mechanical Means (Type-B) Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type B) aggregates using penetration grade bitumen to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN static roller and finishing to required level and grades as per Technical Specification Clause 509	6520.875	sqm	214.48 -214.93	1398597.29 -1414673.41

Gen. mng.

APPROVED

Supervisor
District Engineer
Works Circle, NABARD
11-10-18

Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate	AMOUNT Rs. P
12	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and Technical Specification Clause 1501SOR Item No.-6.4	299.317	cum	7240.88	2167318.48
13	Kilometre Stone Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703 Ordinary Kilometer Stone (Pre-cast)	3.000	Each	2354.970	7064.91
	200m Stone (Pre-cast)	9.000	Each	631.610	5684.49
14	Boundary Pillar Reinforced cement concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704 At outer side of H-Curve & @ 1.50m c/c both side at high embankment	44.000	Each	517.040	22749.76
15	Painting two coats on new concrete surface Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new plastered concrete surface as per drawing and technical specification clause 1701	44.640	sqm	100.380	4480.96
16	Printing new letter and figures of any shade Printing new letter and figures of any shade with synthetic enamel paint black of any other approved colour to give an even shade as per drawing and technical specification clause 1701	176.000	Per cm ht per letter	0.490	86.24
17	Providing and fixing of typical PMGSY informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1 SOR Item No.-10.16	2.000	Each	10865.190	21730.38
18	Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 SOR Item No.-10.2 A (1)				
	(ii) 600 mm equilateral triangle	8.000	Each	3975.350	31802.80.
	(v) 600 mm x 450 mm rectangular	2.000	Each	5365.160	10730.32
	900 mm side octagon	2.000	Each	10053.430	20106.86
19	Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes. SOR Item No.-8.13	341.000	sqm	829.000	282689.00
20	Cable Duct Across The Road Providing and laying of a reinforced cement concrete pipe duct 300 mm dia across the road extending from drain to drain in cts and toe	37.500	RM	1107.180	41519.25
21	Earthwork excavation for foundation of structures as per drawing and technical specification clause 1104 including setting out, stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material (A) Ordinary soil SOR Item No.-11.1 (i)	67.080	CUM.	263.650	17685.64
22	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802,803,1202&1203 (i) PCC Grade M-15	5.292	CUM.	5581.120	29535.29

20/11/18

20/11/18

EXCUTED
RMD
11-10-18

Sl.	Description of work	No.or Qty.	Unit	Estimated Rate	AMOI Rs.
23	Brick masonry work in cement mortar in foundation complete excluding pointing and plastering as per drawing and technical specifications clauses 600,1202&1203	33.210	CUM.	6750.820	224194.73
24	Brick masonry work in cement mortar in Sub structure complete excluding pointing and plastering as per drawing and technical specifications clauses 600,1202&1203	20.175	Cum	7051.410	142262.20
25	Brick masonry work in cement mortar 1:3 in parapet excluding pointing and plastering as per drawing and technical specifications Clauses 600, 900 and 1208.4	5.760	CUM.	6987.830	40249.90
26	Plastering with cement mortar (1:4), 15 mm thick on brickwork in substructure as per technical specification clauses 613.4 & 1204SOR Item No.-12.3	40.320	Sqm	168.820	6806.82
27	Providing and Laying Reinforced Cement Concrete Pipe NP3 1000 mm dia as per design in Single Row	15.000	RM	4219.360	63290.40
28	Laying (First Class) bedding concrete as per clause 1105 (ii)SOR Item No.-9.2	9.735	Cum	450.730	4387.86
29	Filling in foundation trenches as per drawing and technical specification clause 305.3.9	15.264	Cum	450.730	6879.94
Total Construction Cost :				11492731.44	11488787.17
30	Maintenance for 1st year	1	Year	83458.00	83458.00
31	Maintenance for 2nd year	1	Year	99018.00	99018.00
32	Maintenance for 3rd year	1	Year	208571.00	208571.00
33	Maintenance for 4th year	1	Year	254916.00	254916.00
34	Maintenance for 5th year	1	Year	303821.00	303821.00
Five Year Maintenance Cost :					949784.00
Total Amount					12438491.17

Cost Con - Rs. 1,14,22,231 =

Maint en - Rs. 9,49,784 =

Rs. 1,24,22,515 =

Less 10% p.p. approx Rs. 12,42,252 =

Rs. 1,11,80,263 =

Revised B.O.B approved at Rs. 1,11,80,263 = (Rates are correct - eleven lakhs eighty thousand and fifty three) of maintenance.

[Signature]
 Digitally signed by
 S. A. W. D. WORKS
 Date: 8/10/18

Name of the work : Construction of Road & CD Works of Nargi Jivnath PMGSY road to Govindpur se khaira road Under NABARD.

No. of roads. : One

3. Length of the road. : 2.207 K.M.

4. Name of the Agency & Address : M/s Gaurav Construction
Village : Panchbhirwa, P.O. : Madhaul
Distt. : Muzaffarpur

5. Agreement No. : 79/SBD/17-18

6. Approval of Rate : S.E., R.W.D. Muzaffarpur, letter No. 1646 enc. dt. 15.09.2017 on 10.00 % below from Schedule rate.

7. Agreement value of the work:-

(a) Construction cost ——— : Rs. 1,17,02,900.00

(b) Maintenance cost ——— : Rs. 9,49,831.00

Rs. 1,26,52,731.00 Less 10.00% below from Schedule rate.

Rs. 1,13,87,458.00

(Rupees One Crore Thirteen lakh eighty seven thousand four hundred fifty eight Only).

5.75% (Five point Seven five percent) of the Agreement value. (Rs. 6,57,000.00)

Performance security (including earnest money) deposited by the Agency in the form of FD & NSC amounting to Rs. 6,57,000.00 The details of FD & NSC is as follow:-

(i)	Indian Bank Muzaffarpur	A/c No.6583985502	Rs. 2,00,000.00
(ii)	Indian Bank Muzaffarpur	A/c No.6557402410	Rs. 1,60,000.00
(iii)	Indian Bank Muzaffarpur	A/c No.6496170359	Rs. 2,82,000.00
(iv)	5NS40EF705650	10000.00 x 1	Rs. 10,000.00
(v)	6NS71DD549442	5000.00 x 1	Rs. 5,000.00

Rs. 6,57,000.00
(Rs. Six lakh fifty seven thousand Only)

9. Date of work Order : 12.09.2017

10. Date of completion : 11.09.2018 (12 Months)

11. Security Deposit : 8% (Eight percent) to be deducted from the gross amount of each running Bill.

12. Defect liability period : Five years from the actual date of completion of the work.

13. Refund of performance security and security deposit : After five years from the actual date of completion of the work.

14. Total item of Agreement : 35 (Thirty five) item in each road.

Note:-S.B.D. Rules, terms and conditions will be applicable.

For M/s Gaurav Construction

Partner

Divisional Accounts Officer
R.W.D. Works Division
Muzaffarpur East-1

Executive Engineer
R.W.D. Works Division
Muzaffarpur East-1

09.01.18