कार्यपालक अभियंता, का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी

पत्रांक 31987% / दिनांक 04/03724

प्रेषक.

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढी।

सेवा में.

अपर मुख्य कार्यपालक पदाधिकारी—सह—सचिव, ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:- श

शीर्ष बिहार नई अनुरक्षण नीति 2018 (MR 3054) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक इस प्रमंडल अंतर्गत चल रहे नई अनुरक्षण नीति 2018 (MR 3054) में स्वीकृत योजनाओं के विभिन्न कार्यों के लिए संलग्न विवरणी अनुसार मुगतान हेतु आवंटन उपलब्ध कराने की कृपा की जाय।

अनु0:- यथोक्त।

विश्वासभाजन

०५ | ०५ | ७५ | ७५ कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमुंडल, सीतामढ़ी। Construction of Road Works.

Name of Works Division RWD, Works Division- Sitamarhi Requisition Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

			7 - 30								
		1	16								
	MR-N/2022-23/ Sitamarhi/20	2	Package No.								
	Package No. Name of Road 2 3 MR-N/2022-23/ Sitamarhi/20 BAGHMARI										
	Project ID as per MIS 4 4 31607902204										
	Lt. No2161 Dt20.10.22	5		Administrati							
1.900	1.900	6	ength (In KM)								
87.23000	87.23000	7	5 Years Amount (In Routine Lakh) Maintenan (In Lakh)	Administrative Approval (AA)							
1.900 87.23000 18.94000	18.94000	5 Years Routine Maintenance (In Lakh) 8 0 18.94000									
69.84018	69.84018	9	Initial 5 Years Rectification Routine With Surface Maintenance Renewal (In Lakh) (In Lakh)	Agreement Amount (In Lakh)							
16.72234	16.72234	unt (In Lakh)									
	34/ MBD/23- 09.01.2024	11	Agreement Completion No. Date as per Agreement								
	09.01.2024	12	Completion as per Agreement	Date of							
	3117	13	Value of IRI (In mm/km)								
	25mm	14	Thickness of Bitumen Layer (in mm)								
+	5.00%	15	Value of Bitumen Content in Percentag e								
0.00000	5.00% 0.00000 0.00000 66.76022	16	Thickness Value of Previous Up-to Date Requisitio of Bitumen Total expenditur nagainst r MIS (In MIS (In Lakh) M								
0.00000 0.00000 66.76022	0.00000	17	expenditur e as per MIS (In Lakh)	Jp-to Date							
66.76022	66.76022	18	Requisitio n against work done (In Lakh)								
		19	Remarks								

Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
 Up- to date Phycical Progress has been uploaded in MIS

FORM GFR 19-A

(See Government of India's Decision (1) below Rule 150)

Form of Utilization Certification up to the month of March 2024

SI. No.	Name of Scheme Construction of Rural Road New Maintenance Policy 2018	Sanction No. & Date with Amount (in lacs Rs.) Up to Date Received Allotment	Amount Received (in Rs.) Rs. 1374007844.00	Particulars Certified that out of Rs 1374007844.00 received during the years 2023-24 in favor of Executive Engineer Sitamarhi. Bihar a sum of Rs. 1317440537.00 has been utilized for
				the purpose of New Maintenance Policy 2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs 56567307.00 remaining unutilized at the end of the period under report
	Total:	ш	1	

2. Certified that I have satisfied myself that the condition on which the grant-in-aid was sanctioned have been duly fulfilled /are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Cheeks exercised:-

Works have been supervised by Executive Engineer/Superintending Engineer.

li Periodical inspection has been conducted by Executive Engineer/Superintending

lii Construction materials have been tested.

lv Measurements have been recorded in the MBs and test check conducted by the Assistant

Engineer/Executive Engineer

V All other codal formalities

3. Physical Progress achieved:-

Construction of Road Works.

li Construction of CD works

Executive Engineer, R.W.D. Works, Division, Sitamarhi,

Steco Analyzer 百里号 Section No. Date: Lab Job number 114 Nama of Customer: Print 2235 3235. Generate Report and Graph Name of Customer: Mangesh Kumar, Name of Work/Road :SAIDPUR-HAJIPUR-BAGHMARI, Lab Job number File: CNUsers (DefinDesktop) medan mohan jhaxisx Section No.:68, Eqn:lest 1 1205 CO-10 Harperh Kimer 0.3 0.4 0.5 0.6 0.7 Test Date : Distance * 1000 m 0.8 0.9 01-03-2024 -- UIV Ranga Road Name: DEUR+IAJIEUR-BAGHMARI Equation Redraw Groph (FI) HURAL ROAD 1235 To 5000 Map View

Psoffer 4103/24

No. of State of State

×

Lab Job number : 114
Date :01-03-2024
Name of Customer : Mangesh K

0 + 1 0 - 1	01/03/	01/03/	01/03/	01/03/	01/03/2	01/03/2	01/03/2	01/03/2	01/03/2	01/03/2	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24		Date	
	0		24 16:7:0	24 16: 6: 8	24 16:6:8	24 16: 6: 0	4 16:5:0	4 16: 4: 22	4 15:4:0	4 16:4:0	16:3:12	16:3:12	16: 3: 0	16: 2: 36	16: 2: 1	16: 2: 1	16: 1: 26	16: 1: 0	16; 0; 49		Time	
		68	68	68	68	68	68	68	68	68	68	68	68	68	. &	5 8	68	5 8	5 G	3		
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0) C	0.1	0 1	2		Nar
	290	310	280	270	310	360	280	250	310	240	310	330	310	290	220	310	350	310	250	_		ne of Worl
⊳	20.2	10.1	10.1	20.2	10.1	20.2	10.1	20.2	10.1	20.2	10.1	20.2	10.1	20.2	20.2	10.1	10.1	10.1	20.2	mm		Road:
VRAGE	2900	3100	2800	2/00	3100	3600	2800	2500	3100	2400	3100	3300	3100	2900	2200	3100	3500	3100	2500			SAIDPUF
3117	3011 G						3313 G	2568 G	3233 G	2457 G	3233 G	3454 G	3233 G	3011 G	2235 G	3233 G	3676 G	3233 G	2568 G	1/km ROAD	į	ad :-SAIDPUR-HAJIPUR - BA
	26.73398 85.49	26./3349 85.49								26.72945 85.505	.26,72858 85.505	26.72782 85.505	26.72725 85.5069	26.72636 85.5069	26.72552 85.5064	26.72554 85.5074	26.72537 85.5083			Fautude Jongitud	CHARLE	GHMADI
	889 Normal	9/1 NOTITIAL	24 Normal	DEA Normal	36 Cinno	95 Normal	82 Normal	44 Normal	97 Normal	08 Normal	34 Normal	32 Normal	55 Normal	5 Normal	13 Normal	2 Normal	8 Normal	4 Normal	Normal			
								٠											1-0 >: 2+1.130 > + 132:3	7 (21 + 7 * 361 1 • 6 7 7 * 0 - 7		
	AVRAGE	16: 8: 0 68 0.1 290 20.2 2900 3011 G AVRAGE 3117	16:7:19 68 0.1 310 10.1 3100 3233 G 26./3349 16:8:0 68 0.1 290 20.2 2900 3011 G 26.73398 AVRAGE 3117	16:7:0 68 0.1 280 10.1 2800 3313 G 16:7:19 68 0.1 310 10.1 3100 3233 G 16:8:0 68 0.1 290 20.2 2900 3011 G AVRAGE 3117	16: 6: 8 68 0.1 270 20.2 2/00 3199 6 2 16: 7: 0 68 0.1 280 10.1 2800 3313 G 3 16: 7: 19 68 0.1 310 10.1 3100 3233 G 3 16: 8: 0 68 0.1 290 20.2 2900 3011 G AVRAGE 3117	16: 6: 8 68 0.1 310 10.1 3100 323 G 2 16: 6: 8 68 0.1 270 20.2 2700 319 G 2 16: 7: 0 68 0.1 280 10.1 2800 3313 G 2 16: 7: 19 68 0.1 310 10.1 3100 323 G 3 1 16: 8: 0 68 0.1 290 20.2 2900 3011 G AVRAGE 3117	16: 6: 0 68 0.1 360 20.2 3600 3787 G 2 16: 6: 8 68 0.1 310 10.1 3100 3233 G 2 16: 6: 8 68 0.1 270 20.2 2700 3199 G 2 1 16: 7: 0 68 0.1 280 10.1 2800 3313 G 3 1 16: 7: 19 68 0.1 310 10.1 3100 3233 G 3 1 16: 8: 0 68 0.1 290 20.2 2900 3011 G AVRAGE 3117	16: 5: 0 68 0.1 280 10.1 280 3313 G 2.1 16: 6: 0 68 0.1 360 20.2 3600 3787 G 2.1 16: 6: 8 68 0.1 310 10.1 3100 3233 G 2.1 16: 6: 8 68 0.1 270 20.2 2700 3199 G 2.1 16: 7: 0 68 0.1 280 10.1 2800 3313 G 2.1 16: 7: 19 68 0.1 310 10.1 3100 323 G 3.1 16: 8: 0 68 0.1 290 20.2 2900 3011 G 4 16: 8: 0 68 0.1 290 20.2 200 3017	16: 4: 22 68 0.1 250 20.2 2500 258 G 21 16: 5: 0 68 0.1 280 10.1 2800 331 G 2 16: 6: 0 68 0.1 360 20.2 3600 3787 G 2 16: 6: 8 68 0.1 310 10.1 3100 3233 G 2 4 16: 6: 8 68 0.1 270 20.2 2700 3199 G 2 4 16: 7: 0 68 0.1 280 10.1 2800 3313 G 2 4 16: 7: 19 68 0.1 310 10.1 3100 323 G 3 4 16: 8: 0 68 0.1 290 20.2 2900 3011 G AVRAGE 3117	16: 4: 0 68 0.1 310 10.1: 3100 3233 G 24 16: 4: 22 68 0.1 250 20.2 2500 2568 G 21 1 16: 5: 0 68 0.1 280 10.1 2800 3313 G 24 1 16: 6: 8 68 0.1 360 20.2 3600 3787 G 2 1 16: 6: 8 68 0.1 310 10.1 3100 3233 G 2 4 16: 7: 0 68 0.1 270 20.2 2700 3199 G 2 4 16: 7: 19 68 0.1 310 10.1 310 3233 G 3 4 16: 8: 0 68 0.1 310 30.1 300 3233 G 3 4 16: 7: 19 68 0.1 310 10.1 3100 3233 G 3 4 16: 8: 0 68 0.1 290 20.2 2900 3011 G 4 16: 8: 0 68 0.1 290 20.2 2900 3011 G	16: 4: 0 68 0.1 240 20.2 2400 2457 G 26 16: 4: 0 68 0.1 310 10.1 3100 323 G 26 16: 4: 22 68 0.1 250 20.2 2500 2568 G 21 16: 5: 0 68 0.1 280 10.1 2800 3313 G 2 4 16: 6: 8 68 0.1 360 20.2 3600 3787 G 2 4 16: 6: 8 68 0.1 310 10.1 3100 3233 G 2 4 16: 6: 8 68 0.1 270 20.2 2700 319 G 2 4 16: 6: 8 68 0.1 270 20.2 2700 313 G 2 4 16: 7: 0 68 0.1 280 10.1 2800 3313 G 2 4 16: 7: 19 68 0.1 310 10.1 3100 323 G 2 4 16: 8: 0 68 0.1 30 30.1 30 30.1 30 4 16: 8: 0 68 0.1 30 30.1 300 333 G 30 4 16: 8: 0 68 0.1 30 30 30 30 3	16: 3: 12 68 0.1 310 10.1 3100 323 G 26 16: 4: 0 68 0.1 240 20.2 2400 2457 G 26 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26 16: 4: 22 68 0.1 250 20.2 2500 2568 G 20 16: 5: 0 68 0.1 280 10.1 2800 3313 G 20 4 16: 6: 8 68 0.1 310 10.1 3100 3233 G 20 4 16: 6: 8 68 0.1 310 10.1 3100 3233 G 20 4 16: 6: 8 68 0.1 270 20.2 2700 319 G 20 4 16: 6: 8 68 0.1 270 20.2 2700 313 G 20 4 16: 7: 0 68 0.1 270 20.2 2700 3313 G 20 24 16: 7: 19 68 0.1 310 10.1 3100 323 G 20 24 16: 8: 0 68 0.1 290 20.2 2900 3011 G 3011 G 24 16: 8: 0 68 0.1 290 20.2 2900	16:3:12 68 0.1 330 20.2 3300 3454 G 24 16:3:12 68 0.1 310 10.1 3100 3233 G 26 26 16:4:0 68 0.1 240 20.2 2400 2457 G 26 2	16:3:0 68 0.1 310 10.1 3100 323 G 26 16:3:12 68 0.1 330 20.2 3300 3454 G 26 16:3:12 68 0.1 310 10.1 3100 323 G 26 16:4:0 68 0.1 240 20.2 2400 2457 G 26 16:4:2 68 0.1 310 10.1 3100 323 G 24 4 16:5:0 68 0.1 280 10.1 2800 3313 G 24 4 16:6:8 68 0.1 360 20.2 3600 3787 G 2 4 16:6:8 68 0.1 270 20.2 2700 319 G 2 4 16:7:0 68 0.1 270 20.2 2700 319 G 2 4 16:6:8 68 0.1 270 20.2 2700 313 G 2 4 16:7:19 68 0.1 310 10	46: 2: 36 68 0.1 290 20.2 2900 3011 G 26 16: 3: 0 68 0.1 310 10.1 3100 3233 G 26 16: 3: 12 68 0.1 330 20.2 3300 3454 G 26 16: 3: 12 68 0.1 310 10.1 3100 3233 G 26 16: 4: 0 68 0.1 240 20.2 2400 2457 G 26 4 16: 4: 22 68 0.1 310 10.1 3100 3233 G 24 4 16: 6: 0 68 0.1 280 10.1 2800 3313 G 24 4 16: 6: 0 68 0.1 360 20.2 2500 2588 G 2 4 16: 6: 0 68 0.1 310 10.1 3100 3233 G 2 4 16: 6: 0 68 0.1 310 10.1 3100 3233 G 2 24 16: 7: 0 68 0.1	16: 2: 1 68 0.1 220 20.2 2200 2235 G 26 16: 2: 36 68 0.1 290 20.2 2900 3011 G 26 16: 3: 12 68 0.1 310 10.1 3100 3233 G 26 4 16: 3: 12 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 240 20.2 2400 2457 G 26 4 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 250 20.2 2500 2568 G 26 4 16: 5: 0 68 0.1 280 10.1 2800 3313 G 29 24 16: 6: 8 68 0.1 310 10.1 310 323 G 2 24 16: 7: 0 68 0.1	16: 2: 1 68 0.1 310 10.1 3100 3233 G 26 16: 2: 1 68 0.1 220 20.2 2200 2235 G 26 16: 2: 36 68 0.1 290 20.2 2900 3011 G 26 16: 3: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 3: 12 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 250 20.2 2500 2568 G 21 4 16: 5: 0 68 0.1 280 10.1 2800 3313 G 2 24 16: 6: 8 68 0.1	16:1:26 68 0.1 350 10.1 350 3676 G 26 16:2:1 68 0.1 310 10.1 3100 3233 G 26 16:2:1 68 0.1 320 20.2 2200 2235 G 26 16:2:36 68 0.1 290 20.2 2900 3011 G 26 16:3:12 68 0.1 310 10.1 3100 3233 G 26 4 16:3:12 68 0.1 330 20.2 3300 3454 G 26 4 16:4:0 68 0.1 310 10.1 3100 3233 G 26 4 16:4:22 68 0.1 250 20.2 2400 2457 G 26 24 16:5:0 68 0.1 280 10.1 3100 3233 G 26 24 16:6:8 68 0.1 360 20.2 2500 3787 G 2 24 16:7:19 68 0.1 280	16: 1: 0 68 0.1 310 10.1 310 323 G 26 16: 1: 26 68 0.1 350 10.1 350 10.1 350 3676 G 26 16: 2: 1 68 0.1 310 10.1 300 3676 G 26 16: 2: 1 68 0.1 310 10.1 3100 3233 G 26 16: 2: 1 68 0.1 290 20.2 2200 2235 G 26 4 16: 3: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 3: 12 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26 4 16: 4: 0 68 0.1 340 20.2 2400 2457 G 26 24 16: 4: 0 68 0.1 280 10.1 2800 3787 G 26 24 16: 6: 8	16: 0: 49 63 0.1 250 20.2 2500 2568 G 26.72569 85.51002 Normal 16: 1: 0 68 0.1 310 10.1 3100 3233 G 26.72522 85.50024 Normal 16: 1: 26 68 0.1 350 10.1 3500 3676 G 26.72532 85.50934 Normal 16: 2: 1 68 0.1 310 10.1 3100 3233 G 26.72537 85.50838 Normal 4 16: 3: 1 68 0.1 290 20.2 2200 2235 G 26.72552 85.50643 Normal 4 16: 3: 1 68 0.1 310 10.1 3100 3233 G 26.72552 85.50655 Normal 4 16: 3: 1 68 0.1 310 10.1 3100 3233 G 26.7252 85.50655 Normal 4 16: 4: 0 68 0.1 310 10.1 3100 3233 G 26.72552 85.50653 Normal 24 16: 4: 0 68 0.1 310 10.1 3100 3233 G<	No. in km in mm Rate mm/km mm/km ROAD 16: 0: 49 68 0.1 250 20.2 2500 2568 G 16: 1: 0 68 0.1 310 10.1 310 3233 G 16: 1: 26 68 0.1 310 10.1 3500 3676 G 16: 2: 1 68 0.1 310 10.1 3500 3676 G 16: 2: 1 68 0.1 310 10.1 3500 3676 G 16: 2: 1 68 0.1 220 20.2 2200 3011 G 16: 3: 36 68 0.1 320 10.1 3100 3233 G 16: 3: 36 68 0.1 320 10.1 3100 3233 G 16: 3: 36 68 0.1 320 10.1 3100 3233 G 16: 3: 36 68 0.1 320 10.1 3100 3233 G 16: 3: 36 68 0.1 320 20.2 2200 3011 G 16: 3: 12 68 0.1 310 10.1 3100 3233 G 16: 3: 12 68 0.1 310 10.1 3100 3233 G 16: 4: 4: 5: 5: 68 0.1 310 10.1 3100 3233 G 16: 4: 5: 68 0.1 310 10.1 3100 3233 G 17: 4: 5: 68 0.1 310 10.1 3100 3233 G 18: 5: 68 0.1 310 10.1 3100 3233 G 18: 5: 68 0.1 310 10.1 3100 3233 G 18: 5: 68 0.1 310 10.1 3100 3233 G 18: 5: 68 0.1 310 10.1 3100 3233 G 18: 5: 68 0.1 310 30.1 30.0 3233 G 18: 5: 68 0.1 320 320 323 G 28: 72552 8: 50655 N 24: 16: 6: 8 68 0.1 320 30.1 320 323 G 26: 72523 8: 50534 N 24: 16: 6: 8 68 0.1 320 30.1 30.0 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 30.1 3100 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 30.1 3100 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 30.1 3100 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 30.1 3100 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 30.1 3100 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 30.1 3100 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 30.1 3100 3233 G 26: 72725 8: 50532 N 24: 16: 6: 8 68 0.1 320 320 323 G 26: 72321 8: 50532 N 26: 72321 8: 50532 N 27: 724 16: 6: 8 68 0.1 320 320 320 323 G 28: 50643 N 29: 724 16: 6: 8 68 0.1 320 320 320 323 G 20: 72321 8: 50532 N 20: 724 16: 6: 8 68 0.1 320 320 320 323 G 20: 72321 8: 50532 N 20: 724 16: 6: 8 68 0.1 320 320 320 323 G 20: 72321 8: 50532 N 20: 724 16: 6: 8 68 0.1 320 320 320 323 G 20: 72321 8: 50532 N 20: 724 16: 6: 8 68 0.1 320 320 320 320 323 G 20: 724 16: 6: 8 68 0.1 320 320 320 320 323 G 20: 724 16: 724 320 320 320 320 320 320 320 320 320 320	Time Section No. in km in mm Rate mm/km mm/km mm/km Rate mm/km mm/km Rate Mm/km mm/km Rate RoAD Roa

Office of The Executive Engineer, Rural Works Department, Works Division, Sitamarhi

Name of Road:-SAIDPUR-HAJIPUR - BAGHMARI

Name of Scheme:- NEW MAINTENANCE POLICY

Name of Contractor: - Mangesh Kumar

Length of Road:-1.9 KM

Project ID:- 31607902204

Package No.-RM/SI/SIT/23/0011

Name of Block:-BATHNAHA

Certified that all item wise 100% measurment has been taken by me

Certified that all item wise 50% measurment has been checked by me

Certified that all item wise 10% measurment has been checked by me

4/03/24

Junior Engineer, Rural Works Department, Works Section, Dumra Works Division, Sitamarhi

Assitant Engineer,

Rural Works Department, Works Sub Division, Dumra Works Division, Sitamarhi

Executive Engineer,

Rural Works Department, Works Division, Sitamarhi