

2
Sch. XLV-Form No. 134

item (4) Construction of embankment with material obtained from pits.
E/W sheet

Continuation

ABSTRACT OF COST

8

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(1/1)	Construction of B.M. Pillar				
	V.T.M.B.P.No - ①				
	item ① - 0.64 km				
	@ 3709.73/100				2241.20
(2/2)	Construction of reference pillar				
	V.T.M.B.P.No - ①				
	item ② - 0.60 Hrs				
	@ 1684.23/100				1018.50
(3/1)	cleaning and grubbing Road Land				
	V.T.M.B.P.No - ②				
	item ③ - 0.40 Hrs				
	@ 5298.20/100				2119.20
(4/1)	Construction of sub grade and earth shoulder				
	V.T.M.B.P.No - ④/⑤				
	item ④, ⑤				
	50.4 m ³ + 185.27 = 235.67 m ³				
	@ 176.64/m ³				41629.00
(5/1)	Construction of embankment with load 1000				
	V.T.M.B.P.No - ⑥				
	item ⑥ - 590.33 m ³				
	@ 1019.73/m ³				602000.00

Continuation

9
Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(6/)	Q. 154.58/m ²				91262=
	consist of crb ⁿ with				
	load 10002,				
	V.T.M.B.P.N. - (3)				
	item (4/A) - 429.32m				
	Q. 192.03/m ²				82452=
(7/)	consist of crs.B				
	with well graded sand				
	V.T.M.B.P.N. - (14)				
	item (12) - 89.22m ²				
	Q. 207.16/m ²				184289
(8/)	consist of W.B.M				
	Grade - 3				
	V.T.M.B.P.N. - (5)				
	item (13) - 66.37m				
	Q. 2648.39/m ²				175774
(9/)	consist of unreinforced				
	casted concrete pavement				
	V.T.M.B.P.N. - (5), (6)				
	item (11), (12)				
	147.13 + 214.31 = 361.44m				
	width - 354.96m				
	Q. 5514.11/m ²				1957288

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(10/)	Laying	Byde	soling		
	Jugger				
	V.T. P.B. P.H.	(6)			
	item (7)	287.5 m			
	B.	459.43/m			132086.0
(11/)	P/V	10.77	Stor	0	
	V.T. P.B. P.H.	(6)			
	item (7)	21 m			
	B.	2019.43/m			4039.00
(12/)	P/V	2002	Stor	0	
	V.T. P.B. P.H.	(6)			
	item (7)	4 m			
	B.	582.16/H			2329.00
(13/)	P/V	604	and any	pidly	
	V.T. P.B. P.H.	(6)			
	item (7)	16 H			
	B.	528.49/H			8408.00
(14/)	P/V	1178	4 St	band	
	V.T. P.B. P.H.	(7)			
	item (8)	3 H			
	B.	9254.30/H			27283.00
(15/)	P/V	6002	Circular		
	V.T. P.B. P.H.	(7)			
	item (8)	2 H			

Continuation

11
Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(15/)	8	4575.77	H	—	9152.00
	P/V 600m equilateral triangle				
	V.T.M.B. P.N. — (7)				
	item (2) — 4 H				
	8	3395.44	H	—	13582.00
(12/)	P/V 600x450 rectangle				
	V.T.M.B. P.N. — 870				
	item (8) — 2 H				
	8	4454.94	H	—	17820.00
(18/)	P/V 900m side octagon				
	V.T.M.B. P.N. — (7)				
	item (9) — 2 H				
	8	8191.06	H	—	16382.00
(19/)	Road Marlaing on C.C surface				
	V.T.M.B. P.N. — (7)				
	item (10) — 116.00 m ²				
	8	870.12	m ²	—	8100940.00
(20/)	E/w excavation in front of structure				
	V.T.M.B. P.N. — (3)				
	item (5) — 29.12 m ³				
	8	305.42	m ³	—	8894.00

Continuation

12
Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
item (21)	providing plain				
	concrete in open				
	furish				
	V.T.M.B.P.No-	(3)			
	item no (6)	—	2.65M		
	Q	4419	62/m ²	—	11712 ^m
item (22)	P/v plain concrete				
	in open furish				
	V.T.M.B.P.No-	(3)			
	item no (7)	—	18.82m ²		
	Q	4874	08/m ²	—	91730 ^m
item (23)	P/v plain concrete				
	in substructure				
	V.T.M.B.P.No-	(4)			
	item no (8)	—	12.9cm		
	Q	5086	67/m ²	—	66330 ^m
item (24)	providing lining				
	cerent concrete pipe				
	V.T.M.B.P.No-	(4)			
	item (9)	—	7.52		
	Q	3651	53/m ²	—	27386 ^m
item (25)	Filling in foundations				
	V.T.M.B.P.No-	(4)			
	item no (10)	—	7.64m ²		
	Q	5223	1/m ²	—	3990 ^m

Continuation

Continuation