

**Schedule XLV-Form No. 134**

Los7 To BHITDHARWA TolA **DIVISION**

Frequency No - 104 SBD/2020-21 **SUB-DIVISION**

POS - 05/03/2021

DOC - 04/02/2021

**MEASUREMENT BOOK**

17707 Kumar

# 2nd and Final A/c bill

Sch. XLV-Form No. 134

13

| Particulars   | Details of actual measurement  |      |      |    | Contents of area      |
|---------------|--------------------------------|------|------|----|-----------------------|
|               | No.                            | L.   | B.   | D. |                       |
| Name of work  | L 57 TO BHITOHAPWALA           |      |      |    |                       |
| Agency        | AJay Singh                     |      |      |    |                       |
| Agreement No. | 104 SBD/20-21                  |      |      |    |                       |
|               | Record entry                   |      |      |    |                       |
|               | M.D-02/04/24                   |      |      |    |                       |
| item (1)      | CONSTRUCTION OF SUBGRADE       |      |      |    |                       |
|               | AND EARTH SHOULDER (UP & DOWN) |      |      |    |                       |
|               | 5X30X                          | 7.98 | 0.30 |    | 359.10 M <sup>3</sup> |
|               | 4X30X                          | 7.90 | 0.30 |    | 284.40 M <sup>3</sup> |
|               | 6X30X                          | 7.90 | 0.30 |    | 426.60 M <sup>3</sup> |
|               | 1X4X                           | 7.00 | 0.30 |    | 8.40 M <sup>3</sup>   |
|               | 2X30X                          | 4.10 | 0.30 |    | 73.80 M <sup>3</sup>  |
|               |                                |      |      |    |                       |

|          |                                   |      |      |      |                       |
|----------|-----------------------------------|------|------|------|-----------------------|
| item (2) | CONSTRUCTION OF C.S.B             |      |      |      |                       |
|          | WITH WELL GRADED SAND (UP & DOWN) |      |      |      |                       |
|          | 1X16X                             | 5.90 | 4.05 | 0.20 | 15.92 M <sup>3</sup>  |
|          | 5X30X                             | 4.05 | 0.20 |      | 121.50 M <sup>3</sup> |
|          | 4X30X                             | 4.05 | 0.20 |      | 97.20 M <sup>3</sup>  |
|          | 3X30X                             | 4.05 | 0.20 |      | 72.90 M <sup>3</sup>  |
|          | 2X30X                             | 4.05 | 0.20 |      | 48.60 M <sup>3</sup>  |
|          | 1X18X                             | 4.05 | 0.20 |      | 14.58 M <sup>3</sup>  |
|          | 1X22X                             | 3.20 | 0.20 |      | 14.08 M <sup>3</sup>  |
|          | 1X18X                             | 3.35 | 0.20 |      | 12.06 M <sup>3</sup>  |
|          | 1X20X                             | 3.50 | 0.20 |      | 14.00 M <sup>3</sup>  |
|          |                                   |      |      |      | 407.60 M <sup>3</sup> |
|          |                                   |      |      |      | 410.84 M <sup>3</sup> |

Continuation

| Particulars                                                                                                                                              | Details of actual measurement |                |              |    | Contents of area      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------|--------------|----|-----------------------|
|                                                                                                                                                          | No.                           | L.             | B.           | D. |                       |
| Item-3                                                                                                                                                   | P/L Plain/P.C.C. in           |                |              |    |                       |
|                                                                                                                                                          | SW 8742488 (up to 22.25m)     |                |              |    |                       |
| face wall-                                                                                                                                               | 2 X 6 X                       | 0.533 X 1.8 =  |              |    | 11.52 m <sup>2</sup>  |
|                                                                                                                                                          | 2 X 6 X                       | 0.400 X 0.60 = |              |    | 2.88 m <sup>2</sup>   |
| Deduct pipe portion                                                                                                                                      |                               |                |              |    |                       |
|                                                                                                                                                          | 2 X 3.14                      | 1.28 X 0.6 =   |              |    | 1.36 m <sup>2</sup>   |
|                                                                                                                                                          |                               |                |              |    | 13.04 m <sup>2</sup>  |
| As per same 3 H.C.W.                                                                                                                                     |                               |                |              |    | 39.12 m <sup>2</sup>  |
| leg portion-                                                                                                                                             | 2 X 2 X 6 X 0.400 X 0.60 =    |                |              |    | 5.76 m <sup>2</sup>   |
|                                                                                                                                                          |                               |                |              |    | 33.36 m <sup>2</sup>  |
| Item-4                                                                                                                                                   | providing laying              |                |              |    |                       |
|                                                                                                                                                          | w.B.M. circle-3               |                |              |    |                       |
|                                                                                                                                                          | 16 X                          | 5.90 + 3.75    | 0.075        |    | 5.79 m <sup>2</sup>   |
|                                                                                                                                                          |                               | 2              |              |    |                       |
|                                                                                                                                                          | 5 X                           | 30 X           | 3.75 X 0.075 |    | 42.18 m <sup>2</sup>  |
|                                                                                                                                                          | 4 X                           | 30 X           | 3.75 X 0.075 |    | 33.75 m <sup>2</sup>  |
|                                                                                                                                                          | 3 X                           | 30 X           | 3.75 X 0.075 |    | 25.31 m <sup>2</sup>  |
|                                                                                                                                                          | 2 X                           | 30 X           | 3.75 X 0.075 |    | 16.87 m <sup>2</sup>  |
|                                                                                                                                                          | 1 X                           | 18 X           | 3.75 X 0.075 |    | 5.06 m <sup>2</sup>   |
|                                                                                                                                                          | 1 X                           | 22 X           | 3.20 X 0.075 |    | 5.28 m <sup>2</sup>   |
|                                                                                                                                                          | 1 X                           | 18 X           | 3.35 X 0.075 |    | 4.52 m <sup>2</sup>   |
|                                                                                                                                                          | 1 X                           | 20 X           | 3.50 X 0.075 |    | 5.25 m <sup>2</sup>   |
|                                                                                                                                                          |                               |                |              |    | 144.01 m <sup>2</sup> |
| <div style="display: flex; justify-content: space-between;"> <div> A. J. J. J.<br/>02/04/24<br/>dr </div> <div> Shree<br/>02/04/24<br/>A.C </div> </div> |                               |                |              |    |                       |
|                                                                                                                                                          |                               |                |              |    |                       |
|                                                                                                                                                          |                               |                |              |    |                       |

Continuation

Sch. XLV-Form No. 134

| Particulars | Details of actual measurement              |           |             |      | Contents of area     |
|-------------|--------------------------------------------|-----------|-------------|------|----------------------|
|             | No.                                        | L.        | B.          | D.   |                      |
| Item-③      | P/V                                        | ord. hang | Kiloback    |      |                      |
|             |                                            | stone     | —           | 2 No |                      |
| Item-④      | P/V                                        | boundary  | pillar      |      |                      |
|             |                                            |           | —           | 10 H |                      |
| Item-⑤      | P/V                                        | 2000      | post        | —    | 2 H                  |
| Item-⑥      | P/V                                        | mmgky     | side-band   |      |                      |
|             |                                            |           | —           | 1 H  |                      |
| Item-⑦      | Painting Two coats on new concrete surface |           |             |      |                      |
|             | 2x                                         | 6.00x     | 1.60        | =    | 19.20 m <sup>2</sup> |
|             | 2x                                         | 2.00x     | 1.00        | =    | 2.00 m <sup>2</sup>  |
|             |                                            |           |             |      | 43.20 m <sup>2</sup> |
| Item-⑧      | P/V                                        | 6000      | crucular    | —    | 4 H                  |
| Item-⑨      | P/V                                        | 6000      | equilateral | —    | 8 H                  |
| Item-⑩      | P/V                                        | 60x450    | rebar       | —    | 4 H                  |
| Item-⑪      | P/V                                        | 900       | side rock   | —    | 2 H                  |
| Item-⑫      | Road Marking on B.T surface                |           |             |      |                      |
|             | 2x                                         | 17x       | 30x         | 0.1  | = 102 m <sup>2</sup> |
|             | 2x                                         | 1x        | 4x          | 0.1  | = 0.8 m <sup>2</sup> |
|             |                                            |           |             |      | 102.8 m <sup>2</sup> |

A. K. K. Man  
06/05/24  
02

Continuation

blm up  
06/05/24  
A E

# ABSTRACT OF COST

Sch. XLV-Form No. 134

19

| Particulars                         | Details of actual measurement |    |    |         | Contents of area |
|-------------------------------------|-------------------------------|----|----|---------|------------------|
|                                     | No.                           | L. | B. | D.      |                  |
| (1) Const of R.M. Pillar            |                               |    |    |         |                  |
| V.T.M.B.P.No - (6)                  |                               |    |    |         |                  |
| item no (1)                         |                               |    |    | 0.514 m |                  |
| Rs 14987.24/m                       |                               |    |    |         | 82563=           |
| (2) Const of Reference Pillar       |                               |    |    |         |                  |
| V.T.M.B.P.No - (6)                  |                               |    |    |         |                  |
| item no (2)                         |                               |    |    | 0.514 m |                  |
| Rs 3460.43/m                        |                               |    |    |         | 1729=            |
| (3) Clearing and grubbing Road land |                               |    |    |         |                  |
| V.T.M.B.P.No - (6)                  |                               |    |    |         |                  |
| item no (3)                         |                               |    |    | 0.36 Ha |                  |
| Rs 51165.25/Ha                      |                               |    |    |         | 18419=           |
| (4) Const of emb with 10000 load    |                               |    |    |         |                  |
| V.T.M.B.P.No - (7) (17)             |                               |    |    |         |                  |
| item (4), (27)                      |                               |    |    |         |                  |
| $216.80 + 315.34 = 532.14 m^3$      |                               |    |    |         |                  |
| Rs 190.22/m <sup>3</sup>            |                               |    |    |         | 101224=          |
| (5) Const of emb with 10000 load    |                               |    |    |         |                  |
| V.T.M.B.P.No - (7) (17)             |                               |    |    |         |                  |
| item (5), (27)                      |                               |    |    |         |                  |
| $867.21 + 386.54 = 1253.75$         |                               |    |    |         |                  |
| Rs 154.39/m <sup>3</sup>            |                               |    |    |         | 193566=          |

Continuation

| Particulars | Details of actual measurement     |                        |    |    | Contents of area |
|-------------|-----------------------------------|------------------------|----|----|------------------|
|             | No.                               | L.                     | B. | D. |                  |
| (21/)       | Q8                                | 43.43/m <sup>2</sup>   |    |    | 83403.00         |
|             | P/V applying Tack                 |                        |    |    |                  |
|             | Coat                              |                        |    |    |                  |
|             | V.T.M.B. P.No. (15)               |                        |    |    |                  |
|             | item (2) - 1920.40 m <sup>2</sup> |                        |    |    |                  |
|             | Q8                                | 15.18/m <sup>2</sup>   |    |    | 29152.00         |
| (22/)       | P/V applying mix                  |                        |    |    |                  |
|             | sed surface                       |                        |    |    |                  |
|             | V.T.M.B. P.No. (15)               |                        |    |    |                  |
|             | item (3) - 1920.40 m <sup>2</sup> |                        |    |    |                  |
|             | Q8                                | 182.32/m <sup>2</sup>  |    |    | 350129.00        |
| (23/)       | P/V 10-m stone                    |                        |    |    |                  |
|             | V.T.M.B. P.No. (18)               |                        |    |    |                  |
|             | item (3) - 2 Hb                   |                        |    |    |                  |
|             | Q8                                | 2351.54/m <sup>2</sup> |    |    | 47030.00         |
| (24/)       | P/V 2000 stone                    |                        |    |    |                  |
|             | V.T.M.B. P.No. (18)               |                        |    |    |                  |
|             | item (5) - 2 Hb                   |                        |    |    |                  |
|             | Q8                                | 635.61/m <sup>2</sup>  |    |    | 1271.00          |
| (25/)       | P/V boundary pillar               |                        |    |    |                  |
|             | V.T.M.B. P.No. (18)               |                        |    |    |                  |
|             | item (9) - 10 Hb                  |                        |    |    |                  |
|             | Q8                                | 535.06/m <sup>2</sup>  |    |    | 5351.00          |
| (26/)       | Painting Two coats                |                        |    |    |                  |
|             | on new concrete surface           |                        |    |    |                  |
|             | V.T.M.B. P.No. (18)               |                        |    |    |                  |

Continuation

| Particulars | Details of actual measurement |                        |    |                      | Contents of area |
|-------------|-------------------------------|------------------------|----|----------------------|------------------|
|             | No.                           | L.                     | B. | D.                   |                  |
|             | item (3)                      |                        |    | 43.20 m <sup>2</sup> |                  |
|             | &                             | 97.18 / m <sup>2</sup> |    |                      | 4198.2           |
| (22)        | P/v Goo 222 Circular          |                        |    |                      |                  |
|             | V.T.M.B.P.N. (18)             |                        |    |                      |                  |
|             | item (8)                      |                        |    | 4 m                  |                  |
|             | &                             | 4721.05 / m            |    |                      | 18884.2          |
| (28)        | P/v Goo 222 equivalent        |                        |    |                      |                  |
|             | triangle                      |                        |    |                      |                  |
|             | V.T.M.B.P.N. (18)             |                        |    |                      |                  |
|             | item (9)                      |                        |    | 6 m                  |                  |
|             | &                             | 3540.74 / m            |    |                      | 21244.2          |
| (29)        | P/v Goo 222 x 400 x 200       |                        |    |                      |                  |
|             | V.T.M.B.P.N. (18)             |                        |    |                      |                  |
|             | item (10)                     |                        |    | 4 m                  |                  |
|             | &                             | 4590.44 / m            |    |                      | 18362.2          |
| (30)        | P/v Goo 222 side              |                        |    |                      |                  |
|             | octagon                       |                        |    |                      |                  |
|             | V.T.M.B.P.N. (18)             |                        |    |                      |                  |
|             | item (11)                     |                        |    | 2 m                  |                  |
|             | &                             | 8144.65 / m            |    |                      | 16289.2          |
| (31)        | Real maxilion                 |                        |    |                      |                  |
|             | P.T surface                   |                        |    |                      |                  |
|             | V.T.M.B.P.N. (18)             |                        |    |                      |                  |
|             | item (12)                     |                        |    | 102.8 m <sup>2</sup> |                  |
|             | &                             | 730 / m <sup>2</sup>   |    |                      | 75661.2          |
|             |                               |                        |    |                      | 30 92536.2       |

Continuation

