

BNP Tokuma Bishuogami no 10 Aobor bighu uttori

Tola Raitora.

Shedule XLV Form No. 134.

E.E R.W.D (M)

DIVISION

STAYA

A.E R.W.D (M)

SUB-DIVISION

Boalhgaya.

Measurement Book

3285

Name of Work—  
 Situation of Work—  
 Agency by which work is executed—  
 Date of Measurement—  
 No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of work—	BND	Tekuna	Bichungarof		
	road to Rorabigla		Uttorita		
	Raitota.				
Agency—	Chaya Bicut	Private Ltd.			
Ag. No—	21/HNSY	NDB	23-24		
Doc—	24.01.24				
Trc—	23.01.25				
Date of Measurement—					

(1)	Const. of reference				
	↳ Hooking Benchmark.				
					0.718 km
(2)	Const. of reference				
	Pillar.				
					0.718 km
(3)	Const. of embankment				
	with approved material				
	obtained from borrow				
	Pitt.				
	CH	M <sup>2</sup>	M <sup>2</sup>	Length	Qty
	00	2.40	—	—	—
	100	2.30	2.35	100	235.00
	200	2.20	2.25	100	225.00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	300	2.60	2.40	100	240.00
	400	2.70	2.65	100	265.00
	500	2.80	2.75	100	275.00
	600	2.60	2.70	100	270.00
	650	2.40	2.50	50	135.00
					1635.00 m <sup>3</sup>
(2) 1000 m level					1635.00 m <sup>3</sup> of 90% = 327.00 m <sup>3</sup>
(22) 1000 m level					1635.00 m <sup>3</sup> of 80% = 1308.00 m <sup>3</sup>
(4)					Cleaning & grading road land.
					28 Nos x 25.00 x 7.00 = 4900.00 m <sup>2</sup>
					1 Nos x 18.00 x 7.00 = 126.00 m <sup>2</sup>
					5026.00 m <sup>2</sup>
					Limit = 0.50 Hect
(5)					Const. of USB by providing well graded material.
					24 Nos x 25.00 x 4.05 x 0.20 = 486.00 m <sup>3</sup>
					1 Nos x 26.00 x 4.05 x 0.20 = 21.06 m <sup>3</sup>
					1 Nos x 24.00 x 4.05 x 0.10 = 9.72 m <sup>3</sup>
					516.78 m <sup>3</sup>
(6)					Providing, laying, spreading & compacting
					25 x 25.00 x 3.75 x 0.075 = 175.78 m <sup>3</sup>
					1 x 1.00 x 3.75 x 0.075 = 0.28 m <sup>3</sup>
					176.06 m <sup>3</sup>

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		Abstract of Cast			
(1/1)		Const. of reference			
		← Working Benchmark.			
P/1		0.718 km			
		⊙ 5507 = 36		b = 3954.00	
(2/2)		Const. of reference			
		Pillar.			
P/1		0.718 km			
		⊙ 3628 = 67		b = 2605 = 00	
(3/3)		Clearing & grubbing			
		and land.			
P/2		0.50 Hect			
		⊙ 75373 = 34		b = 37787 = 00	
(4/4)		1000 m level			
P/2		327.00 H <sup>3</sup>			
		⊙ 259 = 60		b = 84889 = 00	
(5/5)		1000 m up to level.			
P/2		1308.00 H <sup>3</sup>			
		⊙ 211 = 39		b = 276498 = 00	
(6/6)		Const. of subgrade			
		and exterior shoulder.			
P/3		1607.50 H <sup>3</sup>			
		⊙ 263 = 14		b = 422998 = 00	

Continuation

