

Block-Suppi

સાધન મલક્યું (GLEN) ની જોડાવાની નીકળી આવે  
જો સંગ્રહિત થયે છે દરેક રીતે રજી કરે.  
ચાલુ રાખી

Schedule XLV-Form No. 134

Agreement No. 61 SRD/2020-21)

DIVISION

Executive Engrin

RWD Works Division

SUB-DIVISION

MEASUREMENT BOOK

Soof. Uramilg Derr)

396

प्रमाणित किया जाता है कि इस माफ़ी-  
पुस्त में कुल 100 (एक सौ) पृष्ठ -  
मन्मोहन झाय की ओर हैं एवं श्री -  
सुधीर कुमार को समस्त ग्रामीण  
कार्य विभाग कार्य बना सुपरी के  
नाम से निर्गत किया जाता है

13/2  
Executive Engineer  
RWD Works Division  
Bilaspur  
01/03/24



# ABSTRACT OF COST

38

Sch. XLV-Form No. 134

| Particulars                       | Details of actual measurement |    |    |                  | Contents of area |
|-----------------------------------|-------------------------------|----|----|------------------|------------------|
|                                   | No.                           | L. | B. | D.               |                  |
| 1) setting out road               |                               |    |    |                  |                  |
| providing and fixing              |                               |    |    |                  |                  |
| of working Bank road              |                               |    |    |                  |                  |
| and Refranchement - do            |                               |    |    |                  |                  |
| - - - - -                         |                               |    |    |                  |                  |
| Qty vide TMBP - (27)              |                               |    |    |                  |                  |
| 3/pillar item ①                   |                               |    |    | Qty = 0.5 km     |                  |
| and TMBP (26)                     |                               |    |    | Qty = 0.7 km     |                  |
|                                   |                               |    |    | Qty = 1.2 km     |                  |
| Rate 4923.12/km                   |                               |    |    |                  |                  |
|                                   |                               |    |    | 14               | 55308.0          |
| (ii) Refranchement pile TMBP (27) |                               |    |    |                  |                  |
| Refranchement pile =              |                               |    |    | 0.5 km           |                  |
| and TMBP (26)                     |                               |    |    |                  |                  |
|                                   |                               |    |    | Qty = 0.7 km     |                  |
|                                   |                               |    |    | Qty = 1.2 km     |                  |
| Rate 2048.18/km                   |                               |    |    |                  |                  |
|                                   |                               |    |    | 14               | 2458.0           |
| 2/2) clearing and grubbing        |                               |    |    |                  |                  |
| road and - - - - -                |                               |    |    |                  |                  |
| Qty vide TMBP                     |                               |    |    |                  |                  |
| p - (27)                          |                               |    |    | Qty = 0.205 Hare |                  |
| p - (26)                          |                               |    |    | Qty = 0.350 Hare |                  |
|                                   |                               |    |    | Qty = 0.555 Hare |                  |
| Rate 49739.47                     |                               |    |    |                  |                  |
|                                   |                               |    |    | 14               | 27605.0          |
|                                   |                               |    |    | 14               | 35377.0          |

Continuation



| Particulars                          | Details of actual measurement |   |   |    | Contents of area |
|--------------------------------------|-------------------------------|---|---|----|------------------|
|                                      | No.                           | L | B | D. |                  |
| 3/3) Excavation of road              |                               |   |   |    |                  |
| Length 128.01                        |                               |   |   |    |                  |
| — 25                                 |                               |   |   |    |                  |
| Qty vide TMB P-27                    |                               |   |   |    |                  |
| Qty = 105.60 m <sup>3</sup>          |                               |   |   |    |                  |
| Rs 81.20/m <sup>3</sup>              |                               |   |   |    |                  |
| — 8575.00                            |                               |   |   |    |                  |
| 4) Const of Embankment               |                               |   |   |    |                  |
| with material taken from borrow pit  |                               |   |   |    |                  |
| — 25                                 |                               |   |   |    |                  |
| Length 100.00 m                      |                               |   |   |    |                  |
| Qty vide TMB P-35                    |                               |   |   |    |                  |
| Item (f) Qty = 768.86 m <sup>3</sup> |                               |   |   |    |                  |
| Rs 187.51/m <sup>3</sup>             |                               |   |   |    |                  |
| — 144169.00                          |                               |   |   |    |                  |
| 5) Const of gabion work              |                               |   |   |    |                  |
| of shoulder with opening             |                               |   |   |    |                  |
| random — 25 — 25                     |                               |   |   |    |                  |
| Qty vide TMB P-33                    |                               |   |   |    |                  |
| Item (f) Qty = 418.61 m <sup>3</sup> |                               |   |   |    |                  |
| Rs 189.39/m <sup>3</sup>             |                               |   |   |    |                  |
| — 79165.00                           |                               |   |   |    |                  |
| — 267280.00                          |                               |   |   |    |                  |

Continuation



| Particulars            | Details of actual measurement |    |    |    | Contents of area |
|------------------------|-------------------------------|----|----|----|------------------|
|                        | No.                           | L. | B. | D. |                  |
| 6) Const of W.B.P. 802 |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| Qty W.B.P. (28)        |                               |    |    |    |                  |
| item (9) Qty = 126.65m |                               |    |    |    |                  |
| Qty 8113.05/m          |                               |    |    |    | 130.43           |
|                        |                               |    |    |    | 39434.0          |
|                        |                               |    |    |    | 706035.00        |
| 7) Const of W.B.P. 802 |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| 802 by parallel to     |                               |    |    |    |                  |
| Qty W.B.P. (30)        |                               |    |    |    |                  |
| item (5) Qty = 344.45m |                               |    |    |    |                  |
| Qty 3786.74/m          |                               |    |    |    |                  |
|                        |                               |    |    |    | 1303585.0        |

|                        |  |  |  |  |            |
|------------------------|--|--|--|--|------------|
| 8) Const of Urea       |  |  |  |  |            |
| 802 by parallel to     |  |  |  |  |            |
| 802 by parallel to     |  |  |  |  |            |
| 802 by parallel to     |  |  |  |  |            |
| 802 by parallel to     |  |  |  |  |            |
| Qty W.B.P. (32)        |  |  |  |  |            |
| item (6) Qty = 722.65m |  |  |  |  |            |
| Qty 8342.27/m          |  |  |  |  | 6123143.00 |
|                        |  |  |  |  | 6070253.0  |
|                        |  |  |  |  | 8035479.0  |
|                        |  |  |  |  | 8088369.0  |

Continuation 8088369.0

| Particulars             | Details of actual measurement |    |    |    | Contents of area |
|-------------------------|-------------------------------|----|----|----|------------------|
|                         | No.                           | L. | B. | D. |                  |
| 9 > 1 KM Stone          |                               |    |    |    |                  |
| RCC Cement concrete MIS |                               |    |    |    |                  |
| groove 1 CM Stone 200   |                               |    |    |    |                  |
| ms plate                |                               |    |    |    |                  |
| Qty vide TMB P (35)     |                               |    |    |    |                  |
| 1 km (35) (9)           |                               |    |    |    |                  |
| (1) KM Stone = 3 MA.    |                               |    |    |    |                  |
| CH 2608.97              |                               |    |    |    |                  |
| — 14 7827.60            |                               |    |    |    |                  |
| (1) 200 m Stone = 4 MA. |                               |    |    |    |                  |
| CH 705.87/MA            |                               |    |    |    |                  |
| — 14 2523.00            |                               |    |    |    |                  |
| 10 > Boundary pillar    |                               |    |    |    |                  |
| RCC MIS groove          |                               |    |    |    |                  |
| pillar 100 cm Stone     |                               |    |    |    |                  |
| — do —                  |                               |    |    |    |                  |
| Qty vide TMB P (36)     |                               |    |    |    |                  |
| 1 km (10) CH = 26 MA.   |                               |    |    |    |                  |
| CH 546.17/MA            |                               |    |    |    |                  |
| — 14 14260.00           |                               |    |    |    |                  |
| 11 > Traffic sign       |                               |    |    |    |                  |
| mounted on post by 1/2  |                               |    |    |    |                  |
| at Kana Kelleke         |                               |    |    |    |                  |
| sign — do —             |                               |    |    |    |                  |
| Qty vide TMB P (36)     |                               |    |    |    |                  |

Continuation

CH 8060329.0  
8113219.0



Continuation

| Particulars                                                        | Details of actual measurement |    |    |    | Contents of area |
|--------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                    | No.                           | L. | B. | D. |                  |
| 13) provide and erecting plate identification and support - at - 2 |                               |    |    |    |                  |
| Qty like TMBP (37)                                                 |                               |    |    |    |                  |
| item (13) Qty = 114                                                |                               |    |    |    |                  |
| at 3595.37/ea                                                      |                               |    |    |    |                  |
| — 14 3595.0                                                        |                               |    |    |    |                  |
| 14) provide and erecting at typical primary system                 |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 15) provide and erecting at typical secondary system               |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 16) provide and erecting at typical tertiary system                |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 17) provide and erecting at typical quaternary system              |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 18) provide and erecting at typical quinary system                 |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 19) provide and erecting at typical quaternary system              |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 20) provide and erecting at typical quinary system                 |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 21) provide and erecting at typical quaternary system              |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 22) provide and erecting at typical quinary system                 |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |
| — 14 59445.0                                                       |                               |    |    |    |                  |
| 23) provide and erecting at typical quaternary system              |                               |    |    |    |                  |
| Board - at - 2                                                     |                               |    |    |    |                  |
| Qty like TMBP                                                      |                               |    |    |    |                  |
| 1 - (23) Qty = 210                                                 |                               |    |    |    |                  |
| 1 - (37) Qty = 300                                                 |                               |    |    |    |                  |
| Qty = 510                                                          |                               |    |    |    |                  |
| at 11889.12/ea                                                     |                               |    |    |    |                  |