

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग , कार्य प्रमंडल , सासाराम-1

पत्रांक:- 2849 अनु / सासाराम-1

दिनांक:- 13/11/24

प्रेषक:-

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल सासाराम-1।

सेवा में

अपर मुख्य कार्यपालक पदाधिकारी -सह सचिव
बिहार ग्रामीण पथ विकास एजेंसी
ग्रामीण कार्य विभाग बिहार पटना।

विषय:-

मुख्यमंत्री ग्रामीण सड़क उन्नयन (सामान्य) योजना अंतर्गत में आवंटन हेतु अधियाचना के सम्बन्ध में।

महाशय,

उपर्युक्त विषयक मुख्यमंत्री ग्रामीण सड़क उन्नयन (सामान्य) योजना अंतर्गत कराये गए कार्य का भुगतान हेतु अधियाचना एवं उपयोगिता प्रमाण पत्र विहित प्रपत्र में तैयार कर आवश्यक करवाई हेतु समर्पित की जाती है।

अनुलग्नक:- संलग्न सूची

1. पथ का आवंटन अधियाचनाप्रपत्र
2. उपयोगिता प्रमाण पत्र

विश्वसभाजित

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल सासाराम-1

GENERAL FINANCIAL RULES 2017
Ministry of Finance
Department of Expenditure

GFR 12-B

[See Rule 256 (2)]

FORM OF UTILIZATION CERTIFICATE

(1) Certified that out of the Loan of Rs 510.05000, Sanctioned under MMGSUY(GEN), dated 23/10/2024, in favour of E.E. Sasaram-1, during the year 2024-25, an amount of Rs 510.05000, has been utilized for the purpose for which it was sanctioned, and that the balance of Rs 0.00000, remaining unutilized at the end of the year..... has been surrendered to the Government (vide No....., dated.....) will be adjusted towards the loan payable during the next financial year.

(2) Certified that I have satisfied myself that the conditions on which the loan was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually spent for the purpose for which the loan was made.

Kinds of checks exercised

- 1.
- 2.
- 3.
- 4.

Signature.....

Designation.....

Date.....

[Signature]
13/11/24

[Signature]
13/11/24
सहायक सचिव, वित्त
मंत्रालय, भारत सरकार
ए-1, बंगला हाउस, नई दिल्ली-110003

Requisition Format for Scheme MMGSUY (Gen)
Name of the Works Division :- Sasaram-1

It is certified that Physical & Financial Progress has been updated in MIS.

RWD, Works Division Sasaram-1

DAO
13/11/24

RWD, Works Division Sasaram-1

Executive Engineer
13/11/24

S.No.	Package No.	Project ID as per MIS	Name of the Road (English)	AC Length (in km.)	Agreement (in Lakh)	Agreement (in Lakh)	Agreement No. & Date	Date of Completion or for Agreement	Actual Date of Completion	Work Status	Remarks	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19															
Total																																													
1	MWSSC/23-24	1030100280008	Kuchila Path with link	11.600	930.12100	930.12100	25.09.2024	24.09.2025	In Progress	50BC	2193	25 m/m	5%	510.05000	510.05000	781.21173	271.16173																												

Road Name:-NH-30 (Harnathpur) To Kuchilla path with Link Road

Date	Time	Section	Length	Bumps	Speed	OR	IRI	TEGORY	Latitude	ongitude	Event
13/11/24	15:27:0	76	0.1	180	30.3	2177	1800	G	25.26205	83.89604	Normal
13/11/24	15:27:16	76	0.1	140	30.3	1722	1400	G	25.26116	83.89599	Normal
13/11/24	15:27:16	76	0.1	130	30.3	1609	1300	G	25.26024	83.89582	Normal
13/11/24	15:27:16	76	0.1	200	30.3	2404	2000	G	25.26001	83.897	Curve
13/11/24	15:27:52	76	0.1	160	30.3	1950	1600	G	25.25981	83.89761	Normal
13/11/24	15:28:0	76	0.1	220	20.2	2631	2200	G	25.25928	83.89828	Curve
13/11/24	15:28:0	76	0.1	180	30.3	2177	1800	G	25.25841	83.89806	Normal
13/11/24	15:28:27	76	0.096	180	0	2822	2368	G	25.25794	83.89753	Normal
13/11/24	15:34:56	77	0.1	140	30.3	1722	1400	G	25.25791	83.89281	Culvert
13/11/24	15:35:0	77	0.1	130	30.3	1609	1300	G	25.2579	83.89177	Normal
13/11/24	15:35:0	77	0.1	180	30.3	2177	1800	G	25.25805	83.89079	Normal
13/11/24	15:36:0	77	0.098	150	0	1871	1531	G	25.25815	83.88988	Normal
13/11/24	15:42:30	78	0.1	240	30.3	2858	2400	G	25.25645	83.89481	Culvert
13/11/24	15:43:5	78	0.1	200	30.3	2518	2100	G	25.25619	83.89673	Normal
13/11/24	15:43:40	78	0.1	200	30.3	2404	2000	G	25.25592	83.89766	Normal
13/11/24	15:44:0	78	0.1	230	20.2	2745	2300	G	25.2556	83.89857	Normal
13/11/24	15:44:0	78	0.1	140	30.3	1722	1400	G	25.25539	83.89956	Normal
13/11/24	15:44:14	78	0.1	130	30.3	1609	1300	G	25.25584	83.90017	Normal
13/11/24	15:44:14	78	0.1	180	30.3	2177	1800	G	25.25674	83.90052	Normal
13/11/24	15:44:49	78	0.1	190	30.3	2290	1900	G	25.25727	83.90114	Curve
13/11/24	15:45:0	78	0.1	180	30.3	2177	1800	G	25.25746	83.90214	Normal
13/11/24	15:45:0	78	0.1	200	40.4	2404	2000	G	25.25735	83.90287	Normal
13/11/24	15:45:24	78	0.098	220	0	2604	2200	G	25.25724	83.90311	Normal
13/11/24	15:52:0	79	0.1	220	10.1	2631	2200	G	25.2399	83.88736	Culvert
13/11/24	15:52:18	79	0.1	150	30.3	1836	1500	G	25.23995	83.8864	Normal
13/11/24	15:52:18	79	0.1	160	30.3	1950	1600	G	25.24003	83.88537	Culvert
13/11/24	15:52:18	79	0.1	150	30.3	1836	1500	G	25.24007	83.88441	Normal
13/11/24	15:52:18	79	0.1	170	30.3	2063	1700	G	25.24005	83.88338	Culvert
13/11/24	15:53:0	79	0.1	150	30.3	1836	1500	G	25.24015	83.88246	Normal
13/11/24	15:53:0	79	0.1	150	30.3	1836	1500	G	25.24018	83.88145	Normal
13/11/24	15:53:0	79	0.1	160	30.3	1950	1600	G	25.24005	83.88049	Culvert

$$Y = 0 * X + 2 + 1.136 * X + 132.5$$

$$X = 1815$$

$$Y = 2193$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

13/11/24	15:54:4	79	0.1	150	30.3	1500	1836	G	25.24008	83.87961	Curve
13/11/24	15:54:39	79	0.1	240	30.3	2400	2858	G	25.24096	83.87961	Normal
13/11/24	15:55:0	79	0.1	200	30.3	2000	2404	G	25.24186	83.8797	Normal
13/11/24	15:55:15	79	0.1	210	40.4	2100	2518	G	25.24231	83.88035	Normal
13/11/24	15:55:35	79	0.1	200	30.3	2000	2404	G	25.24221	83.88036	Normal
13/11/24	15:55:54	79	0.1	250	10.1	2500	2972	G	25.2422	83.88037	Curve
13/11/24	15:56:0	79	0.087	170	0	1954	2352	G	25.24219	83.88121	Normal
13/11/24	16:3:28	80	0.1	150	30.3	1500	1836	G	25.22704	83.89	Normal
13/11/24	16:4:3	80	0.1	240	30.3	2400	2858	G	25.22782	83.88973	Culvert
13/11/24	16:4:3	80	0.1	190	30.3	1900	2290	G	25.22867	83.89	Normal
13/11/24	16:4:3	80	0.1	150	30.3	1500	1836	G	25.22958	83.89015	Normal
13/11/24	16:4:3	80	0.1	150	30.3	1500	1836	G	25.23046	83.89022	Normal
13/11/24	16:4:38	80	0.1	160	30.3	1600	1950	G	25.23105	83.88975	Curve
13/11/24	16:5:0	80	0.1	150	30.3	1500	1836	G	25.23193	83.88997	Normal
13/11/24	16:5:0	80	0.1	200	30.3	2000	2404	G	25.23275	83.89015	Culvert
13/11/24	16:5:14	80	0.1	150	30.3	1500	1836	G	25.23291	83.88919	Normal
13/11/24	16:5:14	80	0.1	240	30.3	2400	2858	G	25.2332	83.88827	Culvert
13/11/24	16:5:14	80	0.1	190	30.3	1900	2290	G	25.23406	83.88823	Normal
13/11/24	16:5:49	80	0.1	250	30.3	2500	2972	G	25.23499	83.88837	Normal
13/11/24	16:5:49	80	0.1	240	30.3	2400	2858	G	25.23581	83.8885	Normal
13/11/24	16:6:0	80	0.1	200	30.3	2000	2404	G	25.23672	83.88867	Normal
13/11/24	16:6:0	80	0.1	210	40.4	2100	2518	G	25.23767	83.88855	Normal
13/11/24	16:6:24	80	0.1	200	30.3	2000	2404	G	25.23856	83.888	Culvert
13/11/24	16:6:24	80	0.1	150	30.3	1500	1836	G	25.23948	83.88837	Normal
13/11/24	16:7:0	80	0.1	240	30.3	2400	2858	G	25.24035	83.88837	Speed Breaker
13/11/24	16:7:0	80	0.1	190	30.3	1900	2290	G	25.24123	83.8886	Normal
13/11/24	16:7:0	80	0.1	250	30.3	2500	2972	G	25.2421	83.88879	Normal
13/11/24	16:7:35	80	0.1	240	30.3	2400	2858	G	25.24297	83.88902	Normal
13/11/24	16:7:35	80	0.1	200	30.3	2000	2404	G	25.24386	83.88933	Normal
13/11/24	16:7:35	80	0.1	210	40.4	2100	2518	G	25.24472	83.88965	Curve
13/11/24	16:8:0	80	0.1	200	30.3	2000	2404	G	25.24531	83.88918	Curve
13/11/24	16:10:0	80	0.1	230	20.2	2300	2745	G	25.24619	83.88948	Normal
13/11/24	16:10:31	80	0.1	140	30.3	1400	1722	G	25.24701	83.88992	Normal
13/11/24	16:10:31	80	0.1	130	30.3	1300	1609	G	25.24779	83.89032	Culvert
13/11/24	16:10:31	80	0.1	180	30.3	1800	2177	G	25.2485	83.89	Curve
13/11/24	16:11:6	80	0.1	190	30.3	1900	2290	G	25.24936	83.89039	Normal

13/11/24	16:11:6	80	0.1	180	30.3	1800	2177	G	25.25007	83.89089	Normal
13/11/24	16:11:6	80	0.1	290	30.3	1400	1722	G	25.25073	83.89157	Culvert
13/11/24	16:11:6	80	0.1	250	30.3	1300	1609	G	25.25157	83.89204	Normal
13/11/24	16:11:42	80	0.1	250	30.3	1800	2177	G	25.2523	83.89244	Culvert
13/11/24	16:11:42	80	0.1	240	40.4	2400	2858	G	25.25312	83.89295	Normal
13/11/24	16:12:0	80	0.1	140	30.3	1400	1722	G	25.25396	83.89323	Normal
13/11/24	16:12:0	80	0.1	130	30.3	1300	1609	G	25.25493	83.89338	Normal
13/11/24	16:12:17	80	0.1	180	30.3	2400	2858	G	25.2558	83.89357	Culvert
13/11/24	16:12:17	80	0.1	280	30.3	1900	2290	G	25.25671	83.89384	Normal
13/11/24	16:12:17	80	0.1	240	30.3	1500	1836	G	25.25755	83.89404	Normal
13/11/24	16:12:52	80	0.1	140	30.3	1400	1722	G	25.25822	83.89379	Curve
13/11/24	16:13:0	80	0.1	180	30.3	1800	2177	G	25.25981	83.89352	Normal
13/11/24	16:13:0	80	0.1	250	40.4	2500	2972	G	25.26063	83.89359	Normal
13/11/24	16:13:28	80	0.1	160	30.3	1600	1950	G	25.26101	83.89438	Curve
13/11/24	16:13:28	80	0.1	150	30.3	1500	1836	G	25.26144	83.89513	Normal
13/11/24	16:13:28	80	0.1	170	30.3	1700	2063	G	25.26231	83.89505	Normal
13/11/24	16:14:0	80	0.1	150	30.3	1500	1836	G	25.26308	83.89473	Culvert
13/11/24	16:14:3	80	0.1	240	30.3	2400	2858	G	25.264	83.8946	Culvert
13/11/24	16:14:3	80	0.1	140	40.4	1400	1722	G	25.26496	83.89444	Normal
13/11/24	16:14:38	80	0.1	190	30.3	1900	2290	G	25.26559	83.89394	Normal
13/11/24	16:15:0	80	0.1	180	30.3	1800	2177	G	25.26546	83.89296	Normal
13/11/24	16:15:13	80	0.1	180	30.3	1800	2177	G	25.26514	83.89209	Normal
13/11/24	16:15:13	80	0.1	200	40.4	2000	2404	G	25.26512	83.89114	Normal
13/11/24	16:15:49	80	0.1	180	10.2	1800	2177	G	25.26506	83.89019	Normal
13/11/24	16:16:0	80	0.1	130	30.3	1300	1609	G	25.26516	83.88918	Normal
13/11/24	16:16:0	80	0.1	140	40.4	1400	1722	G	25.26535	83.88818	Normal
13/11/24	16:16:0	80	0.1	160	30.3	1600	1950	G	25.26548	83.88721	Normal
13/11/24	16:16:24	80	0.1	150	30.3	1500	1836	G	25.26565	83.88621	Normal
13/11/24	16:16:24	80	0.1	160	30.3	1600	1950	G	25.26584	83.88524	Normal
13/11/24	16:16:24	80	0.1	150	30.3	1500	1836	G	25.26599	83.88429	Normal
13/11/24	16:17:0	80	0.1	170	30.3	1700	2063	G	25.26614	83.88328	Normal
13/11/24	16:17:0	80	0.1	150	30.3	1500	1836	G	25.26623	83.88232	Normal
13/11/24	16:17:0	80	0.1	130	30.3	1300	1609	G	25.26634	83.88133	Normal
13/11/24	16:17:35	80	0.1	190	30.3	1900	2290	G	25.26648	83.88035	Normal
13/11/24	16:17:35	80	0.1	180	30.3	1800	2177	G	25.26673	83.87939	Normal

2193	Average IRI											
2404	2000	40.4	200	80	0.1	200	180	10.2	1800	2177	G	25.26701 83.87842 Normal
2404	2000	30.3	200	80	0.1	200	200	40.4	2000	2404	G	25.26741 83.87751 Culvert
2518	2100	40.4	210	80	0.1	210	180	30.3	1900	2290	G	25.26785 83.87766 Normal
2404	2000	30.3	200	80	0.1	200	180	30.3	1900	2290	G	25.26839 83.87591 Normal
2745	2300	20.2	230	80	0.1	230	140	30.3	1400	1722	G	25.26857 83.87512 Curve
2404	2000	30.3	200	80	0.1	200	140	30.3	1400	1722	G	25.26789 83.87446 Normal
2404	2000	30.3	200	80	0.1	200	130	30.3	1300	1609	G	25.26709 83.87401 Normal
2404	2000	30.3	200	80	0.1	200	180	30.3	1800	2177	G	25.26789 83.87446 Normal
2404	2000	30.3	200	80	0.1	200	180	30.3	1800	2177	G	25.26624 83.87402 Normal
25.26442	83.87185	Culvert										
25.26487	83.87241	Normal										
25.26513	83.87259	Normal										
25.26561	83.87347	Culvert										
25.26442	83.87185	Culvert										

सिद्धिचिह्न सिद्धिचिह्न
सिद्धिचिह्न सिद्धिचिह्न-1
सिद्धिचिह्न सिद्धिचिह्न-1


13/11/24

SK

13/11/24

13/11/14

~~20
b211/21~~



Print

Generate Report and Graph

Name of Customer: MOORE, KENNETH BRYANT

Name of Work/ Lab job number: 004646 PULP W/14K ROAD


Date: 12/11/2004

Section No: 76

13/11/24
 श्रीधर अश्विनी
 श्रीधर अश्विनी
 श्रीधर अश्विनी

29/11/24

29/11/24
AT



15/11/2020
कोषाधिकार अधिकारी
राष्ट्रीय कार्य विभाग
राष्ट्रीय कार्य विभाग-1

13/11/24



36
6/11/21

