

M/s Deshbandha . Const. Pvt Ltd

MHVSJ GEN-2020-21

# Schedule XLV-Form No. 134

To NH-83 TO TULSINAGAR

Executive Engineer R.W.D DIVISION

Jehannabadi

R.W.D. Block SUB-DIVISION

Makhdumpur

**MEASUREMENT BOOK**

N10-2842

# 1st Year Maintenance bill

30

Sch. XLV-Form No. 134

| Particulars                              | Details of actual measurement |    |    |    | Contents of area |
|------------------------------------------|-------------------------------|----|----|----|------------------|
|                                          | No.                           | L. | B. | D. |                  |
| <u>HW</u> : - Maintenance of road        |                               |    |    |    |                  |
| From HH - 83 to Tulsinagar               |                               |    |    |    |                  |
| [H.M.S.Y.]                               |                               |    |    |    |                  |
| <u>Agency</u> : - M/S Deshbanih          |                               |    |    |    |                  |
| const. put 2nd.                          |                               |    |    |    |                  |
| vill. & - Bhairath                       |                               |    |    |    |                  |
| Jehanabad.                               |                               |    |    |    |                  |
| <u>Amount H.</u> : - 61 / 5130 / 2021-22 |                               |    |    |    |                  |
| Actual dt. of completion - 15.05.2023    |                               |    |    |    |                  |
| Dt. of Measurement : -                   |                               |    |    |    |                  |
| (1) Restoration of drain                 |                               |    |    |    |                  |
| cut - d - E.L.                           |                               |    |    |    |                  |

|                                   |                      |
|-----------------------------------|----------------------|
| 2 x 4.80 x 1.25 x 0.150 =         | 1.62 m <sup>3</sup>  |
| 2 x 11.60 x 1.25 x 0.150 =        | 3.92                 |
| 54.5 x 2 x 12.10 x 1.25 x 0.150 = | 20.42                |
| 2 x 13.00 x 1.25 x 0.150 =        | 4.69                 |
|                                   | 30.36 m <sup>3</sup> |

|                           |                       |
|---------------------------|-----------------------|
| (2) Making up of shoulder |                       |
| d - d - E.L.              |                       |
| 2 x 6.85 x 1.25 =         | 15.41 m <sup>2</sup>  |
| 2 x 12.80 x 1.25 =        | 28.80 ..              |
| 44.5 x 2 x 11.60 x 1.25 = | 104.40 ..             |
| 2 x 8.90 x 1.25 =         | 20.03 ..              |
|                           | 168.64 m <sup>2</sup> |

|                         |                      |
|-------------------------|----------------------|
| (3) Repair of put holes |                      |
| - - d - d - E.L.        |                      |
| 1.10 x 0.50 x 0.075 =   | 0.041 m <sup>3</sup> |

Continuation

| Sch. XLV-Form No. 134              |                               |    |    |                  |
|------------------------------------|-------------------------------|----|----|------------------|
| Particulars                        | Details of actual measurement |    |    | Contents of area |
|                                    | No.                           | L. | B. |                  |
| ABSTRACT OF COST                   |                               |    |    |                  |
|                                    |                               |    |    |                  |
| (1) Reconstruction - 1/2 rainwater |                               |    |    |                  |
| - - - - - d - - - - - F.I.         |                               |    |    |                  |
| 30.36 m <sup>2</sup>               | [V. THIN P- 30]               |    |    |                  |
| @ 11 407.67                        | - 11                          |    |    | 12,377.20        |
| (2) Making up - 1/2 shoulder       |                               |    |    |                  |
| - - - - - d - - - - - F.I.         |                               |    |    |                  |
| 168.64 m <sup>2</sup>              | [V. THIN P- 30]               |    |    |                  |
| @ 11 55.04                         | - 11                          |    |    | 9,282.20         |
| (3) Repair - 1/2 P. & h. 1/4       |                               |    |    |                  |
| - - - - - d - - - - - F.I.         |                               |    |    |                  |
| 0.04 m <sup>2</sup>                | [V. THIN P- 30]               |    |    |                  |
| @ 11 8870.55                       | - 11                          |    |    | 364.20           |
| (4) Patch repair over              |                               |    |    |                  |
| P. & h. 1/4 - d - - - - - F.I.     |                               |    |    |                  |
| 14.03 m <sup>2</sup>               | [V. THIN P- 31]               |    |    |                  |
| @ 11 235.40                        | - 11                          |    |    | 3303.20          |
| (5) Patch repair over              |                               |    |    |                  |
| bituminous surface - F.I.          |                               |    |    |                  |
| 14.03 m <sup>2</sup>               | [V. THIN P- 31]               |    |    |                  |
| @ 11 247.89                        | - 11                          |    |    | 3478.20          |
| (6) Filling - 1/2 cracks           |                               |    |    |                  |
| - - - - - d - - - - - F.I.         |                               |    |    |                  |
| 6.00 m                             | [V. THIN P- 31]               |    |    |                  |
| @ 11 2.72                          | - 11                          |    |    | 1,632.00         |
| (7) Treatment - 1/2 cracks         |                               |    |    |                  |
| 1.05 m                             | [V. THIN P- 31]               |    |    |                  |
| @ 11 8870.55                       | - 11                          |    |    | 9,350.20         |
| Continuation                       |                               |    |    |                  |
|                                    |                               |    |    | 39,786.20        |

Sch. XLV-Form No. 134

| Particulars                         | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------|-------------------------------|----|----|----|------------------|
|                                     | No.                           | L. | B. | D. |                  |
|                                     | B.C.                          | —  | —  | 39 | 786 = a          |
| (8) Repair of is. lat.              |                               |    |    |    |                  |
| area — d — d — 51                   |                               |    |    |    |                  |
| 3.51 m <sup>2</sup> [V. TH. P. 31]  |                               |    |    |    |                  |
| @ 17 23 5.40 — 17                   |                               |    |    |    | 826 = a          |
| (9) Maintenance of C.D.             |                               |    |    |    |                  |
| work — d — 51                       |                               |    |    |    |                  |
| 2.04 m <sup>2</sup> [V. TH. P. 31]  |                               |    |    |    |                  |
| @ 17 1182.79 — 17                   |                               |    |    |    | 2.366 = a        |
| (10) Maintenance of 2nd             |                               |    |    |    |                  |
| 51 m — d — 51                       |                               |    |    |    |                  |
| 0.75 km [V. TH. P. 31]              |                               |    |    |    |                  |
| @ 17 1117.20 — 17                   |                               |    |    |    | 838 = a          |
| (11) Maintenance of 2nd             |                               |    |    |    |                  |
| — d — d — 51                        |                               |    |    |    |                  |
| 0.75 km [V. TH. P. 31]              |                               |    |    |    |                  |
| @ 17 651.68 — 17                    |                               |    |    |    | 489 = a          |
| (12) cutting of branch              |                               |    |    |    |                  |
| — d — d — 51                        |                               |    |    |    |                  |
| 2.04 m <sup>2</sup> [V. TH. P. 31]  |                               |    |    |    |                  |
| @ 17 115.57 — 17                    |                               |    |    |    | 231 = a          |
| (13) cutting of shrubs              |                               |    |    |    |                  |
| — d — d — 51                        |                               |    |    |    |                  |
| 600 m <sup>2</sup> [V. TH. P. 32]   |                               |    |    |    |                  |
| @ 17 7.10 — 17                      |                               |    |    |    | 4,260 = a        |
| (14) white washing of parapet       |                               |    |    |    |                  |
| — d — d — 51                        |                               |    |    |    |                  |
| 42.00 m <sup>2</sup> [V. TH. P. 32] |                               |    |    |    |                  |
| @ 17 17.05 — 17                     |                               |    |    |    | 716 = a          |
| Continuation                        |                               |    |    |    |                  |
| 17 49,512 = a                       |                               |    |    |    |                  |

| Particulars                    | Details of actual measurement |    |    |    | Contents of area |
|--------------------------------|-------------------------------|----|----|----|------------------|
|                                | No.                           | L. | B. | D. |                  |
| 13-6-6 49, 512 = a             |                               |    |    |    |                  |
| Add 12-1. 455 = 415 5, 941 = a |                               |    |    |    |                  |
| Add 1-1. 2-cess = 815 4 95 = a |                               |    |    |    |                  |
|                                |                               |    | 14 | 55 | 948 = a          |
| Less                           |                               |    |    |    |                  |
| <u>Power</u>                   |                               |    |    |    |                  |
| 14-06-024                      |                               |    |    |    |                  |
| 7-5/A-5                        |                               |    |    |    |                  |
|                                |                               |    |    |    |                  |
|                                |                               |    |    |    |                  |
|                                |                               |    |    |    |                  |
|                                |                               |    |    |    |                  |
|                                |                               |    |    |    |                  |
|                                |                               |    |    |    |                  |

## Material Statement

|                 |                     |                      |         |
|-----------------|---------------------|----------------------|---------|
| Elw             | 34.78               | 55.66 m <sup>3</sup> | @ 34.78 |
| Bitumen (3-90)  | 150.564             | Kg                   |         |
| Chips           | 0.85 m <sup>3</sup> | @ 604.91             |         |
| Chips           | -                   |                      |         |
| 37.5 mm - 25 mm | 0.16 m <sup>3</sup> | @ 532.52             |         |
| 25 mm - 10 mm   | 0.49 m <sup>3</sup> | @ 667.2              |         |
| 10 mm - 5 mm    | 0.27 m <sup>3</sup> | @ 667.2              |         |
| 5 mm below      | 0.16 m <sup>3</sup> | @ 582.8              |         |

Power

14-06-024

215