

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल-शिवहर।

Mob No.-8986915416

Email ID-eerwdsheohar@gmail.com

पत्रांक:- 1586(अ) शिवहर

दिनांक:- 01/10/24

प्रेषक,

ई० चन्दन कुमार भार्गव,
कार्यपालक अभियंता।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :-MR (3054) नई अनुरक्षण नीति 2018 के तहत पथ के अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषयक के संबंध में सूचित करना है कि कार्य प्रमंडल-शिवहर के अंतर्गत MR (3054) New Maintenance Policy 2018 के तहत करायें गये कार्यों के भुगतान हेतु राशि की अधियाचना विहित प्रपत्र में समर्पित की जा रही है।

अनु०- यथोक्त।

विश्वासभाजन


01/10/24

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,

कार्य प्रमंडल, शिवहर।
1.10.24


01.10.2024

FROM GER 19-A

[See Government of India's Decision (I) below reule-150]
Form of Utilization Certificate for the month of up to October 2024

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacsRs.)	Amount Received (in lacsRs.)	Particulars
1	Construction of Rural Roads Under MR-3054 New Maintenance Policy 2018	BRRDA Lt. No. 100 Date- 11.09.2024	4280.83671/-	Certified that out of Rs-4280.83671 Lakh of grants in aid sanctioned during the Years-2024 in favour of Executive Engineer, RWD Works Division, Sheohar Rs-3913.64536 Lakh Has been utilized for the purpose of MR-3054 New Maintenance Policy 2018 schemes as given in the margin for which it was sanctioned and that the balance of Rs-367.19135 lakh remaining unutilized at the end of the period under report.
Total:-			3975.83671/-	

2. Certified that I have satisfied my self that conditions on which the grants -in- aid was sanctioned have been duly fulfilled /are beingfulfilled and I have ,exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of Checks exercise.

- (i) Work have been supervised by of Executive Engineer/ Superintending Engineer.
- (ii) periodical inspection has been conducted by of Executive Engineer/ Superintending Engineer.
- (iii) Construction materials have been tested.
- (iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/
Executive Engineer.

3 All other codal formalities.

- (i) Physical progress achieved.
- (ii) Construction of Road works.
- (iii) constructionof CD Works .


[Signature]
01.10.2024

[Signature]
01/10/24
Executive Engineer
R.W.D .Works Division,
Sheohar.

Requisition Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (initial Rectification and Surface Renewal)
Name of Works Division- RWD, Works Division-Sheohar.

NAME OF WORKS DIVISION- RWYD, WORKS DIVISION-SHCARAT.																		
Sl. No.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Length (in km)	Administrative Approval		Agreement Amount (in Lakh)		Agreement No. Date	Date of Completion as per agreement	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in lakh)	Up to Date expenditure as per MIS (in Lakh)	Requisition against work done (in lakh)	Remarks
						Amount (in lakh)	5 Years Routine Maintenance (in lakh)	Initial Rectification with Surface Renewal (in lakh)	5 Years Routine Maintenance (in lakh)									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/2019-20 Sheohar/04	Katsari to Bhataha	NEA22000631	6284/02.12.2019	4.500	120.44000	45.23800	119.264	37.02653	MBD/MR/08 of 2020-21 07.12.2020	06.09.2021	3363.2	25	5%	0	0	119.00000	Completed
	Total					120.44000	45.23800	119.26400	37.02653						0	0	119.00000	

1. Signed Hard Copy and Soft Copy (in Excel) of recorded IRI is enclosed.
2. Up - to date Physical Progress has been uploaded in MIS.
3. Certificate enclosed


 Executive Engineer
 RWD, Works Div. Sheohar
 1.8.24

Name of the Road-Katsary - Bhataha
Contractor Name-M/S M.S.Enterprises Prop- Manju Singh

Length-4.500 KM

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UIV	CATEGORY ROAD	IRI	Latitude	Longitude	Event
16/8/24	9:18:51	3	0.1	250	10.1	2500	2972 G	2972 G	3.99	26.45909	85.23604	Normal
16/8/24	9:19:26	3	0.1	280	10.1	2800	3313 G	3313 G	4.4	26.45942	85.23513	Normal
16/8/24	9:20:1	3	0.1	300	10.1	3000	3540 G	3540 G	4.66	26.45958	85.23414	Curve
16/8/24	9:20:44	3	0.1	280	10.1	2800	3313 G	3313 G	4.4	26.45968	85.23327	Normal
16/8/24	9:21:36	3	0.1	300	20.2	3000	3540 G	3540 G	4.66	26.45991	85.23224	Normal
16/8/24	9:22:11	3	0.1	290	10.1	2900	3426 G	3426 G	4.53	26.46008	85.23125	Normal
16/8/24	9:22:54	3	0.1	270	30.3	2700	3199 G	3199 G	4.26	26.4605	85.23034	Normal
16/8/24	9:23:24	3	0.1	290	30.3	2900	3426 G	3426 G	4.53	26.4608	85.22941	Normal
16/8/24	9:23:56	3	0.1	310	20.2	3100	3654 G	3654 G	4.8	26.46098	85.22845	Normal
16/8/24	9:24:22	3	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.46094	85.22739	Normal
16/8/24	9:24:55	3	0.1	310	10.1	3100	3654 G	3654 G	4.8	26.46068	85.22646	Normal
16/8/24	9:25:22	3	0.1	290	10.1	2900	3426 G	3426 G	4.53	26.46045	85.22549	Normal
16/8/24	9:25:59	3	0.1	310	10.1	3100	3654 G	3654 G	4.8	26.46031	85.22449	Curve
16/8/24	9:26:33	3	0.1	290	10.1	2900	3426 G	3426 G	4.53	26.46041	85.22345	Normal
16/8/24	9:26:7	3	0.1	270	10.1	2700	3199 G	3199 G	4.26	26.46063	85.22251	Normal
16/8/24	9:26:52	3	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.46108	85.22162	Normal
16/8/24	9:26:19	3	0.1	300	20.2	3000	3540 G	3540 G	4.66	26.4617	85.22088	Normal
16/8/24	9:26:32	3	0.1	290	30.3	2900	3426 G	3426 G	4.53	26.46241	85.22029	Normal
16/8/24	9:26:57	3	0.1	270	20.2	2700	3199 G	3199 G	4.26	26.46298	85.21958	Normal
16/8/24	9:27:18	3	0.1	280	10.1	2800	3313 G	3313 G	4.4	26.46338	85.21867	Normal
16/8/24	9:27:52	3	0.1	260	10.1	2600	3086 G	3086 G	4.13	26.46373	85.2179	Normal
16/8/24	9:28:28	3	0.1	280	10.1	2800	3313 G	3313 G	4.4	26.46395	85.21705	Curve
16/8/24	9:29:3	3	0.1	290	10.1	2900	3426 G	3426 G	4.53	26.46398	85.21604	Normal
16/8/24	9:29:44	3	0.1	270	20.2	2700	3199 G	3199 G	4.26	26.46405	85.21502	Normal
16/8/24	9:30:19	3	0.1	290	10.1	2900	3426 G	3426 G	4.53	26.46423	85.21411	Normal
16/8/24	9:31:11	3	0.1	270	20.2	2700	3199 G	3199 G	4.26	26.46484	85.213	Normal
16/8/24	9:32:59	3	0.1	310	30.3	3100	3654 G	3654 G	4.8	26.46545	85.21264	Normal
16/8/24	9:33:19	3	0.1	290	30.3	2900	3426 G	3426 G	4.53	26.46603	85.21178	Normal
16/8/24	9:34:12	3	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.46682	85.21163	Normal
16/8/24	9:35:19	3	0.1	270	30.3	2700	3199 G	3199 G	4.26	26.46771	85.21146	Normal
16/8/24	9:35:54	3	0.1	290	20.2	2900	3426 G	3426 G	4.53	26.46862	85.21155	Normal
16/8/24	9:36:24	3	0.1	270	20.2	2700	3199 G	3199 G	4.26	26.46946	85.21162	Normal

$$Y = 0 * X^2 + 1.136 * X + 132.5$$

$$X = 2400$$

$$Y = 2858$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001




4.4 26.46995 85.21082 Normal
 4.53 26.47062 85.21024 Normal
 4.26 26.47127 85.20992 Normal
 4.4 26.47179 85.20911 Normal
 4.53 26.47231 85.20827 Normal
 4.8 26.47273 85.20741 Normal
 4.53 26.47325 85.20648 Normal
 4.8 26.47376 85.20569 Normal
 4.53 26.47431 85.20485 Curve
 4.26 26.47481 85.20404 Normal
 4.13 26.47488 85.2031 Curve
 4.4 26.47493 85.2021 Normal
 3.85 26.47543 85.20153 Normal


 16/8/24
 EE

16/8/24 9:37:7 3 0.1 280 30.3 2800 3313 G
 16/8/24 9:37:54 3 0.1 290 20.2 2900 3426 G
 16/8/24 9:38:32 3 0.1 270 20.2 2700 3199 G
 16/8/24 9:39:9 3 0.1 280 30.3 2800 3313 G
 16/8/24 9:39:49 3 0.1 290 30.3 2900 3426 G
 16/8/24 9:40:35 3 0.1 310 20.2 3100 3654 G
 16/8/24 9:41:2 3 0.1 290 20.2 2900 3426 G
 16/8/24 9:41:57 3 0.1 310 10.1 3100 3654 G
 16/8/24 9:42:29 3 0.1 290 10.1 2900 3426 G
 16/8/24 9:42:58 3 0.1 270 20.2 2700 3199 G
 16/8/24 9:43:28 3 0.1 260 10.1 2600 3086 G
 16/8/24 9:44:1 3 0.1 280 10.1 2800 3313 G
 16/8/24 9:44:46 3 0.1 240 10.1 2400 2858 G

IRI	151344
AVG. IRI	3363.2

Bubbhufand
 16-08-2024
 AE


 16/8/2024
 JE

Name of Customer : Katsary - Bhataha
 Name of Work/ Road : M/S M.S.Enterprises Prop- Mar
 Lab Job number : 104
 Date : 16-08-2024
 Section No. : 3

Test Date : 16-08-2024
 Machine No : 423
 Start S No : KATSARY
 Start E No : BHATAHA
 Weather : NORMAL
 Start Location : 0.00
 End Location : 4.500
 Road Name : M/S M.S.Enterprises Prop- Mar
 Road Type : (R) RURAL ROAD
 Side :
 Interval :
 UIV Range : 1858 To 5000 mm/km
 Dist Range : 0 To 4.6 ~ 1000 m
 Equation : $Y = 0 * X^2 + 1.136 * X + 132.5$

Print

Generate Report and Graph

Redraw Graph

Map View

File : C:\Users\dell\Desktop\16080938 (1).Xls, Section No.:3, Eqn : $Y = 0 * X^2 + 1.136 * X + 132.5$

Name of Customer : Katsary - Bhataha, Name of Work/ Road : M/S M.S.Enterprises Prop- Manju Singh, Lab Job

UIV
mm/
km

2858

2858

1858

0 0.10.20.30.40.50.60.70.80.9 1 1.11.21.31.41.51.61.71.81.9 2 2.12.22.32.42.52.62.72.82.9 3 3.13.23.33.43.53.63.73.83.9 4 4.14.24.34.44.5
 Distance ~ 1000 m


[Handwritten signatures and dates]
 16-08-2024
 AE


कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल शिवहर।

प्रमाण-पत्र

विभागीय आदेशानुसार सत्यापित किया जाता है कि शीर्ष 3054 (नई अनुरक्षण नीति 2018) अंतर्गत कटसरी से भटहाँ पथ, प्रोजेक्ट आई०डी०- NEA22000631 का मरम्मत कार्य की जाँच 100 प्रतिशत संबंधित कनीय अभियंता, 50 प्रतिशत संबंधित सहायक अभियंता एवं 10 प्रतिशत कार्यपालक अभियंता द्वारा किया गया है।


कनीय अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रशाखा, डुमरी कटसरी।


16-08-2024
सहायक अभियंता,
ग्रामीण कार्य विभाग,
कार्य अवर प्रमंडल, डुमरी कटसरी।


कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, शिवहर।