

પ્રમાણિત કરવામાં આવેલ
કે જે માપ/પુલ મે મશીન દ્વારા
100 ફુટ જે જે પદાવલિ અંગે
R.W.D ની પાકરિડાયલ યુનિટમાં
જનિવાન કરવામાં આવેલ

V. Singh
01/7/21
Executive Engineer
RWD Works Division
Pakridayal
1.7.21

Abhishek
80.5.24
Executive Engineer
RWD WORKS DIVISION
Pakridayal
31/5/24

Sch. XLV - Form No. 134

PAKRIDAYAL DIVISION

PETARA SUB-DIVISION

PAKRIDAYAL

Measurement Book

No.

1186

Name _____

Date of first entry _____

Date of last entry _____

UPHFW. 1/10/2019

1st year maintenance

Name of Work-

1

Situation of Work-

Agency by which work is executed-

Date of Measurement-

No. and date of agreement-

(These four lines should be repeated at the commencement of the measurement relating to each work.)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
N/W:- Maintenance of H.L. RCC Bridge across Kachhura river at Chhapra					
Chhapra under Palamou Block in the District of E. Champaran (Bihar)					
Under NABARD					
Block:- Palamou					
Agency:- former Enterprises					

Agreement No. 15/ABD/2019-20

Date of work start:- 30/09/2019

Date of compo:- 29/09/2021

Actual Date of compo:- 29.9.2022

Maintenance work has

been done by Agency-

1. Restoration of Rain

cuts with Soil

2x 6 x 360 x 0.80 x 0.30 = 10.36

2x 8 x 2.24 x 0.60 x 0.30 = 6.45

T 16.81 cu

Continuation

Sch. XLV-Form No.134

2

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
2. Gain in 9 Carthen					
Shoulder filling					
2 x 8 x 3.67 x 0.80					= 46.97
2 x 10 x 3.22 x 0.70					= 46.48
					93.4572
				Limit	93.4472
3. Gain in 9 bitumens.					
Impressed in 9 before to					
bot hole				12.	
8 x 0.70 x 0.60					= 3.36
8 x 0.50 x 0.50					= 2.00
					T 5.3672
4. Supp. filling of 1.4 in					
between trans. to 4. in					
leaf of carbonic					
6 x 28.00 x 5.64 x 8.60					7281.79
					T 7281.7973
5. Boulder p. 2.00					
(1) 2 x 3.00 x 2.57 x 0.30					= 4.62
					T 4.6273
(11) 2 x 3.00 x 2.57 x 0.15					= 2.31
					T 2.3173
6. Approach slab					
2 x 1 x 0.529 x 0.300					= 0.317
					T 0.31773

Continuation

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
4/	Subdividing & fixing in position to the land level electronic bench				-
		P. 2			
7281.79 m ³ (1) Rs.		0.85			Rs. 6044.00
5/	Removal of clay in				
		P. 2			
(1)	200 mm thick				
		P. 2			
4.62 m ³ (1) Rs.		3010.16			Rs. 13907.00
(1)	150 mm thick				
		P. 2			
2.31 m ³ (1) Rs.		3290.96			Rs. 7602.00
6/	Approach in slab Rce 730-				
		P. 2			
0.317 m ³ (1) Rs.		11552.55			Rs. 3662.00
7/	Wearing coat in 730-				
		P. 3			
0.759 m ³ (1) Rs.		13496.00			Rs. 10243.00
8/	Strip sand exp. (soil)				
		P. 3			
0.885 m ³ (1) Rs.		12353.21			Rs. 10933.00
					Rs. 65993.00
Add G.S. (12 m)					Rs. 7919.00
Add L. (12 m)					Rs. 660.00
					Rs. 74572.00
less 0.21 m ³ below					Rs. 139.00
Continuation					Rs. 65854.00

Sch. XLV-Form No.134

Sch. XLV-Form No.134				Contents of area
Particulars	Details of actual measurement			
	No.	L.	B.	D.
		14.1	4	65.854 ..
Area 22.9.23. J.E.			22.9.23 A.E.	
			Area 30.5.24 Executive Engineer RWD WORKS DIVISION Pakaripalayam 30.5.24	

$\text{SiO}_2 - 15.276 \text{ g}^3$
 Bismut - 0.011 MT
~~Ant.~~
 22.9.23.
 J.E.
~~15.~~
 22/9/23
 AE

Continuation

4216 - 1203 30-09-2019

Name of Agency

:- M/s Parmar Enterprises.

Chotta Baiyaspur

Distt - East Champaran.

Mo. No. 9430075459

Name Of Work

:- Proposed High Level R.C.C Bridge With Five Year
Maintenance Of Across Kachhuua River At Chhapra Ghat
Under Pakridayal Block in The District of East Champaran.
Under NABARD.

Agreement No- 15 S.B.D/2019-20

R.W.D (W) Div. Pakridayal

Rate approved by

:- C.E-3, R.W.D, PATNA

C.E-3, Letter No

:- 6830 Date- 16.09.2019

Construction Cost

:- 3,76,92,804.00

Maintenance. Cost

:- 3,69,461.00

Total

:- 3,80,62,265.00

Agreement Value

:- 3,80,62,265.00 (Rupees Three Crore Eighty Lakh Sixty
Two Thousand Two Hundred Sixty Five Only)

Date of Work Order

:- 30.09.2019

Time Of Completion

:- 29-09-2021

Performance Security

:- 7,65,000.00

Additional Performance Security :- 45,000.00

Submitted to Division by B.G & N.S.C :- 8,10,000.00

Security Deduct From Bill :- 8 %

No Of Items

:- 69 (Sixty Nine)

Rate

:- 0.21 % Below.


Attested

30-5-24
Executive Engineer
RWD WORKS DIVISION
Pakridayal
30/5/24

30-9-19

Shereen Kumar Singh

2. In as he



बिहार BIHAR

यदि 20/11/19 न. 2000 दि. 21/11/19 AE 113249
Standard Form : Agreement

Agreement

This agreement, made the _____ day of _____ 20____, 19____

between Executive Engineer, Rural Work Department, Works Division Pakridayal, East Champaran of the one part, M/s Parmar Enterprises. At - Chhapra, Bihar

Paharpur, Distt - East Champaran, Whereas the Employer is desirous that the Contractor of Proposed High Level R.C.C Bridge With Five Year Maintenance Of Across Kachhwa River At Chhapra Ghat Under Pakridayal Block in The District of East Champaran. Under NABARD. and the employer has accepted the Bid by the contractor for the execution and completion of such works and the remedying of any defects therein at a cost of Rs - 3,80,62,265.00 (Rupees Three Crore Eighty Lakh Sixty Two Thousand Two Hundred Sixty Five Only) NOW THIS AGREEMENT WITNESSET Has follows:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.

Shri. K. K. Singh

20/11/19

20.11.19

20.11.19

2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.

3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

4. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz:

- i) Letter of Acceptance;
 - ii) Notice to proceed with the works;
 - iii) Contractor's Bid;
 - iv) Contract Data;
 - v) Special Conditions of contract and General Conditions of Contract;
 - vi) Specifications;
 - vii) Drawings;
 - viii) Bill of Quantities; and
 - ix) Any other document listed in the Contract Data as forming part of the contract.
- In witness whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The Common Seal of

was hereunto affixed in the presence of:
Signed, Sealed and Delivered by the said

in the presence of:
Binding Signature of Employer

Binding Signature of Contractor

14/5 PARTNER ENTERPRISES
Dhanraj Kumar Singh
MANAGING PARTNER

30/9

30/9/19
30.9.19

BILL OF QUNTIITY

PROPOSED HIGH LEVEL RCC BRIDGE ACROSS KACHHUAA RIVER AT CHHAPRA GHAT UNDER PAKRIDAYAL BLOCK IN THE DISTRICT OF EAST CHAMPARAN (BIHAR)

SL NO		ITEM OF WORK	TOTAL QUANTITY	UNIT	RATE	AMOUNT
1	12.37	Pile Load Test on single Vertical Pile in accordance with IS:2911(Part-IV) including dynamic load test for its integrity , length & capacity a) Initial and routine load test	2464.00	MT	300.00	7,39,200.00
2	12.37	Pile Load Test on single Vertical Pile in accordance with IS:2911(Part-IV) including dynamic load test for its integrity , length & capacity b) Lateral load test	61.20	MT	5,000.00	3,06,000.00
3	12.1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material. Upto 3.000 M Depth	428.53	Cum	73.73	31,595.52
4	12.1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material. 3.000 M to 6.000 M Depth	0.00	Cum	84.84	0.00
5	12.9 C	Providing service road etc. all complete job as per specifications and direction of E/L.	0.00	RM	3,860.22	0.00
6	12.22	Providing Steel Liner 6 mm thick for Piles including Fabricating and Setting out as per Detailed Drawing.	8.659	MT	89,366.06	7,73,820.71
7	12.25 B	Bored cast-in-situ M35 grade R.C.C. Pile excluding Reinforcement complete as per Drawing and Technical Specifications and removal of excavated earth with all lifts and lead upto 1000 m.	454.44	RM	17,036.60	77,42,112.50
8	2.4 I (i)C	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead of 1000 metres(Extra Pile Length). Stripping off RCC M35 in the pile up to cut off level and disposal of debris with all leads and lifts.	27.15	Cum	1,140.29	30,958.87
9	12.3	Sand Filling in Foundation Trenches as per Drawing & Technical Specification	17.91	Cum	455.99	8,166.78
10	12.39	Providing and laying of PCC M15 levelling course 100mm thick below the pile cap.	17.914	Cum	6,246.86	1,11,906.25
11	12.38 D (i)	Cement Concrete for Reinforced Concrete M.- 35 in Pile Cap complete as per Drawing and Technical Specification	301.104	Cum	7,812.92	23,52,501.46
12	12.40	Supplying, Fitting and Placing un-coated HYSD bar Reinforcement in Foundation complete as per Drawing and Technical Specifications.	54.271	MT	76,973.36	41,77,421.22

Prepared by
Dhananjay Kumar Singh

30.9

30.9-19

30.9-19

SL NO	ITEM OF WORK	TOTAL QUANTITY	UNIT	RATE	AMOUNT
13	13.5 G p Case I Providing RCC M-30 Mechanically mixed concrete in abutment shaft & pier shaft with stone aggregate 20 mm nominal size and clean coarse sand of FM-2 All complete job as per design Upto 5 m Hieght	93.62 65.89	Cum	7,936.78	7,43,041.34
14	13.5 G q Case I Providing RCC M-30 Mechanically mixed concrete in abutment shaft & pier shaft with stone aggregate 20 mm nominal size and clean coarse sand of FM-2 All complete job as per design Beyond 5 m and upto 10m Hieght	1.022	Cum	8,080.20	8,257.96
15	13.5 G p Case I Providing RCC M-30 Mechanically mixed concrete in abutment Shaft cap and Pier Hammer Head with stone aggregate 20mm nominal size and clean coarse sand of F.M.-2 All complete job as per design/ Drawing/technical specification and direction of E/I. Upto 5 m Hieght	92.597 65.91	Cum	7,936.78	7,34,922.02
16	13.5 G q Case I Providing RCC M-30 Mechanically mixed concrete in abutment Shaft cap and Pier Hammer Head with stone aggregate 20mm nominal size and clean coarse sand of F.M.-2 All complete job as per design/ Drawing/technical specification and direction of E/I. Beyond 5 m and upto 10m Hieght	4.67	Cum	8,080.20	37,734.53
17	13.14 Supply Fitting & Fixing Elasto-Meric Bearing & seismic Pad :- Supplying, fitting and fixing in position true to line and level elastomeric bearing conforming to IRC: 83 (Part-II) section IX and clause 2005 of MoRTH specifications complete including all accessories as per drawing and Technical Specifications.	364089.60	CuCm	0.83	3,02,194.37
18	13.8 Providing Weep Holes in Abutment Cap with 100mm dia AC Pipe:- Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V :20H towards drawing face. Complete as per drawing and Technical Specifications.	66.00	No	131.30	8,665.80
19	13.6 Supplying, fitting and placing HYSD Bar reinforcement in substructure complete as per Drawing and Technical Specification.	26.315	Mt	77,122.84	20,29,487.53
20	13.9 Back filling behind abutment, wing wall and return wall, complete as per Drawing and Technical Specification.(Sandy Material)	158.37	Cum	747.88	1,18,441.76
21	13.10 Providing and laying of filter media with granular materials/stone crushed aggregate satisfying the requirement laid down in CI. 2504.22 of MORTH Specification of not less than 600mm behind abutment, wing and return wall to the full height compacted.	68.89	Cum	3,164.71	2,18,016.87
22	14.1C Case-II (i) Q Providing RCC M 30 Grade & Super structure :- Furnishing and Placing Reinforced/ Prestressed cement concrete in super-structure as per drawing and Technical Specification Beyond 5 m and upto 10m Hieght (Solid Slab)	0.00	Cum	8,722.55	0.00
23	14.1C Case-II (i) R Providing RCC M 30 Grade & Super structure :- Furnishing and Placing Reinforced/ Prestressed cement concrete in super-structure as per drawing and Technical Specification Above 10m Hieght (Solid Slab)	0.00	Cum	8,957.89	0.00

Dhanraj Kumar Singh

100
30A

Executive Engineer
RWD Works Division

Prakash

20.9.19

SL NO		ITEM OF WORK	TOTAL QUANTITY	UNIT	RATE	AMOUNT
24	14.1C Case-II (ii) p	Providing RCC M 30 Grade & Super structure :- Furnishing and Placing Reinforced/ Prestressed cement concrete in super-structure as per drawing and Technical Specification Beyond 5 m and upto 10m Hieght (T Beam Slab)	212.00	Cum	8,957.89	18,99,072.68
25	14.1C Case-II (ii) q	Providing RCC M 30 Grade & Super structure :- Furnishing and Placing Reinforced/ Prestressed cement concrete in super-structure as per drawing and Technical Specification Above 10m Hieght (T Beam Slab)	0.00	Cum	9,193.22	0.00
26	14.2	Providing HYSD Bar in all types of RCC work:- Supplying, fitting and placing HYSD bar reinforcement in super-structure complete as per drawing and technical specifications.	34.996	MT	78,295.45	27,40,027.57
27	14.4	Wearing Coat :- Providing and laying Cement concrete wearing coat M-30 grade including reinforcement complete as per drawing and Technical Specifications	37.958	Cum	13,469.00	5,11,256.30
28	14.7	Providing RCC M30 Grade In Railing:- Construction of precast RCC railing of M30 Grade, aggregate size not exceeding 12 mm, true to line and grade, tolerance of vertical RCC post not to exceed 1 in 500, centre to centre spacing between vertical post not to exceed 2000 mm, leaving adequate space between vertical post for expansion, complete as per approved drawings and technical specifications.	136.56	M	2,121.92	2,89,769.40
29	14.9	Providing Drainage spout:- Drainage Spouts complete as per drawing and Technical specification	24.00	No.	907.99	21,791.76
30	14.10	Providing PCC M15 grade Below Approach Slab:- PCC M15 Grade leveling course below approach slab complete as per drawing and Technical specification	7.928	Cum	6,253.08	49,574.42
31	14.11	Providing PCC / RCC M30 in Approach Slab:- Reinforced cement concrete approach slab including reinforcement and formwork complete as per drawing and Technical specification	15.855	Cum	11,552.55	1,83,165.68
32	14.22	Providing and laying of a strip seal expansion joint catering to maximum horizontal movement upto 70 mm, complete as per approved drawings and standard specifications to be installed by the manufacturer/supplier or their authorised representative ensuring compliance to the manufacturer's instructions for installation.	44.25	m	12,353.31	5,46,633.97
33	14.16	Providing and applying two coats of water based cement paint to unplastered concrete surface after cleaning the surface of dirt, dust, oil, grease, efflorescence and applying paint @ 1L per sq.m.	1000.00	Sqm	97.97	97,970.00
34	8.3	Numbering & writing Bridge details with 2 coats of enamel paint of approved shade & make including cost of all materials, labour, tools etc. as per SOR Item 8.3	3000.00	Each Letter X 10Cm Ht	0.51	1,530.00
35		Providing and Painting of flood gauge on substructure to full height and 500mm wide including cost of all materials, labour, tools etc.	1.00	L.S	5,000.00	5,000.00

Dhanraj Kumar Singh

30/9/19
Executive Engineer
RWD Works Division
Pune

SL NO	ITEM OF WORK	TOTAL QUANTITY	UNIT	RATE	AMOUNT
36	8.5 Providing and erecting direction and place identification retro- reflectorised sign as per IRC :67 made of high intensity grade sheeting vide clause 801.3, fixed over aluminium sheeting 2 mm thick with area exceeding 0.9 sqm supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm, 2 Nos. firmly fixed to the ground by means of properly designed foundation with M 15 grade cement concrete 45 cm x 45 cm x 60 cm, 60 cm below ground level as per approved drawing	1.80	Sqm	13,259.28	23,866.70
37	3.4 Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5	1801.80	cum	204.02	3,67,603.24
38	4.1 (ii) Granular sub base Gr-II with close graded material as per MORTH CL 401.	39.375	cum	2,919.52	1,14,956.10
39	9.2 Laying Reinforced Cement Concrete Pipe NP3 / Prestressed Concrete Pipe on First Class Bedding	30.00	Rm	4,490.09	1,34,702.70
40	15.1 Providing and laying boulders apron on river bed for protection against scour with stone boulders weighing not less than 40 kg each complete as per drawing and Technical specification.	329.97	Cum	3,010.16	9,93,262.50
41	15.4 A Providing and laying pitching on slopes laid over prepared filter media including boulder apron laid dry in front of toe of embankment complete as per Drawing & Technical Specifications. SOR Item-15.4A (Ref. MORTH CL.2504)	231.205	Cum	3,010.16	6,95,964.04
42	15.5 Providing and laying filter materials underneath pitching in slopes complete as per Drawing & Technical Specifications. SOR Item-15.5	115.602	Cum	3,290.96	3,80,441.56
43	12.1 Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material.	797.40	Cum	73.73	58,792.30
44	12.8 A Providing PCC M-15 Plain/Reinforced cement concrete in Foundation complete as per drawing and Technical Specifications	762.12	Cum	6,391.45	48,71,051.87
45	12.40 Supplying, fitting and placing HYSD Bar reinforcement in Foundation complete as per Drawing and Technical Specification.	9.32	MT	76,973.36	7,17,391.72
46	13.8 Providing Weep Holes in Abutment Cap with 100mm dia AC Pipe:- Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V :20H towards drawing face. Complete as per drawing and Technical Specifications.	160.00	No	131.30	21,008.00

Dhanraj Kumar Singh

Executive Engineer 9-19
RWD Works Division
Paradipal
30/9

SL NO		ITEM OF WORK	TOTAL QUANTITY	UNIT	RATE	AMOUNT
47	2.3	Clearing and grubbing road land including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth up to 300 mm, removal of stumps of trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, up to a lead of 1000 metres including removal and disposal of top organic soil not exceeding 150 mm in thickness.	0.142	Hect.	49,739.47	7,063.00
48	3.4	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m. transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5	6222.07	Cum	204.02	12,69,426.72
49	4.1 (ii)	Construction of granular sub-base by providing coarse graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller to achieve the desired density, complete as per clause 401. (Grading-II)	186.30	Cum	2,929.90	5,45,840.37
50	3.18	Construction of sub-grade with approved material obtained from borrow pits with all lifts & leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of table No. 300-2	634.80	Cum	248.46	1,57,722.41
51	4.8.3 A (iii)	Water Bound Macadam :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density. Grade - III	64.69	Cum	3,482.74	2,25,298.45
52	5.1	Providing and applying primer coat with bitumen emulsion on prepared surface of granular Base including clearing of road surface and spraying primer at the rate of 0.60 kg/sqm using mechanical means.	862.50	Sqm	52.35	45,151.88
53	5.2	Providing and applying Tack coat with bitumen emulsion as per T.S Clause 503 & Direction of E/L.	862.50	Sqm	14.50	12,506.25
54	5.10	Providing, laying and rolling of open - graded premix surfacing of 20 mm thickness composed of 13.2 mm to 5.6 mm aggregates either using penetration grade bitumen or cut-back or emulsion to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a smooth wheeled roller 8-10 tonne capacity, finished to required level and grades.	862.50	Sqm	244.12	2,10,553.50
55	5.12	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type B seal coats	0.00	sqm	70.32	0.00

D. K. Singh Kumar, Sd/-

9/5/19

Executive Engineer
RWD Division

20.9.19

SL NO	ITEM OF WORK	TOTAL QUANTITY	UNIT	RATE	AMOUNT
56	8.14 Reinforced cement concrete M15 grade kilometre stone of standard design as per IRC:8-1980, fixing in position including painting and printing etc 5th kilometre stone	0.00	Each	2,433.75	0.00
57	8.14 Reinforced cement concrete M15 grade kilometre stone of standard design as per IRC:8-1980, fixing in position including painting and printing etc Hectometer stone	0.00	Each	682.77	0.00
58	8.16 Providing boundary pillars and F.I Posts as per S.O.R. Item 8.16, MORTH CL 806.	184.00	Each	539.59	99,284.56
Total Cost of Construction (A):-					3,77,72,125.14
59	13.14 Supply Fitting & Fixing Elasto-Meric Bearing & seismic Pad :- Supplying, fitting and fixing in position true to line and level elastomeric bearing conforming to IRC: 83 (Part-II) section IX and clause 2005 of MoRTH specifications complete including all accessories as per drawing and Technical Specifications.	36408.96	CuCm	0.83	30,219.44
60	15.4 A Providing and laying pitching on slopes laid over prepared filter media including boulder apron laid dry in front of toe of embankment complete as per Drawing & Technical Specifications. SOR Item-15.4A (Ref. MORTH CL.2504)	23.12	Cum	3,010.16	69,594.90
61	15.5 Providing and laying filter materials underneath pitching in slopes complete as per Drawing & Technical Specifications. SOR Item-15.5	11.56	Cum	3,290.96	38,043.50
62	14.11 Providing PCC / RCC M30 in Approach Slab:- Reinforced cement concrete approach slab including reinforcement and formwork complete as per drawing and Technical specification	1.586	Cum	11,552.55	18,322.34
63	14.4 Wearing Coat :- Providing and laying Cement concrete wearing coat M-30 grade including reinforcement complete as per drawing and Technical Specifications	3.796	Cum	13,469.00	51,128.32
64	14.22 Providing and laying of a strip seal expansion joint catering to maximum horizontal movement upto 70 mm, complete as per approved drawings and standard specifications to be installed by the manufacturer/supplier or their authorised representative ensuring compliance to the manufacturer's instructions for installation.	4.425	m	12,353.31	54,663.40
65	1st YEAR MAINTENANCE OF ROAD	1.00	/Year	13,615.00	13,615.00
66	2nd YEAR MAINTENANCE OF ROAD	1.00	/Year	17,803.00	17,803.00
67	3rd YEAR MAINTENANCE OF ROAD	1.00	/Year	21,570.00	21,570.00
68	4th YEAR MAINTENANCE OF ROAD	1.00	/Year	25,667.00	25,667.00
69	5th YEAR MAINTENANCE OF ROAD	1.00	/Year	29,612.00	29,612.00
Total Cost of Maintenance (B):-					3,70,238.90
Total Cost of (A+B):-					3,81,42,364.04

Dharmraj Kumar Singh
SUPERVISOR

AMAR
30.5.19
Executive Engineer
RWD WORKS DIVISION
Pakaridayal

30.9.19

Executive Engineer
RWD Works Division

Pakaridayal
30.9.19

1500

बिहार सरकार
ग्रामीण कार्य विभाग

पत्रांक-मु0 अ0-4 (मु0)-रा0यो0-03-451/2018 4121

/पटना, दिनांक-10/9/18

प्रेषक,

संजय कुमार, मा0प्र0से0
विशेष सचिव।

सेवा में,

महालेखाकार (लेखा एवं हकदारी)
बिहार, पटना।

विषय:- योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत राज्य के पूर्वी चम्पारण जिलान्तर्गत कार्य प्रमंडल, पकड़ीदयाल के अधीन पकड़ीदयाल प्रखंड के कछुआ नदी के छपरा घाट पर पुल निर्माण कार्य जिसकी लम्बाई 60.480 मी0 निर्माण हेतु रु0 377.890 लाख एवं अनुरक्षण की राशि रु0 3.580 लाख अर्थात् कुल 381.470 लाख रुपये (तीन करोड़ एकासी लाख सैतालीस हजार रुपये) की लागत पर प्रशासनिक स्वीकृति प्रदान करने के संबंध में।

नवाशय,

निर्देशानुसार योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-उप शीर्ष-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उप शीर्ष के अन्तर्गत राज्य के पूर्वी चम्पारण जिलान्तर्गत कार्य प्रमंडल, पकड़ीदयाल के अधीन पकड़ीदयाल प्रखंड के कछुआ नदी के छपरा घाट पर पुल निर्माण कार्य जिसकी लम्बाई 60.480 मी0 निर्माण हेतु रु0 377.890 लाख एवं अनुरक्षण की राशि रु0 3.580 लाख अर्थात् कुल 381.470 लाख रुपये (तीन करोड़ एकासी लाख सैतालीस हजार रुपये) की लागत पर प्रशासनिक स्वीकृति प्रदान किया जाता है।

1. इस योजना को दो वित्तीय वर्ष 2018-19 एवं 2019-20 में पूरा किये जाने का लक्ष्य है।
2. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, पकड़ीदयाल द्वारा इस योजना के कार्य सम्पादन हेतु निकासी एवं व्ययन पदाधिकारी होंगे। कार्य निविदा के माध्यम से कराया जाएगा।
3. योजना के क्रियान्वयन से पूर्व इस पर सक्षम पदाधिकारी से प्राथमिक स्वीकृति प्राप्त कर ली जायगी।
4. इस योजना का व्यय योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष जिसका विपत्र कोड 37-4515001030105 के अन्तर्गत वित्तीय वर्ष 2018-19 में उपबंधित राशि से विकलनीय होगा।
5. योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत वित्तीय वर्ष 2018-19 में 459.31 करोड़ रुपये का वजट उपबंध स्वीकृत है।
6. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, पकड़ीदयाल द्वारा योजना की भौतिक एवं वित्तीय प्रगति प्रतिवेदन प्रत्येक माह के 10 तारीख तक निश्चित रूप से कमरा: अधीक्षण अभियंता, कार्य अंचल, मोतिहारी एवं मुख्य अभियंता-3, के माध्यम से विभाग को उपलब्ध कराया जाये।
7. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, पकड़ीदयाल यह सुनिश्चित करेंगे कि यह योजना किसी अन्य योजना शीर्ष अन्तर्गत स्वीकृत नहीं है।
8. इस योजना का चयन मा0 मंत्री, ग्रामीण कार्य विभाग, द्वारा संचिका संख्या- मु0 अ0-4 (मु0)-नाबार्ड-03-159/2014 के पृ0सं0-13/टि0 पर दिनांक 25.01.2018 को किया गया है।
9. इस योजना की स्वीकृति सक्षम प्राधिकार सचिव, ग्रामीण कार्य विभाग द्वारा संचिका सं0- मु0 अ0-4 (मु0) नाबार्ड-03-451/2018 के पृ0 सं0-02/टि0 पर दिनांक-09.08.2018 को प्राप्त है।

G.K

Dharmraj Kumar Sg/ Attested

Executive Engineer
RWD WORKS DIVISION
Pakaridaya

Amr 4
RWD WORKS DIVISION
Pakaridaya
19

10. बिहार कोषागार संहिता में निहित प्रावधानों के आलोक में बजट प्रावधान के अंतर्गत ही राशि की निकासी की जाय।
11. वित्त विभाग के संकल्प संख्या-4-45/94-301 वि (2) दिनांक 31.01.1995 एवं वित्त विभाग के पत्रांक स्कीम (8)-11-2005-5090 वि (2) दिनांक 15.09.05 एवं 295 दिनांक 24.03.15 के आलोक में तथा वित्त विभाग के संकल्प सं० 96 दिनांक 03.01.2008 एवं 3758 दिनांक-30.05.2017 में निहित निर्देशों का अक्षरशः पालन किया जाय तथा बिहार वित्त नियमावली के सुसंगत प्रावधानों के आलोक में योजना में उपबंधित राशि की उपलब्धता के आधार पर व्यय की जाय। यह आदेश आंतरिक वित्तीय सलाहकार की सहमति प्राप्त कर निर्गत किया जा रहा है। आंतरिक वित्तीय सलाहकार की सहमति संचिका सं०-मु० अ०-4 (मु०) नाबार्ड-03-451/2018 के पृष्ठ संख्या-06/टि० पर दिनांक-04.09.18 को प्राप्त है।
12. यह राशि उसी मद में खर्च की जायेगी, जिसके लिए पुनर्विनियोजित की गयी है, अन्य में नहीं।
13. योजना के लिए कार्यपालक अभियंता, कार्य प्रमंडल, पकड़ीदयाल से विस्तृत कार्य योजना मांगी जायेगी एवं प्राक्कलन की विशिष्टताओं के अनुसार निर्धारित समयावधि के अंदर कार्य पूर्ण कराना सुनिश्चित किया जाय।
14. योजना के कार्यान्वयन के क्रम में इनका निर्धारित निरीक्षण (नियमित अंतराल पर) अनिवार्य रूप से किया जाय तथा प्रतिवेदन अभिलेखबद्ध किया जाय।
15. वित्त विभाग के पत्रांक-770, दिनांक 20.09.11 के द्वारा सूचित किया गया है कि नाबार्ड से RIDF के अन्तर्गत नई परियोजनाओं की प्रशासनिक अनुमोदन प्राप्त करने के उपरान्त ही स्वीकृति हेतु नाबार्ड को भेजी जाय।

विश्वासभाजन

(संजय कुमार)

विशेष सचिव

/पटना, दिनांक-10/9/18

ज्ञापक- मु० अ०-4 (मु०)-रा०यो०-03-451/2018 4121

प्रतिलिपि- कोषागार पदाधिकारी, पूर्वी चम्पारण को सूचनार्थ एवं आवश्यक कार्यवाई हेतु प्रेषित।

विशेष सचिव

/पटना, दिनांक-10/9/18

ज्ञापक मु० अ०-4 (मु०)-रा०यो०-03-451/2018 4121

प्रतिलिपि- माननीय मंत्री के आप्त सचिव, ग्रामीण कार्य विभाग/प्रधान सचिव, योजना एवं विकास विभाग/वित्त विभाग (आय-व्यय शाखा)/आंतरिक वित्तीय सलाहकार, ग्रामीण कार्य विभाग/मंत्रिमंडल सचिवालय एवं समन्वय विभाग/कार्मिक एवं प्रशासनिक सुधार विभाग, प्रमण्डलीय आयुक्त, तिरहुत/जिला पदाधिकारी, पूर्वी चम्पारण/उप विकास आयुक्त, पूर्वी चम्पारण/अभियंता प्रमुख सह-सचिव, BRRDA, ग्रा० का० वि०, बिहार, पटना/मुख्य अभियंता-3, पटना, ग्रामीण कार्य विभाग/मु० अ०-4 (मुख्यालय), ग्रा० का० वि०/अधीक्षण अभियंता, ग्रा० का० वि०, कार्य अंचल, मोतिहारी/कार्यपालक अभियंता, ग्रा० का० वि० कार्य प्रमंडल, पकड़ीदयाल/मुख्य महाप्रबंधक नाबार्ड, बिहार क्षेत्रीय कार्यालय, (मौर्या कम्पलेक्स, पॉंचवी मंजिल) डाक बंगला रोड, पटना को सूचनार्थ एवं आवश्यक कार्यवाई हेतु प्रेषित। आई०टी० नोडल, ग्रामीण कार्य विभाग को विभाग के वेबसाइट पर अपलोड करने हेतु प्रेषित।

विशेष सचिव

Dharmendra Kumar Singh

G.K

Executive Engineer
RWD Works Division
Pakaridaya
20.9.19