



Notes on Standard form of Agreement

Agreement.No. 17 SBD/2024-25MMGSY

Executive Engineer
Rural Works Department
Works Division, Jaynagar

आगिन मित्रा

Yojana Under MMGSY

Agreement

Construction & Five Year maintenance of Road from Gamhariya
PMGSY To Pandey Brahmsathan Of Block In Basopatti Under MMGSY

Agreement No.: SBD - 17/SBD/2024-25

Accepted Rate:- 27.71% Below

Agreement Amount:- 19,05,222/-

Construction:-

Maintenance:-

Start Date:- 10.01.25

Date of Completion:- 09.10.25

Executive Engineer
Rural Works Department,
Work Division, Jaynagar

अभिषेक मिश्रा

HM
8/3/25
Executive Engineer
Rural Works Department
Works Division, Jaynagar

M. Pandey
6/1/25

06.03.25

पत्रक,

पत्रांक:- 22

अनु०/मधुबनी।

दिनांक:- 08/01/2025

संवा में,

ई० दीपनारायण प्रसाद
अधीक्षण अभियन्ता।

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, जयनगर।

विषय:-

MMGSY योजनान्तर्गत अंतर्गत Gamhariya PMGSY to Pandey Brahamsthan Road
(Tender ID-137042) निर्माण कार्य का निविदा स्वीकृति के संबंध में।

प्रसंग:-

मधुबनी,

आपका पत्रांक-02 अनु०, दिनांक-01.01.2025

उपर्युक्त विषयक प्रासंगिक पत्र से उपलब्ध कराये गये विषयाधीन कार्य के निविदा अभिलेख के आधार पर वित्तीय बीड में सफल योग्य न्यूनतम निविदाकार **Ajit Kumar Mishra, Madhubani** (Bid Id-597906) को उनके निविदित दर B.O.Q. दर से 27.71 प्रतिशत कम दर पर अद्यतन प्रचलित सर्वा करों सहित मो०-19,05,222=00 (उन्नीस लाख पाँच हजार दो सौ बाईस) रुपया मात्र की लागत पर कार्य आवंटित कर स्वीकृत निविदा एवं तुलनात्मक विवरणी मूल में संलग्न कर आगे की कार्रवाई हेतु संलग्न किया जा रहा है।

- निविदा की स्वीकृति सिर्फ इसी कार्य के लिए है, जो भविष्य में पूर्वोदाहरण नहीं होगा। संवेदक से एक सप्ताह के अंदर एकरारनामा की कार्रवाई नियमानुसार सम्पन्न करेंगे।
- कार्यपालक अभियन्ता संवेदक के द्वारा एकरारनामा के लिए जमा की गई राशि एवं निविदा के साथ जमा किये गये संबंधित एन०एस०सी०/एफ०डी० आदि का सत्यापन संबंधित डाकघर से कराकर प्रमंडलीय कार्यालय में अभिलेखित करेंगे एवं कार्यादेश निर्गत करने के पूर्व अग्रधन की राशि के सत्यापन से संबंधित कागजात अधोहस्ताक्षरी कार्यालय को उपलब्ध कराया जाना सुनिश्चित करेंगे।
- एकरारनामा के पूर्व निविदा सूचना के अनुसार सभी बांछित कागजातों की अद्यतन स्वच्छ एवं सत्यापित प्रति निश्चित रूप से प्राप्त कर लिया जायेगा। साथ ही कार्यपालक अभियन्ता यह सुनिश्चित कर लेंगे कि निविदाकार डिबार् सूची/काली सूची या कार्य लंबित सूची में शामिल न हों।
- कार्यपालक अभियन्ता अग्रतः कार्रवाई से पूर्व भली-भाँति आश्वस्त हो लेंगे के पथ का हस्तांतरण हेतु विभाग द्वारा अनापत्ति प्रमाण-पत्र निर्गत नहीं किया गया है।
- कार्य में व्यवहृत सामग्रियों का दर प्राक्कलन में स्वीकृत लीड के आधार पर दिया गया है, कार्य कराते समय अगर इसमें कमी पाई जाती है तो उसके दर में सापेक्ष कमी कर दी जाएगी।
- इस कार्य के संबंध में निर्गत प्रशासनिक स्वीकृति एवं प्राथमिक स्वीकृति तथा निविदा आमंत्रण सूचना में उल्लेखित शर्त एकरारनामा का भाग होगा, जिसे विशेष शर्त में जोड़कर संवेदक के साथ एकरारनामा किया जायेगा।
- अनुमोदित किये गये तुलनात्मक विवरणी के प्रत्येक बिन्दु की जाँच अपने स्तर से स्वयं कर लेंगे एवं त्रुटि पाये जाने की स्थिति में वस्तुस्थिति से तत्क्षण अधोहस्ताक्षरी को अवगत करावेंगे। त्रुटि के सुधारोपरांत ही एकरारनामा की कार्रवाई की जायेगी।
- एकरारनामा के समय प्रत्येक मद के भाषा की शुद्धता की जाँच कार्यपालक अभियन्ता स्वयं कर लेंगे एवं यह सुनिश्चित करेंगे कि इसमें कोई त्रुटि न हो।

आजित मिश्रा

Executive Engineer,
Rural Works Department,
Works Division, Jaynagar

06/03/25

Sl. No.	Description of work	BIDDER		BANK/PATRI		ESTIMATED RATE	ESTIMATED QUANTITY
		No. of	Unit	Rate	Estimated Rate		
1	Setting out Pillars Providing & fixing of Working bench mark Pillars 2 nos. per km & 6 nos. of reference pillars required for 1 Km as per drawings given and directed.	00000	No.	00000	00000		
2	Clearing and grubbing Road Land (By manual means) including removing old vegetation grass bushes shrubs saplings and trees of 2013 upto 300mm diameter of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per Technical Specification clause 201.1 and direction of R/I	00740	Hec	2100000	1547000	Rupees One Thousand Three Hundred Fifty Four Paise Only	1547000
3	Construction of Embankment with material obtained from borrow pits with 500 upto 1% m. Transporting to the site spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m & 100 m as per Technical Specification Clause 300.1 (Including Royalty & Labour Cess).	94.9460	Cum	240.50	22820.00	Rupees Two Hundred Forty And Fifty Paise Only	22820.00
4	For 100 m lead @ 80%	339.7840	Cum	173.63	58870.00	Rupees One Hundred Seventy Three And Sixty Paise Only	58870.00
5	Construction of Subgrade and Earthen Shoulders Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m & 100 m as per Technical Specification Clause 303.1. (Including Royalty & Labour Cess)	87.1000	Cum	243.74	21180.00	Rupees Two Hundred Forty Three And Seventy Four Paise Only	21180.00
6	Granular Sub-base with Well Graded Material (Table 400.1) By mix in place method) For Grading 1 Material Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.	70.7800	Cum	3605.99	254060.00	Rupees Three Thousand Six Hundred Five And Ninety Nine Paise Only	254060.00
7	WBM Grading 3 (By Mechanical Means) Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 KN in stages to proper grade and camber, applying and brooming, water screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	59.0900	Cum	4979.12	294000.00	Rupees Four Thousand Nine Hundred Seventy Nine And Twelve Paise Only	294000.00
8	Unreinforced Concrete Pavement Construction of unreinforced, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid on approved fixed side formwork (steel channel, laying and fixing of 125 mm thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, finished using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, approaches to bridge/culvert and construction joints, construction as approved, curing of concrete slabs for 14 days, using curing compound (where specified) and water finishing to lines and marks as per drawing and technical Specification Clause 1501	126.0500	Cum	3540.71	446200.00	Rupees Eight Thousand Seven Hundred Fifty And Seventy One Paise Only	446200.00

Superintending Engineer
RWD Circle, Marhata, 2011

Executive Engineer
Rural Works Department
Works Division, Jaynagar

[illegible]

Superintending Engineer
RWD, Office, Alameda

Executive Engineer
Rural Works Department
Works Division, Jaynagar

निम्न

NAME OF WORK: CONSTRUCTION OF ROAD & CHAQUEN UNDER RAJGUNA, AYNA
GAMHARIA YAMUN, GO PANDRY FOR BHADRAMATHAN
IN AYNA ROAD WITH HABITATION CODE NO. 5004

Sl. No.	Description of work	MATERIAL		LABOUR		Amount of Rate	Amount
		No. in Qty	Unit	Rate	Unit		
1st Year Maintenance		0.5000	Km	12112.00		Rupers: Twelve Thousand and Four Hundred Thirty Two And Nine Paise Only	6056.00
2nd Year Maintenance		0.5000	Km	5007.00		Rupers: Fifty Thousand and Nine Hundred Twenty Three And Eight Paise Only	25035.00
3rd Year Maintenance		0.5000	Km	220110.50		Rupers: Twenty Two Thousand and One Hundred Ten And Fifty Eight Paise Only	110055.25
4th Year Maintenance		0.5000	Km	62060.50		Rupers: Sixty Seven Thousand and Eight Hundred Sixty And Fifty Eight Paise Only	31030.25
5th Year Maintenance		0.5000	Km	76350.96		Rupers: Seventy Six Thousand and Three Hundred Fifty And Nine Paise Only	38175.48
Total Maintenance Cost							
ADD LABOUR CESS @ 1 %							95197.00
Add Seigniorage Fee @ 10% on Material Cost only							951.97
ADD GST @ 18 %							671.00
Total Maintenance Cost with 12 % GST & 1% L.C. & 10% S.F.							17427.54
Total Construction & Maintenance Cost with 12 % GST, 1% L.C & 10% S.F.							114247.56
Total Estimated cost in Figures							2634831.01
Total Amount							2634831.01
Total Rate in Words							2634831.00
Rupees Twenty Six Lakh Thirty Four Thousand Eight Hundred Thirty One Only							

11 May
10/19/24
E/S

For the purpose of the above work, the following materials are required to be supplied by the contractor at the rate of Rs. 114247.56 per Km. of road.

10/12/24
12/12/24
12/12/24

आजित मिश्रा

11/12/24
6/2/24
Executive Engineer
Rural Works Department
Works Division, Jaynagar

Sl. No. of the
of the
Firm
Bidding

PRICE SCHEDULE

Bidders are allowed to enter the Bidder Name and Values only. Bidders are allowed to enter the Bidder Name and Values only. Bidders are allowed to enter the Bidder Name and Values only.

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
1	Setting Out Pillars Providing & Fixing of Working benchmark Pillars 2 nos. per km & 6 Nos. of reference pillars required for 1 Km. as per drawings given and direction of E/I	2.000	No.	3005.040	6010.08	INR Six Thousand & Ten and Paise Eight Only
2	Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unservicable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I	0.073	Hec	73052.980	5332.87	INR Five Thousand Three Hundred & Thirty Two and Paise Eighty Seven Only
3	Construction of Embankment with material obtained from borrow pits with a lift upto 1.5 m , transporting to the site spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m & 100 m as per Technical Specification Clause 301.5. (Including Royalty & Labour Cess). For 1000 m lead @ 20 %	84.946	Cum	240.500	20429.51	INR Twenty Thousand Four Hundred & Twenty Nine and Paise Fifty One Only
4	For 100 m lead @ 80 %	339.784	Cum	173.630	58996.70	INR Fifty Eight Thousand Nine Hundred & Ninety Six and Paise Seventy Only
5	Construction of Subgrade and Earthen Shoulders Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m & 100 m as per Technical Specification Clause 303.1. (Including Royalty & Labour Cess).	87.100	Cum	243.740	21229.75	INR Twenty One Thousand Two Hundred & Twenty Nine and Paise Seventy Five Only
6	Granular Sub-base with Well Graded Material (Table 400.1) (By mix in place method) For Grading I Material Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401	78.780	Cum	3605.990	284079.89	INR Two Lakh Eighty Four Thousand & Seventy Nine and Paise Eighty Nine Only
7	WBM Grading 3 (By Mechanical Means) Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405	59.090	Cum	4979.120	294216.20	INR Two Lakh Ninety Four Thousand Two Hundred & Sixteen and Paise Twenty Only

Signature

Signature


Executive Engineer
Rural Works Department
Works Division, Jaynagar

6/3/14
06/03/20

	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
	2	4	5	6	54	55
8	Cement Concrete Pavement Construction of un-reinforced, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and Technical Specification Clause 1501	126.050	Cum	8750.710	1103027.00	INR Eleven Lakh Three Thousand & Twenty Seven Only
9	Hard Shouldering Laying brick soling layer on prepared sub-grade with brick on end edging according to lines, graded and cross-section shown on the drawing filling joints with sand and earth, spreading 25 mm thick layer of earth over brick soling, watering and rolling the same with three wheel road roller 80-100 kN as per Technical Specification Clause 412	208.000	Sqm	549.590	114314.72	INR One Lakh Fourteen Thousand Three Hundred & Fourteen and Paise Seventy Two Only
10	Kilometre stone Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703.	1.000	No.	2932.490	2932.49	INR Two Thousand Nine Hundred & Thirty Two and Paise Forty Nine Only
11	ii) Km stone	1.000	No.	802.180	802.18	INR Eight Hundred & Two and Paise Eighteen Only
12	Retro-reflectorised Traffic Signs Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 600 mm equilateral & triangle, (Left Hand, Right Hand Curve & School Board) 600 mm equilateral & triangle,	8.000	No.	4617.120	36936.96	INR Thirty Six Thousand Nine Hundred & Thirty Six and Paise Ninety Six Only
13	Stop Board At Start & End	2.000	No.	11740.370	23480.74	INR Twenty Three Thousand Four Hundred & Eighty and Paise Seventy Four Only
14	600 mm x 450 mm rectangular, (Place board)	2.000	No.	6190.860	12381.72	INR Twelve Thousand Three Hundred & Eighty One and Paise Seventy Two Only
15	Road Marking with Hot Applied Thermoplastic Compound with Reflectorising Glass Beads on Concrete Surface Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes. Sealing primer may be applied in advance which is incidentally included to the work.	41.600	Sqm	803.430	33422.69	INR Thirty Three Thousand Four Hundred & Twenty Two and Paise Sixty Nine Only

HA
6/12/14
Executive Engineer
Rural Works Department
Works Division, Jaynagar

No.	Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
1	2	4	5	6	54	55
16	(I) Providing and Fixing 'Logo' of MMGSY Project Providing and fixing of typical MMGSY informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	5.000	No.	11874.490	59372.45	INR Fifty Nine Thousand Three Hundred & Seventy Two and Paise Forty Five Only
17	ADD LABOUR CESS @ 1 %	1.000	Rs	20769.670	20769.67	INR Twenty Thousand Seven Hundred & Sixty Nine and Paise Sixty Seven Only
18	Add Seigniorage Fee @ 10% on Material Cost only	1.000	Rs	38351.000	38351.00	INR Thirty Eight Thousand Three Hundred & Fifty One Only
19	ADD GST @ 18 %	1.000	Rs	384495.780	384495.78	INR Three Lakh Eighty Four Thousand Four Hundred & Ninety Five and Paise Seventy Eight Only
20	1st Year Maintenance	0.208	Km	42432.690	8826.00	INR Eight Thousand Eight Hundred & Twenty Six Only
21	2nd Year Maintenance	0.208	Km	50923.080	10592.00	INR Ten Thousand Five Hundred & Ninety Two Only
22	3rd Year Maintenance	0.208	Km	220110.580	45783.00	INR Forty Five Thousand Seven Hundred & Eighty Three Only
23	4th Year Maintenance	0.208	Km	67860.580	14115.00	INR Fourteen Thousand One Hundred & Fifteen Only
24	5th Year Maintenance	0.208	Km	76350.960	15881.00	INR Fifteen Thousand Eight Hundred & Eighty One Only
25	ADD LABOUR CESS @ 1 %	1.000	Rs	951.970	951.97	INR Nine Hundred & Fifty One and Paise Ninety Seven Only
26	Add Seigniorage Fee @ 10% on Material Cost only	1.000	Rs	671.000	671.00	INR Six Hundred & Seventy One Only
27	ADD GST @ 18 %	1.000	Rs	17427.590	17427.59	INR Seventeen Thousand Four Hundred & Twenty Seven and Paise Fifty Nine Only
Total in Figures					2634829.96	Twenty Six Lakh Thirty Four Thousand Eight Hundred & Twenty Nine and Paise Ninety Six Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words						INR Zero Only


 Executive Engineer
 Rural Works Department
 Works Division, Jaynagar

06.03.21

Govt. of Bihar
Rural Works Department
Office of Executive Engineer
Works Division, Jaynagar

Notice Inviting Tender (No.-RWD/MMGSY/02/11/2024-25)

(Through e- Procurement mode only on <http://pmgsytendersbih.gov.in>)

The Executive Engineer, Rural Works Department, Works Division, Jaynagar on behalf of Governor of Bihar invites, **SBD** based Percentage rate **Tender** in electronic tendering system under MMGSY for each of the following works including their maintenance for five years from the eligible and approved Contractors registered with RWD/RCD/CPWD/MES /Railways/Other State Central Govt. departments.

Sl. no	Name of District	Works Division Name	Description of the Works	Length (in Km/m)	Construction Cost (in Lakh)	Maintenance Cost (in Lakh)	Total Estimated Cost (in Lakh)	Amount of Earnest money in Online Mode (in Lakh)*	Cost of B.O.Q. in Online Mode (Non-Refundable) in Rs.
1	2	3	4	5	6	7	8	9	10
	Madhubani	Jaynagar	Gamhariya PMGSY To Pandey Brahamsthan	0.208	25.20584	1.14248	26.34831	9.527	5000

* The 2 %Earnest Money will be applicable on the sanction cost of B.O.Q only.

Date and Time for Downloading of Bidding Documents : From 29.10.2024 (09:30 AM) to 06.11.2024 (12:00 Noon)

Last date and Time of Online Bid Submission (including Scanned copy of Affidavits) : 06.11.2024 up to 15:00 Hours.

Online Bid Opening Date and Time : 06.11.2024 at 15:30 Hours.

Place, date and time of Pre-Bid Meeting (Office of Respective Works Circle, RWD) : 04.11.2024 from 15:00 Hours.

- The Total Estimated Cost and Earnest Money is indicative and the actual amount of Earnest Money will be as per uploaded BOQ. Cost of Bid Document (non-refundable) is Rs 10,000.00 for Bids costing more than Rs. 50 lakh and Rs. 5000 for Bids costing Rs. 15 lakh to Rs. 50 lakh and Earnest Money will be submitted online (PMGSY e-tender online Account-through PMGSY e-tender portal by Internet Banking only). All concerned please note that the bidding process will not move onward if the Bid Document's Cost (Tender Fee) and Earnest Money is not paid through PMGSY e-tender portal by Internet Banking. No other form of Bid Document cost and Earnest Money will be accepted. In case the bid of non-responsive bidder is reconsidered whose EMID has been refunded automatically, will be collected and refunded manually in the shape of Fixed deposit receipt.
- Bidders can access tender documents on the website <http://pmgsytendersbih.gov.in> and submit the completed tender documents in electronic form on the website itself. Bidders shall upload scanned copies of all required papers and certificates as required in the eligibility criteria. All papers uploaded will be treated as digitally signed. The scanned copies should be of original

[Signature]

11/10/24
Executive Engineer
Rural Works Department
Works Division, Jaynagar

ANNEXURE - "B"
GOVERNMENT OF BIHAR
RURAL WORKS DEPARTMENT
CERTIFICATE OF REGISTRATION

Old Registration	New Registration
Registration No :- NA	Registration No : 2240148
Class :- NA	Class : Class 2



Ajit Kumar Mishra

Village Ladugam Post Agai Dist Madhubani Pincode: 847102

Is hereby registered in Class 2 for the period from date 15-Feb-2024 to 14-Feb-2029 As Contractor of Rural Works Department.

15-02-2024 12:02:00

Signature Of Applicant

3-11-24 मिश्रा

This Document is Digitally
Signed, Need no Signature

Line Number: 895
File Name: JctReadyImage.c
Error: InternalError 0x89
Subsystem: GW
PCL XL Error
H
6/3/24
Executive Engineer
Rural Works Department
Works Division, Jaynagar

3-11-24 मिश्रा



EMPLOYEES' PROVIDENT FUND
(A statutory Body under the Ministry of Labour and Employment,
www.epfindia.gov.in)

PROVIDENT FUND CODE NUMBER INTIMATION

No : 10001457211MUZ

Date : 23/02/2024

To

Ajit Kumar Mishra
Proprietor
BMEPM4326A
9, Nds1 Makiya Pul Ladugama, Agai Makiya Pul Ladugama Benipatt
Ladugama Benipatt DARBHANGA
BIHAR - 847102

Sub: Allotment of Code Number to establishment M/s BMEPM4326A under Employees' Provident Fund and Miscellaneous Provisions Act, 1952-regarding.

Sir/Madam ,

Based on the information submitted online by you, your establishment is registered with Employees' Provident Fund Organisation with the following code number :

Code Number : BRMUZ3214186000

This code number is allotted based on the following declarations by you:

1. Name of Establishment : BMEPM4326A
2. PAN of Establishment : BMEPM4326A
3. Date on which employment strength crossed 19 : 15/01/2024
4. Section under which : 0000001(4)
5. Primary Activity : FRUIT ORCHARDS
6. Ownership Type : Proprietorship Firm
7. The address proof of the establishment is : - Copy of power connection in the name of the

आयकर विभाग

INCOME TAX DEPARTMENT



भारत सरकार

GOVT. OF INDIA



स्थायी लेखा संख्या कार्ड
Permanent Account Number Card

BMEPM4326A

102-1014

नाम / Name

AJIT KUMAR MISHRA

पिता का नाम / Father's Name

RAM LAL MISHRA

जन्म की तारीख / Date of Birth

01/01/1981

अजित मिश्रा

हस्ताक्षर / Signature



अजित मिश्रा

अजित मिश्रा


Hm
Executive Engineer
Rural Works Department
Works Division, Jaynagar



Government of India
Form GST REG-06
(See Rule 10(1))

Registration Certificate

Registration Number : 10BMEPM4326A2ZU

1.	Legal Name	AJIT KUMAR MISHRA			
2.	Trade Name, if any	NEW MISHRA FRUITS SUPPLIER			
3.	Constitution of Business	Proprietorship			
4.	Address of Principal Place of Business	BASUDEVPUR, MAHARANI PODHAR BASUDEVPUR, NEAR SADAR POST OFFICE, BASUDEVPUR, Darbhanga, Bihar, 847302			
5.	Date of Liability				
6.	Period of Validity	From	30/12/2017	To	NA
7.	Type of Registration	Regular			
8.	Particulars of Approving Authority	Bihar			
Signature					
Signature Not Verified Digitally signed by CS GOODS AND SERVICES TAX NETWORK Date: 2018.04.10 13:02:37 IST					
Name		Saurabh Kumar Singh			
Designation		Deputy Commissioner			
Jurisdictional Office		Darbhanga			
9. Date of issue of Certificate		10/04/2018			
Note: The registration certificate is required to be prominently displayed at all places of business in the State.					

This is a system generated digitally signed Registration Certificate issued based on the approval of application granted on 30/12/2017 by the jurisdictional authority.

अजित मिश्रा

अजित मिश्रा

अजित मिश्रा

11/4/18
Executive Engineer
Rural Works Department
Works Division, Jaynagar