

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल खड़गपुर-तारापुर (मुंगेर)

पत्रांक:- 400 (अनु०) / तारापुर दिनांक 17/04 / 2025

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, खड़गपुर-तारापुर।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण (ब्राडा), पटना।

विषय :- New Maintenance Policy-2018 अन्तर्गत 4 पथों में कराये गये निर्माण कार्यों का आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि New Maintenance Policy-2018 अन्तर्गत 4 पथों में कराये गये निर्माण कार्यों के भुगतान हेतु संलग्न विवरणी के अनुसार **रु०-81.45000 लाख** राशि की आवश्यकता है।

अतः अनुरोध है कि उक्त राशि का आवंटन उपलब्ध कराया जाए, ताकि संवेदक को भुगतान किया जा सके।

सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

अनु०- यथोक्त

विश्वासभाजन


17/04/25

कार्यपालक अभियंता

ग्रामीण कार्य विभाग

कार्य प्रमंडल खड़गपुर-तारापुर

Office Of The Executive Engineer
Rural Works Department
Works Division, Kharagpur-Tarapur

Requisition Format for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval(AA) Letter No. & Date	Administrative		Agreement Amount		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/Km)	Thickness of Bitumen Layer in mm	Value of Bitumen content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date Expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	RN/NUKHA/24/0065	Jhiti mod se durgapur path	20803808048	1086 01.03.2024	3.780	221.02000	170.89415	25.7323	10MBD/2024-25 10.08.2024	09-05-2025	-	2820	SDBC-25mm Thickness of PCC Layer in 160 mm	SDBC-5.0	165.00000	153.72630	5.10000	
2	RN/NUKHA/24/0067	L053-Durgapur to khapra mushahari (TRACK53)	20803802069	-	2.680	128.15000	80.9756	18.0762	12MBD/2024-25 24.09.2024	23-06-2025	-	2826	SDBC-25mm Thickness of PCC Layer in 125 mm	SDBC-5.1	45.07339	45.07339	32.30000	
3	RN/NUKHA/24/0067	L038 To Jharna Yadav Tola	20803818012	-	0.800	60.37000	44.61416	2.6463	12MBD/2024-25 24.09.2025	23-06-2025	-	2768	Thickness of PCC Layer in 125 mm	-	25.78091	25.78091	18.70000	
4	RN/NUKHA/24/0065	Construction of Tarapur, Dewghar P.W.D. road se Chadaniya Laxmipur	20803801010	-	0.950	72.00000	60.42341	3.6221	10MBD/2024-25 10.08.2024	09-05-2025	-	2808	Thickness of PCC Layer in 125 mm	-	34.72963	34.72963	25.35000	
												-	-	-	-	-	81.45000	


17104/25
AD-I

17104/25
Executive Engineer,
Rural Works Department
Work(s) Division Kharagpur-Tarapur


E ENGINEER, WORK DEPARTMENT, WORKS DIVISION ,KHARAGPUR-TARAPUR,(MUN
FORM GFR19 A


(See Government Of India'S Decesion (1) Below Rule 150)
(Form Of Utilization Certificate up To The Month Of Up To April 2025

New Maintenance Policy-2018

S. No.	Name Of Scheme/Purpose	Sanctioned Amounts(In Lacs-Rs.)	Amount Recived(IN Rs. Lacs)	Particulars
1	Construction of Rural Road under New Maintenance Policy-2018	762.43427	762.43427	Certified that Out of Rs.762.43427 lakh received up to date In Favour Of Executive Engineer , RWD, Kharagpur-Tarapur Sum of Rs.719.47351 lakh has been utilized for the purpose of New Maintenance Policy-2018 scheme as given in the margin for which it was sanctioned and that the balance Of Rs.42.96076 lakh remaining unutilized amount at the end of the period under.

- 2 Certified that I have satisfied myself that the condition on which the grants in aid was sanctioned have been duly
Fulfilled /are being Fulfilled And that I have Exercised the Checks to see that the money was actually utilized for which it was Sanctioned.


12/10/25
Divisional Accounts Officer-I
R.W.D. (W) Div, Kharagpur-
Tarapur (Munger)


12/10/25
Executive Engineer
R.W.D. (W) Div, Kharagpur-Tarapur
(Munger)

Name of work : Jhitti mod se durgapur path	
Name of customer : S B Engicon Private Limited	
(R) Rural Road	
Good	Average
< 4000	4001 - 5000
	Poor
	> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
18/12/24	12:15:20	71	100	100	23.0 cm	14.1 Km/Hr	2300.0 mm/Km	2454	3.37	Good	24.9815591	N	86.5830392	E	Normal
18/12/24	12:15:42	71	100	200	25.0 cm	15.4 Km/Hr	2500.0 mm/Km	2647	3.6	Good	24.9822783	N	86.5834305	E	Normal
18/12/24	12:16:05	71	100	300	28.0 cm	18.5 Km/Hr	2800.0 mm/Km	2938	3.95	Good	24.9831824	N	86.5836691	E	Normal
18/12/24	12:16:30	71	100	400	29.0 cm	19.3 Km/Hr	2900.0 mm/Km	3035	4.07	Good	24.9838293	N	86.5839006	E	Normal
18/12/24	12:16:56	71	100	500	29.0 cm	20.7 Km/Hr	2900.0 mm/Km	3035	4.07	Good	24.9846192	N	86.5844587	E	Normal
18/12/24	12:17:19	71	100	600	26.0 cm	22.2 Km/Hr	2600.0 mm/Km	2744	3.72	Good	24.9845371	N	86.5853538	E	Normal
18/12/24	12:17:44	71	100	700	27.0 cm	21.1 Km/Hr	2700.0 mm/Km	2841	3.84	Good	24.9846572	N	86.5862523	E	Normal
18/12/24	12:18:10	71	100	800	24.0 cm	23.7 Km/Hr	2400.0 mm/Km	2550	3.49	Good	24.9852524	N	86.5869165	E	Normal
18/12/24	12:18:35	71	100	900	28.0 cm	22.5 Km/Hr	2800.0 mm/Km	2938	3.95	Good	24.9857756	N	86.5875789	E	Normal
18/12/24	12:18:58	71	100	1000	27.0 cm	20.2 Km/Hr	2700.0 mm/Km	2841	3.84	Good	24.9855272	N	86.5883125	E	Normal
18/12/24	12:19:22	71	100	1100	25.0 cm	19.5 Km/Hr	2500.0 mm/Km	2647	3.6	Good	24.9860128	N	86.5890403	E	Normal
18/12/24	12:19:37	71	100	1200	25.0 cm	20.1 Km/Hr	2600.0 mm/Km	2744	3.72	Good	24.9868472	N	86.5891950	E	Normal
18/12/24	12:19:57	71	100	1300	29.0 cm	21.4 Km/Hr	2900.0 mm/Km	3035	4.07	Good	24.9876620	N	86.5894752	E	Normal
18/12/24	12:20:21	71	100	1400	30.0 cm	23.5 Km/Hr	3000.0 mm/Km	3132	4.19	Good	24.9885253	N	86.5902613	E	Normal
18/12/24	12:20:34	71	100	1500	27.0 cm	22.1 Km/Hr	2700.0 mm/Km	2841	3.84	Good	24.9891412	N	86.5905726	E	Normal
18/12/24	12:20:56	71	100	1600	27.0 cm	21.3 Km/Hr	2700.0 mm/Km	2841	3.84	Good	24.9899381	N	86.5910623	E	Normal
18/12/24	12:21:17	71	100	1700	24.0 cm	20.3 Km/Hr	2400.0 mm/Km	2550	3.49	Good	24.9902962	N	86.5913960	E	Normal
18/12/24	12:21:32	71	100	1800	26.0 cm	19.1 Km/Hr	2600.0 mm/Km	2744	3.72	Good	24.9906022	N	86.5929511	E	Normal
18/12/24	12:21:53	71	100	1900	29.0 cm	18.6 Km/Hr	2900.0 mm/Km	3035	4.07	Good	24.9910046	N	86.5936410	E	Normal
18/12/24	12:22:12	71	100	2000	31.0 cm	15.9 Km/Hr	3100.0 mm/Km	3229	4.3	Good	24.9910872	N	86.5946315	E	Speed Breaker
18/12/24	12:22:33	71	100	2100	28.0 cm	19.8 Km/Hr	2800.0 mm/Km	2938	3.95	Good	24.9913757	N	86.5955302	E	Normal



 19/12/24
 AE

Name of work : Jhitti mod se durgapur path															
Name of customer : S B Engicon Private Limited															
(R)Rural Road															
Good					Average					Poor					
< 4000					4001 - 5000					> 5000					
18/12/24	12:22:55	71	100	2200	24.0 cm	20.2 Km/Hr	2400.0 mm/Km	2550	3.49	Good	24.9915680	N	86.5965470	E	Normal
18/12/24	12:23:19	71	100	2300	26.0 cm	22.7 Km/Hr	2600.0 mm/Km	2744	3.72	Good	24.9918503	N	86.5974081	E	Normal
18/12/24	12:23:55	71	100	2400	28.0 cm	25.1 Km/Hr	2800.0 mm/Km	2938	3.95	Good	24.9922665	N	86.5983560	E	Normal
18/12/24	12:24:20	71	100	2500	24.0 cm	19.2 Km/Hr	2400.0 mm/Km	2550	3.49	Good	24.9927710	N	86.5991072	E	Normal
18/12/24	12:24:43	71	100	2600	27.0 cm	18.6 Km/Hr	2700.0 mm/Km	2841	3.84	Good	24.9933761	N	86.5998983	E	Normal
18/12/24	12:25:03	71	100	2700	25.0 cm	21.4 Km/Hr	2500.0 mm/Km	2647	3.6	Good	24.9940093	N	86.6005261	E	Normal
18/12/24	12:25:28	71	100	2800	28.0 cm	20.1 Km/Hr	2800.0 mm/Km	2938	3.95	Good	24.9947480	N	86.6012158	E	Normal
18/12/24	12:25:51	71	100	2900	25.0 cm	19.4 Km/Hr	2500.0 mm/Km	2647	3.6	Good	24.9952713	N	86.6019332	E	Normal
18/12/24	12:26:21	71	100	3000	27.0 cm	18.1 Km/Hr	2700.0 mm/Km	2841	3.84	Good	24.9961205	N	86.6023168	E	Normal
18/12/24	12:26:43	71	100	3100	24.0 cm	16.2 Km/Hr	2400.0 mm/Km	2550	3.49	Good	24.9969453	N	86.6025324	E	Normal
18/12/24	12:27:05	71	100	3200	29.0 cm	17.3 Km/Hr	2900.0 mm/Km	3035	4.07	Good	24.9978975	N	86.6026462	E	Normal
18/12/24	12:27:26	71	100	3300	27.0 cm	18.3 Km/Hr	2700.0 mm/Km	2841	3.84	Good	24.9986781	N	86.6029804	E	Normal
18/12/24	12:27:48	71	100	3400	26.0 cm	16.4 Km/Hr	2600.0 mm/Km	2744	3.72	Good	24.9992837	N	86.6037235	E	Normal
18/12/24	12:28:10	71	100	3500	28.0 cm	15.3 Km/Hr	2800.0 mm/Km	2938	3.95	Good	24.9991930	N	86.6046568	E	Normal
18/12/24	12:28:33	71	100	3600	30.0 cm	17.2 Km/Hr	3000.0 mm/Km	3132	4.19	Good	24.9995893	N	86.6055371	E	Speed Breaker
18/12/24	12:28:56	71	100	3700	25.0 cm	15.3 Km/Hr	2500.0 mm/Km	2647	3.6	Good	24.9998602	N	86.6065085	E	Normal
18/12/24	12:29:22	71	100	3800	27.0 cm	14.1 Km/Hr	2700.0 mm/Km	2841	3.84	Good	25.0002871	N	86.6069592	E	Normal

9/2/24
19/12/24
AE

DeDe
19/12-124

Name of Customer: S B Engicon Private Limited, Machine no: 19213, Road: Jhitti mod se durgapur path, Date: 18-12-24, Section No: 71, Equation: $Y=0.969X+224.9$



912
19/12/24
AE

912
19/12/24