



# Abstract of cost

25

Sch. XLV-Form No. 134

| Particulars                         | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------|-------------------------------|----|----|----|------------------|
|                                     | No.                           | L. | B. | D. |                  |
| ① Construction of bench             |                               |    |    |    |                  |
| mark pillar - E.I.                  |                               |    |    |    |                  |
| 1.191 km O.V.T. MBP-③               |                               |    |    |    |                  |
| @ 7827.01/m - Rs.                   |                               |    |    |    | 9322.00          |
| ② Const. of Reference               |                               |    |    |    |                  |
| pillar - E.I.                       |                               |    |    |    |                  |
| 1.191 km O.V.T. MBP-③               |                               |    |    |    |                  |
| @ 6499.16/m - Rs.                   |                               |    |    |    | 7669.00          |
| ③ clearing & grubbing               |                               |    |    |    |                  |
| road bed - E.I.                     |                               |    |    |    |                  |
| 0.83 Hect. O.V.T. MBP-③             |                               |    |    |    |                  |
| @ 75573.34/Hect - Rs.               |                               |    |    |    | 62726.00         |
| ④ Const. of embankment              |                               |    |    |    |                  |
| lead 1000m - E.I.                   |                               |    |    |    |                  |
| 671.76 m <sup>3</sup> O.V.T. MBP-④  |                               |    |    |    |                  |
| @ 259.60/m <sup>3</sup> - Rs.       |                               |    |    |    | 174389.00        |
| ⑤ Const. of embankment              |                               |    |    |    |                  |
| lead 100m - E.I.                    |                               |    |    |    |                  |
| 1567.45 m <sup>3</sup> O.V.T. MBP-④ |                               |    |    |    |                  |
| @ 211.35/m <sup>3</sup> - Rs.       |                               |    |    |    | 331343.00        |
| ⑥ Const. of subgrades               |                               |    |    |    |                  |
| shoulder - E.I.                     |                               |    |    |    |                  |
| 891.74 m <sup>3</sup> O.V.T. MBP-④  |                               |    |    |    |                  |
| @ 263.14/m <sup>3</sup> - Rs.       |                               |    |    |    | 234652.00        |
| ⑦ Const. of USB width               |                               |    |    |    |                  |
| metel - E.I.                        |                               |    |    |    |                  |

Continuation

Scanned with CamScanner