

8532/1000X1000 नै.उपभा.वि.केंद्र  
 25/12/25  
 बिहार BIHAR  
 17/12/25  
 AZ 332010  
 विनोद कुमार सिंह  
 मंडल विभाग  
 निबंधन कार्यलय सहस्रसा  
 कां नं 203 (क) (ख) 1990

### Supplementary Agreement

Original Agreedement Amount Rs. 3,90,40,824.00 Date of commencement:-21.12.2022  
 Revised Agreedement Amount. Rs. 25,08,841.00 Date of completion :-20.12.2023  
 Total :-4,15,49,665.00

### Supplementary Agreement of :-26 SBD/MMGSY/2022-23

This agreement, made the 15<sup>th</sup> day of December-2025. between Rural Works Department (Govt.of Bihar) Works Division Simri Bakhtiyarpur (hereinafter called "the Employer") of the one part, and Jai Mata Di Construction, Add-Gamharia, Po-Gamharia, Ps-Sour Bazar, Dist-Saharsa . Reg. No- 1240502, Class 1<sup>st</sup> Mob.-9430289341, PAN No-AAEFJ6577B, GSTIN-10AAEFJ6577B1ZQ (hereinafter called "the contractor" of the other part) Whereas the employer is desirous that the Contractor execute the Construction and maintenance of road from MMGSY-(GEN)- Part-A- Pradhanmantri Sadak To Khojraha Mahendra Yadav Ke Ghar Se Uttar Part-B- Construction of H.L R.C.C Bridge Span 2x18.75 m at CH-900.0M in Pradhanmantri Sadak To Khojraha mahendra Yadav Ke Ghar Se Uttar Road with Approach Road. In Saharsa District, (Tender ID118231) and (Bid ID- 509632) (hereinafter called "the Works") and the employer has accepted the Bid by the Contractor for the execution and completion of such Works and the Routine maintenance of the work for 5 years of the contract price and remedying of any defects therein at a revised cost of Rs. 25,08,841.00 (Rupees-Twenty five lakh eight thousand eight hundred forty one Only) 5.77% below as per above calculation.

M/s Jay Mata Di Construction  
 Rajendra Kumar  
 Partner

15.12.25

Executive Engineer  
 R.W.D. (W) Division, Simri Bakhtiyarpur



**NOW THIS AGREEMENT WITNESSETH AS FOLLOWS :-**

1. In this agreement, words and expressions shall have the same meanings as are respectively assigned to them in the conditions of contract hereinafter referred to and they shall be deemed to form and be read and construed as part of this Agreement.
2. In this Agreement of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.
3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the works and the remedying the defect wherein the Contract Price or such sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
4. The Following documents shall be deemed to form and be read and construed as part of this Agreement, viz:

- (i) Letter of Acceptance
- (ii) Notice to proceed with the works.
- (iii) Contractor's Bid
- (iv) Contract data
- (v) Conditions of contract :- Special and General.
- (vi) Specification of MORD
- (vii) Drawings
- (viii) Bill of Quantities. And
- (ix) Other document listed in the contract data as forming part of the contract.

In witnessed where of the parties there to have caused this Agreement to be executed the day and year first before written.

The common seal of .....


Was hereunto affixed in the presence of .....

Signed, Sealed and delivered by the said .....

In the presence of:

Binding Signature of Employer .....

Binding Signature of Contractor ..... M/s. Jay Mata Di Construction  
Rajender Kumar



Partner

Executive Engineer

R.W.D. (W) Division, Simri Bakhtiyarpur

M/s Jay Mata Di Construction  
Rajender Kumar  
Partner


15-12-25

15/12/25

OFFICE OF THE EXECUTIVE ENGINEER  
R.W.D. WORKS DIVISION, SIMRI BAKHTIYARPUR


Details of Earnest Money

Sl No.	F.D./T.D./N.S.C./B.G./K.V.P No.	Nos	Issued Date	Maturity Date	Amount
1	4468053466-5	1	27.11.2025	26.02.2026	51000.00
Total :-					51000.00

  
Executive Engineer

Rural Works Department  
Works Division, Simri Bakhtiyarpur

M/s Jay Mata Di Construction  
Rajender Kumar  
Partner

  
15.12.25

  
15/12/25



बिहार सरकार  
ग्रामीण कार्य विभाग

पत्रांक- BRRDA (HQ) MMGSY (N)-270/13 Part-IV 920

/पटना, दिनांक- 2.7.19

प्रेषक,

संजय दूबे, भा०प्र०से०  
अपर सचिव,  
ग्रामीण कार्य विभाग, पटना।

सेवा में,

अभियंता प्रमुख,  
सभी मुख्य अभियंता,  
सभी अधीक्षण अभियंता,  
सभी नोडल पदाधिकारी,  
सभी कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग।

विषय:-SBD (Standard Bidding Document) को Contract Clause-25 को विभागीय  
SBD/NIT Agreements में प्रतिस्थापित करने के संबंध में।

महाशय,

निदेशानुसार उपर्युक्त विषय के संबंध में कहना है कि पथ निर्माण विभाग की अधिसूचना संख्या-7435  
(S) दिनांक 14.08.2019 SBD (Standard Bidding Document) के द्वारा Contract Clause-  
25 को निम्नलिखित रूप से प्रतिस्थापित किया गया है -

"Contract Clause-25 Settlement of Disputes and Arbitration- The Settlement  
of Disputes and Arbitration Shall be done in accordance with the Provisions Made  
in Bihar Public Works Contracts Disputes Arbitration Tribunal Act, 2008."  
उक्त के क्रम में यह निदेश दिया जाता है कि -

- (1) ग्रामीण कार्य विभाग अंतर्गत PMGSY को छोड़कर भविष्य की सभी निर्माण  
योजनाओं में Standard Bidding Document, NIT तथा एकरारनामा आदि  
दस्तावेजों में उक्त आशय का संशोधन तुरत अनिवार्यतः किया जाए।
- (2) पूर्व के सभी Standard Bidding Document के आलोक में चल रहे कार्यों में  
संवेदक की लिखित सहमति प्राप्त कर वर्तमान एकरारनामा में उक्त आशय का  
संशोधन किया जाए।

M/s Jay Mata Di Construction

Rajendra Kumar

Partner

विश्वासभाजन

30/8/19

सरकार के अपर सचिव

Executive Engineer  
R.W.D. Works Division  
Simarbakhtiyapur

15-12



**Office of The Executive Engineer  
R.W.D., Works Division, Simri Bakhtiyarpur**

AGREEMENT NO :- .....,

Financial Year .....

सरकार के अपर सचिव का पत्रांक—BRRDA(HQ)MMGSY(N)-270/13 Part-IV -920 /


पटना, दिनांक—02.09.2019


पथ निर्माण विभाग की अधिसूचना संख्या—7435 (S) दिनांक—14.08.2019 SBD (Standard Bidding Document) के द्वारा Contract Clause-25 को निम्नलिखित रूप से प्रतिस्थापित किया गया है :-

“ Contract Clause-25 Settlement of Disputes and Arbitration- The Settlement of Dispute and Arbitration Shall be done in accordance with the Provisions Made in Bihar Public Works Contracts Disputes Arbitration Tribunal Act, 2008”

मैं उपर्युक्त शर्त से सहमत  
होकर हस्ताक्षर किया हूँ।

Contractor

  
15.12

  
Executive Engineer  
Rural Works Division  
Simri Bakhtiyarpur

  
15/12/25



**कार्यपालक अभियंता का कार्यालय**  
**ग्रामीण कार्य विभाग, कार्य प्रमंडल, सिमरी बख्तियारपुर।**

Email ID :- ee.simribakhtiyarpur@gmail.com (Mob-8986915464)

पत्रांक... 2802/328/0/  
प्रेषक,

सिमरी बख्तियारपुर, दिनांक- 04.12.25

कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल सिमरी बख्तियारपुर।

सेवा में,

State Bank of India,  
Bajnathpur (12645)

विषय :- F.D/T.D/NSC/B.G के सत्यापन के संबंध में ।

महाशय,

उपर्युक्त विषय के संदर्भ में कहना है कि निम्नलिखित F.D/T.D/NSC/B.G जो आपके शाखा से निर्गत होने के पश्चात् अधोहस्ताक्षरी के पदनाम से प्रतिज्ञिप्त है, जिसे संवेदक M/s Jai Mata Di Construction, Gamharia, Po-Gamharia, Ps-Sour Bazar, Dist-Saharsa के द्वारा प्रतिभूति के रूप में जमा की गई है जिसे सत्यापित कर यथाशीघ्र हाथों-हाथ या Email ID :- ee.simribakhtiyarpur@gmail.com के माध्यम से लौटाने की कृपा की जाय ताकि अग्रेतर कार्रवाई की जा सकें।

Sl. No.	Name of Road	F.D Account No	Date of Issue	Validity	Amount
01	Construction or Road From Pradhan Mantri Sadak to Khojraha Mahendra Yadav ke Ghar tak (Revise Agreement)	4468053466-5	27.11.2025	26.02.2026	51000.00
Total Amount :-					51000.00

अनु० :- यथोक्त।

विश्वासभाजन


*(Signature)*

कार्यपालक अभियंता  
ग्रामीण कार्य विभाग

कार्य प्रमंडल, सिमरी बख्तियारपुर।

*(Signature)*  
04/12/25

Dear Sir,  
FDR 4468053466-5  
has been 18th Jan out  
Bocun 3 in Jan J.  
EE RWD WD  
BM as  
4/12/25



M/s Jay Mata Di Construction  
Rajender Kumar  
Partner

*(Signature)*  
Executive Engineer  
R.W.D. Works Division  
Simribakhtiyarpur  
15/12/25



Account Number	4468053466-5	INR	Product	STD-PUB OTH UNI 101D-10YRS	Inv't Type	0
Home Branch	12645		User Codes	00000000000000000000	Status	OPEN
District	0		Agent Code	0	Rel Manager	0
Notice Ind	0		Mail Ind	1		
Account Name	EE RWD WD SIMRI BAKHTIYARI		Account Maintained At			
Customer Name	M/S JAI MATA DI CONSTRUCTIC		Int Paid 1	0		
Door/FlatNo;Building/Society	AT-GAMHARIA		Int Paid 2	0		
Street/Road Name/Block	P.O. GAMHARIA (RAMPUR)		Int Paid 3	0		
Locality/Village/Tehsil	VIA-SOUR BAZAR		Int Paid 4	0		
District	Saharsa	852201	Int Paid 5	0		
Open Dt	27/11/2025		Cr Int Rate	6.0500	Dr Int Rate	0
Balance	51000.00 CR		Od Limit	0	Od Exp	99/99/9999
Unclear	0		Hold Value	51000.00	Term Receipt No	
Cls Int	0		Cr Int Incr	8.38451	Int From	27/11/2025
Cls Tax	0		Cr Int Proj	17858.97800	Int To	26/11/2030
Od Int	0		Int Avail	0	Last Txn	27/11/2025
Avl Bal	0.00		Matched Rate		LastAcc TypeChange	
Comp. Freq.	3A		Comp. Amt.	0	Int.Monthly Basis	Y
Comp. SOP Dt.	27/11/2025		Comp. EOP Dt.	26/02/2026	Renewal Date	

S.No	Type	Post.Dt	Int.No	Value.Dt	Txn-Amount	Curr-Balance	Chg.No
1	31	27/11/25	360559566	27/11/25	51000.00		000000000
2	36	27/11/25	329529971				
3	20	27/11/25	329529971				
4	1	27/11/25	329529971	27/11/25	51000.00 CR	51000.00 CR	285165
5	40	27/11/25	27/11/25	MATURES 27/11/30	***** 2511	***** 2133	*****

END OF TXN

pledge to EE RWD WD Simri Bakhtiyarpur



of Indian  
New on  
22/11/25-

**M/s Jay Mata Di Construction**

Rajendra Kumar  
Partner

828  
15.12

Executive Engineer  
R.W.D. Works Division  
Simarbakhtyapur

15/12/23



**अधीक्षण अभियंता का कार्यालय,  
ग्रामीण कार्य विभाग, कार्य अंचल, सहरसा।**  
पत्रांक ---1071---/3730

प्रेषक,

ई0 राजीव रंजन सुधांशु,  
अधीक्षण अभियंता,

सेवा में,

कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल, सिमरी बख्तियारपुर।

सहरसा, दिनांक 15.09.2025

**विषय :** शीर्ष मुख्यमंत्री ग्राम सम्पर्क योजना (MMGSY-Gen) अन्तर्गत पुनरीक्षित तकनीकी स्वीकृति के उपरान्त कुल-01(एक) अदद पथ की पुनरीक्षित परिमाण विपत्र अनुमोदन करने के संबंध में।

**प्रसंग :** आपका पत्रांक 2121 अनु0, दिनांक 15.09.2025, मुख्य अभियंता-4 (पूर्वियाँ), ग्रामीण कार्य विभाग, बिहार, पटना का पत्रांक-11/मु0अ0-4,त0स्वी0-07-214/25-2295 अनु0, पटना, दिनांक 22.08.2025 एवं अभियंता प्रमुख,ग्रामीण कार्य विभाग, बिहार, पटना का पत्रांक-BRRDA(HQ)-MMGSY-516/24-1174 पटना, दिनांक 05.06.2025

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र द्वारा प्राप्त ग्रामीण कार्य विभाग, कार्य प्रमंडल, सिमरी बख्तियारपुर के अधीन शीर्ष मुख्यमंत्री ग्राम सम्पर्क योजना (MMGSY-Gen) अन्तर्गत पुनरीक्षित तकनीकी स्वीकृति के उपरान्त कुल-01(एक) अदद पथ की पुनरीक्षित परिमाण विपत्र अनुमोदित कर एक प्रति मूल रूप में अग्रतर कार्रवाई हेतु भेजी जाती है, जो निम्नलिखित है :-

SL. No.	Block	Name of Road	Length (KM/M)	A/A Amount (Cons.+ Maint.) (In Lakh)	Revised T/S Amount (Cons.+Maint. (In Lakh)	Revised Approved B.O.Q. (In Amount)
1.	Salkhua	<u>Part-A (Road)</u> Pradhan Mantri Sadak To Khojraha Mahendra Yadav Ke Ghar Se Uttar.	1.119 KM	121.590	133.201	30773709=00
		Construction of HL RCC Bridge Span 2x18.75m at Pradhan Mantri Sadak To Khojraha Mahendra Yadav Ke Ghar Se Uttar Road With Approach Road	40.62 M	251.270	307.737	

अनु0:-पुनरीक्षित परिमाणों विपत्र एक प्रति मूल में।

विश्वासभाजन,

(ई0 राजीव रंजन सुधांशु)

अधीक्षण अभियंता,

ग्रामीण कार्य विभाग, कार्य अंचल,  
सहरसा।

M/s Jay Mata Di Construction

Rajender Kumar

Partner

Executive Engineer  
R.W.D. Works Division  
Simabakhtiyapur



# **BILL OF QUANTITIES (BOQ) - REVISED** **MMGSY-GEN**

Name of Road:-Construction of III. Bridge At Pradhanmantri Sadak to Khojraha Mahendra Yadav ka Ghar,

Block:-Salkhua

District:-Saharsa

S.No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
	<b>FOUNDATION</b>				
1	Excavation for structures				
	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 Including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.				
	I.Ordinary Soil				
	i) Upto 3m depth	Cum	378.75	334.58	126722.18
2	Providing and laying of PCC M15 levelling course 100mm thick below the pile cap.				
	II. PCC Grade M-15 (Levelling Course for Pile Cap)	Cum	21.87	6661.81	145693.78
3	R.C.C. grade M 30 in Pile Foundation complete as per Dwg & Tech Specification.				
	Pile Cap in RCC M-30	Cum	239.61	7156.76	1714831.26
4	Bored cast-in-situ M35 grade R.C.C. Pile excluding Reinforcement complete as per Drawing and Technical Specifications and removal of excavated earth with all lifts and lead upto 1000 m.				
	II. 1200 mm Dia	M	372.00	17273.89	6425887.08
5	Supplying, fitting and placing HYSD bar reinforcement in foundation complete as per drawings and technical specifications Clauses 1000 and 1202	MT	51.77	71395.83	3696162.12
6	Providing and Constructing Temporary Earth island	No	1.00	60000.18	60000.18
7	Providing and constructin one span service road to reach island location from one pier location to another pier location including	RM	18.75	3995.77	74920.69
	<b>SUBSTRUCTURE</b>				
8	R.C.C. grade M-30 in Substructure complete as per Dwg & Tech Specification				
	RCC M-30				
	i) Upto 5m height (Using Concrete Mixer)	Cum	162.87	7433.04	1210619.22
	ii) From 5m upto 10m height (Using Concrete Mixer)	Cum	15.25	7510.70	114538.18
9	R.C.C. grade M-35 in Substructure complete as per Dwg & Tech Specification				
	RCC M-35				
	ii) From 5m upto 10m height (Using Concrete Mixer)	Cum	9.14	7614.22	69593.97
10	Supplying, fitting and placing HYSD bar reinforcement (Fe 415) in substructure complete as per drawings and technical specification Clauses 1002, 1005, 1010 & 1202	MT	23.24	71571.04	1663310.97
11	Supplying, fitting and fixing in position true to line and level POT-PTFE bearing consisting of a metal piston supported by a disc or unreinforced elastomer confined within a metal cylinder, sealing rings, dust seals, PTFE surface sliding against stainless steel mating surface, complete assembly to be of cast steel/fabricated structural steel, metal and elastomer elements to be as per IRC: 83 part-I & II respectively and other parts conforming to BS: 5400, section 9.1 & 9.2 and clause 2006 of MoRTH Specifications complete as per drawing and approved Technical Specifications	No.	12.00	46437.38	557248.56
12	Supplying, fitting and fixing in position true to line and level elastomeric bearing conforming to IRC: 83 (Part-II) section IX and clause 2005 of MoRTH specifications complete including all accessories as per drawing and Technical Specifications	cc	131475.00	0.82	107809.50

Executive Engineer  
R.W.D. Works Division  
Simarbhaktiyapur

Approved & Corrected

15/9/25  
S.E.  
Rajendra Kumar, Saharsa  
15/9/25

M/s Jay Mata Di Construction

Rajendra Kumar  
Partner

8/12

Executive Engineer  
R.W.D. Works Division  
Simarbhaktiyapur  
15/9/25



	Description of Items	Unit	Quantity	Rate	Amount
	2	3	4	5	6
13	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7	Nos	132.00	127.75	16863.00
14	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8				
	I) Sandy Material	Cum	200.84	862.91	173306.84
15	Providing and laying filter media with granular crushed aggregates (Jhama Metal) as per specification to a thickness of not less than 600 mm with smaller size towards the soil and bigger size towards the wall and providing over the entire surface behind abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and technical specification Clause 1204.3.8	Cum	98.78	3580.15	353647.22
	<b>SUPERSTRUCTURE</b>				
16	Providing and laying reinforced cement concrete in superstructure complete as per drawing and technical specifications Clauses 800, 1205.4 and 1205.5				
	II. RCC M-30	Cum	177.87	8297.02	1475790.95
17	Supplying, fitting and placing HYSD bar reinforcement (Fe 415) in superstructure complete as per drawings and technical specification Clauses 1002, 1010 & 1202	MT	24.16	72848.80	1760027.01
18	Providing and laying cement concrete wearing course M 30 grade including reinforcement complete as per drawing and technical specifications Clauses 800 and 1206.3	Cum	19.99	15540.23	310649.20
19	Construction of R.C.C. railing of M 25 grade in cast-in-situ with 20 mm nominal size aggregate, true to line and grade, tolerance of vertical railing post not to exceed 1 in 500, centre-to-centre spacing between vertical posts not to exceed 2000 mm as per drawing and technical specifications Clauses 800, 900 and 1208.3	m	96.92	3815.28	369776.94
20	Drainage Spouts complete as per drawing and technical specifications Clause 1209	Nos	16.00	707.70	11323.20
21	P.C.C. M-15 ordinary grade (1:2.5:5) levelling course below approach slab complete as per drawing and technical specifications Clauses 800 & 1211.	Cum	8.87	5940.36	52690.99
22	Reinforced Cement Concrete M-30 grade approach slab including reinforcement and formwork complete as per drawing and technical specifications Clauses 800 and 1211	Cum	20.11	11944.79	240209.73
23	Strip Seal Expansion Joint (Providing and laying of a strip seal expansion joint catering to maximum horizontal movement upto 70 mm, complete as per approved drawings and standard specifications to be installed by the manufacturer/supplier or their authorised representative ensuring compliance to the manufacturer's instructions for installation.)	M	25.35	11286.07	286101.87
24	Providing & fixing 20 mm thick compressible fibre board in expansion joint complete as per drawing & Technical Specification.	M	25.35	276.46	7008.26
25	Providing and fixing in position 20 mm thick premoulded joint filler in expansion joint for fixed ends of simply supported spans not exceeding 10 m to cater for a horizontal movement upto 20 mm, covered with sealant complete as per drawing and technical specifications.	M	25.35	388.52	9848.98
	<b>PROTECTION WORK</b>				
	Excavation for Structures				
26	Providing and laying boulder pitching on slopes laid over prepared filter media as per drawing and technical specifications Clause 1302	Cum	480.92	3467.70	1667686.28
27	Providing and laying filter material underneath pitching in slopes complete as per drawing and technical specifications Clause 1302	Cum	174.64	3931.38	686576.20
	<b>APPROACH</b>				

Executive Engineer  
R.W.D. Works Division  
Simarbhakhtiyapur

Approved & Corrected

S.E.  
R.W.D. Works, Circle, Saharsa

15-09-25

Executive Engineer  
R.W.D. Works Division  
Simarbhakhtiyapur

M/s Jay Mata Di Construction

Rajendra Kumar  
Partner

15-12



	Description of Items	Unit	Quantity	Rate	Amount
	2	3	4	5	6
28	Clearing and Grubbing Road Land ( By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification - clause 201.1 and direction of E/I	Hect.	0.11	59228.52	6515.14
29	Construction of Embankment with material obtained from borrow pits with a lift upto 1.5 m, transporting to the site spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5.	Cum	12544.35	209.90	2633059.07
30	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1.	Cum	118.69	211.68	25124.30
31	Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. (For Grading I Material)	Cum	123.93	3094.60	383513.78
32	WBM Grading 3 :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	Cum	43.03	3891.15	167436.18
33	Prime Coat (Low Porosity) :- Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0kg/sqm using mechanical means as per Technical Specification Clause 502	Sqm	573.75	55.87	32055.41
34	Tack Coat :- Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surface treated with Primer and cleaned with hydrilic broom as per technical specification clause 503.	Sqm	573.75	18.59	10666.01
35	Mix Seal Surfacing ( Type B ):- Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type-B) aggregates using penetration grade bitumen to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN static roller and finishing to required level and grades as per Technical Specification Clause 509	Sqm	573.75	244.87	140494.16
36	Informatory Sign Board:- Providing and Fixing 'Logo' of Project in mayory sign board with Logo as per MORD specifications and drawing. Three MS plates of 1.6mm thick, top and middle plate duly welded with MS flat iron 25mm x 5 m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 Nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600 mm, 600 mm, 600 below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12SWG steel plate tube. All MS will be stove enameled on both sides. Lettering and printing arrows, border etc, will be painted with ready mixed synthetic enamer paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 abd Annexure 1700.1.	Nos.	3.00	9441.18	28323.54

*[Signature]*  
15/12/25  
Executive Engineer  
R.W.D. Works Division  
Simarbhathiyapur

Approved & Corrected

*[Signature]*  
15/12/25  
S.E.  
R.W.D. Works Circle, Sanaria  
15-09-25  
M. K. S.

M/s Jay Mata Di Construction  
Rajendra Kumar  
Partner

*[Signature]*  
15-12

*[Signature]*  
15/12/25  
Executive Engineer  
R.W.D. Works Division  
Simarbhathiyapur



1	2	3	4	5	6
	Description of Items	Unit	Quantity	Rate	Amount
37	Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes.	Sqm	30.00	746.45	22393.50
38	Reinforced cement concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704	No.	202.00	574.00	115948.00
				TOTAL =	26954373.46
				12% GST	3234524.82
				1% LABOUR CESS	269543.73
				SEIGNIORAGE FEE 10%	126836.53
				TOTAL (A)=	30585278.54
39	1st Year Maintenance cost	Year	1	29205.00	29205.00
40	2nd Year Maintenance cost	Year	1	31094.00	31094.00
41	3rd Year Maintenance cost	Year	1	33257.00	33257.00
42	4th Year Maintenance cost	Year	1	35237.00	35237.00
43	5th Year Maintenance cost	Year	1	37218.00	37218.00
				TOTAL=	166011.00
				12% GST	19921.32
				1% LABOUR CESS	1660.11
				SEIGNIORAGE FEE 10%	838.13
				TOTAL (B)=	188430.56
	Grand Total (in Lakhs)			TOTAL (A+B)=	30773709.10

Executive Engineer  
R.W.D. Works Division  
Simarabakhtiyapur

Construction Cost Rs. 3,05,85,278.50  
5 years Maintenance Cost Rs. 1,88,431.00  
total Amount of B.O.O. Rs. 3,07,73,709.50

B.O.O. approved for Rs Three crore Seven Lakhs  
Seventy Three Thousand Seven Hundred Nine  
Only.

Approved & Corrected

R.W.D. Works Division, Simarabakhtiyapur

M/s Jay Mata Di Construction

Rajendra Kumar  
Partner

Executive Engineer  
R.W.D. Works Division  
Simarabakhtiyapur