

कार्यपालक अभियंता का कार्यालय,  
ग्रामीण कार्य विभाग, कार्य सिमरी बख्तियारपुर।

पत्रांक:- 176

सिमरी बख्तियारपुर दिनांक:- 24.01.2025

प्रेषक,

कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,  
कार्य प्रमंडल, सिमरी बख्तियारपुर।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,  
ब्राडा, पटना।

विषय:- 3054 बिहार ग्रामीण पथ नई अनुरक्षण नीति 2018 के योजना अन्तर्गत में  
अधियाचित राशि का आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषयक प्रासंगिक पत्र के अनुपालन में 3054 बिहार ग्रामीण पथ नई  
अनुरक्षण नीति 2018 के योजना अन्तर्गत राशि की माँग संलग्न विहित प्रपत्र में पथवार की  
गई है।

अतः भवदीय से अनुरोध है कि विहित प्रपत्र के कॉलम 18 में अंकित कुल राशि  
का आवंटन उपलब्ध कराने की कृपा की जाय। अधियाचित राशि के संदर्भ में Bump  
Intrigater Report की छाया प्रति संलग्न कर समर्पित किया जा रहा है।

अनु० यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग,

कार्य प्रमंडल, सिमरी बख्तियारपुर।

Requisition Format for Scheme Head - MR (3054) Under Bihar Rural Road maintenance Policy 2018 (Initial Rectification and Surface Renewal)

Name of Division : Simri Bakhtiyarpur

SL No	Package no.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lac)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Alloted Amount (Lac)	up to date expenditure as per MIS (in Lac)	Requisition Against work done (In lac)	Remarks
					Length (In Km)	Amount (in Lac)	Initial Rectification with Surface Renewal (in lac)	5 years Routine Maintenance (In lac)										
1	RM/SN/SIM/24/0009	Construction of road from the house of Siyamsundar Sah to main road via Karu baba ashan chaubatia Bahaur Musahar santmat sansang mandir.	20904401026	Letter no-29 Dated-03.01.2024	1.230	98.91000	82.56443	11.17135	08/MBD/MR-3054-24-25/ 19.09.2024	18.06.2025	-	2.750	25mm	5%	0.00000	0.00000	56.00000	Road Complete

Executive Engineer  
RWD Works Division,  
Simri-Bakhtiyarpur

29/10/25  
24.07.2025



Form GFR 19- A  
(See Government of India's Decision (I) below Rule - 150)  
Form of Utilization Certificate upto the month of Jan -2025  
New Maintenance Policy 2018

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs)	Amount Received (in lacs)	Particulars
1	1	Letter No 07 Dated 22.01.2025	Rs 7541.15365 Vide Letter No 07 Dated 22.01.2025	Certified that out of RS 7541.15365 lacs of grants in aid sanctioned during the Years up to 2024-25 in favour of Executive Engineer, RWD Works Division Simri Bakhtiyarpur under this Department, a sum of Rs 6787.33436 lacs has been utilized for the purpose of New_MR Scheme remaining 753.81929 unutilized at the end of the period under report.
		Total :	7541.15365	

Certified and verified myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled / are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.



**Kinds of Checks exercised :-**

- i Works have been supervised by Executive Engineer/ Superintending Engineer.
- ii Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- iii Construction material have been tested.  
Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- iv
- v All other codal formalities have been observed.

**Physical Progress achieved :-**

- i Construction of Road works.
- ii Construction of CD works

Sr D.A.O  
RWD works Division  
Simri Bakhtiyarpur


  
 Executive Engineer  
 RWD works Division  
 Simri Bakhtiyarpur  
  
 24.01.2025

<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <b>Name of work :</b> Construction of road from the house of Siyamsundar Sah to main road via Karu baba asthan chaubania Bahaur Musahari santmat santsang mandir         </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <b>Name of customer :</b> Rajesh Ranjay Construction         </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;"> <b>(R)Rural Road</b> </div> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 5px;"> <tr> <th style="width: 15%;">Good</th> <th style="width: 35%;">Average</th> <th style="width: 50%;">Poor</th> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Date</th> <th>Time</th> <th>Test No</th> <th>Distance(m)</th> <th>Total Distance(m)</th> <th>BUMP(cm)</th> <th>Speed(Km/Hr)</th> <th>UI(mm/Km)</th> <th>Corrected UI (mm/Km)</th> <th>IRI</th> <th>Status</th> <th>Latitude</th> <th>Direction</th> <th>Longitude</th> <th>Direction1</th> <th>Remarks</th> </tr> </thead> <tbody> <tr><td>24/01/2025</td><td>14:23:01</td><td>255</td><td>0</td><td>0</td><td>0.0 cm</td><td>15.7 Km/Hr</td><td>0.0 mm/Km</td><td>88</td><td>0.17</td><td>Good</td><td>25.797418</td><td>N</td><td>86.818361</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:23:17</td><td>255</td><td>100</td><td>100</td><td>25.0 cm</td><td>44.5 Km/Hr</td><td>2500.0 mm/Km</td><td>2423</td><td>3.33</td><td>Good</td><td>25.797418</td><td>N</td><td>86.818361</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:23:34</td><td>255</td><td>100</td><td>200</td><td>25.0 cm</td><td>44.5 Km/Hr</td><td>2500.0 mm/Km</td><td>2423</td><td>3.33</td><td>Good</td><td>25.797418</td><td>N</td><td>86.818361</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:23:53</td><td>255</td><td>100</td><td>300</td><td>19.0 cm</td><td>36.5 Km/Hr</td><td>1900.0 mm/Km</td><td>1863</td><td>2.63</td><td>Good</td><td>25.797418</td><td>N</td><td>86.818361</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:24:12</td><td>255</td><td>100</td><td>400</td><td>25.0 cm</td><td>44.5 Km/Hr</td><td>2500.0 mm/Km</td><td>2423</td><td>3.33</td><td>Good</td><td>25.792854</td><td>N</td><td>86.822628</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:24:30</td><td>255</td><td>100</td><td>500</td><td>25.0 cm</td><td>44.5 Km/Hr</td><td>2500.0 mm/Km</td><td>2423</td><td>3.33</td><td>Good</td><td>25.792854</td><td>N</td><td>86.822628</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:24:47</td><td>255</td><td>100</td><td>600</td><td>19.0 cm</td><td>36.5 Km/Hr</td><td>1900.0 mm/Km</td><td>1863</td><td>2.63</td><td>Good</td><td>25.792854</td><td>N</td><td>86.822628</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:25:03</td><td>255</td><td>100</td><td>700</td><td>25.0 cm</td><td>44.5 Km/Hr</td><td>2500.0 mm/Km</td><td>2423</td><td>3.33</td><td>Good</td><td>25.792854</td><td>N</td><td>86.822628</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:25:33</td><td>255</td><td>100</td><td>800</td><td>16.0 cm</td><td>7.1 Km/Hr</td><td>1600.0 mm/Km</td><td>1583</td><td>2.28</td><td>Good</td><td>25.794991</td><td>N</td><td>86.825375</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:25:42</td><td>255</td><td>100</td><td>900</td><td>25.0 cm</td><td>44.5 Km/Hr</td><td>2500.0 mm/Km</td><td>2423</td><td>3.33</td><td>Good</td><td>25.794991</td><td>N</td><td>86.825375</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:28:22</td><td>255</td><td>100</td><td>1000</td><td>16.0 cm</td><td>27.0 Km/Hr</td><td>1600.0 mm/Km</td><td>1583</td><td>2.28</td><td>Good</td><td>25.794991</td><td>N</td><td>86.825375</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:28:43</td><td>255</td><td>100</td><td>1100</td><td>19.0 cm</td><td>36.5 Km/Hr</td><td>1900.0 mm/Km</td><td>1863</td><td>2.63</td><td>Good</td><td>25.794991</td><td>N</td><td>86.825375</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:29:00</td><td>255</td><td>100</td><td>1200</td><td>25.0 cm</td><td>44.5 Km/Hr</td><td>2500.0 mm/Km</td><td>2423</td><td>3.33</td><td>Good</td><td>25.794991</td><td>N</td><td>86.825375</td><td>E</td><td>Normal</td></tr> <tr><td>24/01/2025</td><td>14:29:00</td><td>255</td><td>100</td><td>1300</td><td>19.0 cm</td><td>36.5 Km/Hr</td><td>1900.0 mm/Km</td><td>1863</td><td>2.63</td><td>Good</td><td>25.794991</td><td>N</td><td>86.825375</td><td>E</td><td>Normal</td></tr> </tbody> </table>																Good	Average	Poor	Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks	24/01/2025	14:23:01	255	0	0	0.0 cm	15.7 Km/Hr	0.0 mm/Km	88	0.17	Good	25.797418	N	86.818361	E	Normal	24/01/2025	14:23:17	255	100	100	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.797418	N	86.818361	E	Normal	24/01/2025	14:23:34	255	100	200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.797418	N	86.818361	E	Normal	24/01/2025	14:23:53	255	100	300	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.797418	N	86.818361	E	Normal	24/01/2025	14:24:12	255	100	400	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.792854	N	86.822628	E	Normal	24/01/2025	14:24:30	255	100	500	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.792854	N	86.822628	E	Normal	24/01/2025	14:24:47	255	100	600	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.792854	N	86.822628	E	Normal	24/01/2025	14:25:03	255	100	700	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.792854	N	86.822628	E	Normal	24/01/2025	14:25:33	255	100	800	16.0 cm	7.1 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.794991	N	86.825375	E	Normal	24/01/2025	14:25:42	255	100	900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.794991	N	86.825375	E	Normal	24/01/2025	14:28:22	255	100	1000	16.0 cm	27.0 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.794991	N	86.825375	E	Normal	24/01/2025	14:28:43	255	100	1100	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.794991	N	86.825375	E	Normal	24/01/2025	14:29:00	255	100	1200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.794991	N	86.825375	E	Normal	24/01/2025	14:29:00	255	100	1300	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.794991	N	86.825375	E	Normal
Good	Average	Poor																																																																																																																																																																																																																																																																
Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks																																																																																																																																																																																																																																																			
24/01/2025	14:23:01	255	0	0	0.0 cm	15.7 Km/Hr	0.0 mm/Km	88	0.17	Good	25.797418	N	86.818361	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:23:17	255	100	100	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.797418	N	86.818361	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:23:34	255	100	200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.797418	N	86.818361	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:23:53	255	100	300	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.797418	N	86.818361	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:24:12	255	100	400	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.792854	N	86.822628	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:24:30	255	100	500	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.792854	N	86.822628	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:24:47	255	100	600	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.792854	N	86.822628	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:25:03	255	100	700	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.792854	N	86.822628	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:25:33	255	100	800	16.0 cm	7.1 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.794991	N	86.825375	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:25:42	255	100	900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.794991	N	86.825375	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:28:22	255	100	1000	16.0 cm	27.0 Km/Hr	1600.0 mm/Km	1583	2.28	Good	25.794991	N	86.825375	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:28:43	255	100	1100	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.794991	N	86.825375	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:29:00	255	100	1200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.794991	N	86.825375	E	Normal																																																																																																																																																																																																																																																			
24/01/2025	14:29:00	255	100	1300	19.0 cm	36.5 Km/Hr	1900.0 mm/Km	1863	2.63	Good	25.794991	N	86.825375	E	Normal																																																																																																																																																																																																																																																			

Man  
24.01.25

SM  
24/01/25  
EE

sh Ranjay Construction , Machine no: 19215 , Road: Construction of road from the house of Siyamsundar Sah to main road via Karu baba asthan chaubania Bahaur Musahari santmat santsang mandir , Date: 06/02/25 , Section No: 255 ,



Man  
24.01.25

SM  
24/01/25  
EE