

**कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमंडल, कटिहार।**

पत्रांक :- 206(अनुब)

/कटिहार, दिनांक- 5/02/25

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, कटिहार।

सेवा में,

नोडल पदाधिकारी,
3054 एम.आर. कोषांग,
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :- MMGSUY(Gen) (मुख्यमंत्री ग्रामीण सड़क उन्नयन योजना) के क्रियान्वित पथों के भुगतान हेतु अधियाचना के संबंध में।

महाराय,

उपर्युक्त विषय के संबंध में कहना है कि ग्रा0का0वि0, कार्य प्रमंडल, कटिहार अन्तर्गत MMGSUY(Gen) (मुख्यमंत्री ग्रामीण सड़क उन्नयन योजना) के पथ में पूर्ण कराये गये कार्यों के भुगतान हेतु अधियाचना विहित प्रपत्र में तैयार कर आवश्यक कार्रवाई हेतु समर्पित की जाती है।


सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

अनु0:-यथोक्त।

विश्वासभाजन,


03/2/25

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, कटिहार।


01.02.25

GFR 12-B

[See Rule 256 (2)]


FORM OF UTILIZATION CERTIFICATE


(1) Certified that out of the Loan of Rs. **126452201.00**, Sanctioned under **MMGSUY(GEN)**, dated **17.01.2025** in favour of **EE, RWD, Katihar**, during the year 2024-25, an amount of Rs. **126452201.00**, has been utilized for the purpose for which it was sanctioned, and that the balance of Rs. **0.00**, remaining unutilized at the end of the year 2024-25 has been surrendered to the Government (vide No....., dated.....) will be adjusted towards the loan payable during the next financial year.


(2) Certified that I have satisfied myself that the conditions on which the loan was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually spent for the purpose for which the loan was made.

Kinds of checks exercised

1. Works have been supervised by Executive Engineer/Superintending Engineer.
2. Periodical inspection has been conducted by E.E./S.E.
3. Construction materials have been tested.
4. Measurements have been recorded in the MBs and test check conducted by the Assistant.
5. All other codal formalities have been observed.


Divisional Accounts Officer Gr-I
RWD, Works Division, Katihar


03/02/25
Executive Engineer,
RWD (W) Division, Katihar.


04.02.25

Lab Job number :72

Date :01-02-2025

Name of Customer :Prem Kumar

Name of Work/ Road :Khonta - Sabda At Sarsi Kursela Pwd Road

Sr.no	Location of test (in km)	Corrected U.I value (mm/km)	Road category
1	0.100	2593	G
2	0.200	2206	G
3	0.300	2400	G
4	0.400	2497	G
5	0.500	2303	G
6	0.600	2593	G
7	0.700	2497	G
8	0.800	2497	G
9	0.900	2400	G
10	1.000	2206	G
11	1.100	2303	G
12	1.200	2690	G
13	1.300	2400	G
14	1.400	2497	G
15	1.500	2690	G
16	1.600	2981	G
17	1.700	3175	G
18	1.800	3272	G
19	1.900	3078	G
20	2.000	2981	G
21	2.100	3175	G
22	2.200	3272	G
23	2.300	3175	G
24	2.400	2884	G
25	2.500	2593	G
26	2.600	2981	G
27	2.700	2884	G
28	2.800	2981	G
29	2.900	2497	G
30	3.000	2303	G
31	3.100	2400	G
32	3.200	2593	G
33	3.300	2593	G
34	3.400	2690	G
35	3.500	2981	G
36	3.600	2787	G
37	3.700	2884	G
38	3.800	2787	G
39	3.900	2206	G
40	4.000	3078	G

Ramachandran
01/02/25
JB

Arjun
01/02/25
AR

03/2/25

EB

Sr.no	Location of test (in km)	Corrected U.I value (mm/km)	Road category
41	4.100	2206	G
42	4.200	2497	G
43	4.300	2690	G
44	4.400	2981	G
45	4.500	3078	G
46	4.600	2593	G
47	4.700	2690	G
48	4.800	2690	G
49	4.900	2981	G
50	5.000	2400	G
51	5.100	2593	G
52	5.200	2497	G
53	5.300	2593	G
54	5.400	2690	G
55	5.500	2593	G
56	5.600	2593	G
57	5.700	2690	G
58	5.800	2981	G
59	5.900	3272	G
60	6.000	2981	G
61	6.100	2981	G
62	6.200	2884	G
63	6.300	2787	G
64	6.400	3175	G
65	6.500	3369	G
66	6.600	2981	G
67	6.700	3078	G
68	6.800	2787	G
69	6.900	2690	G
70	7.000	3223	G
Average IRI Value		2746.39	

Sametha
01/02/25
JE

Dimma
01/02/25
AE

02/02/25
03/2/25
EE

Lab Job number : 72
Date : 01-02-2025

Name of Customer : Prem Kumar

Name of Work/ Road : Khonta - Sabda At Sarsil Kursela Pwd Road

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
1/2/25	10:7:0	72	0.1	260	0	2600	2593	G	25.52945	87.31961	Normal
1/2/25	10:7:16	72	0.1	220	10.1	2200	2206	G	25.52888	87.31887	Normal
1/2/25	10:7:16	72	0.1	240	20.2	2400	2400	G	25.52833	87.31810	Normal
1/2/25	10:8:0	72	0.1	250	20.2	2500	2497	G	25.52777	87.31724	Normal
1/2/25	10:8:0	72	0.1	230	30.3	2300	2303	G	25.52725	87.31645	Normal
1/2/25	10:8:26	72	0.1	260	30.3	2600	2593	G	25.52661	87.31581	Normal
1/2/25	10:8:26	72	0.1	250	30.3	2500	2497	G	25.52573	87.31540	Normal
1/2/25	10:8:26	72	0.1	250	20.2	2500	2497	G	25.52550	87.31448	Normal
1/2/25	10:9:2	72	0.1	240	20.2	2400	2400	G	25.52546	87.31348	Normal
1/2/25	10:9:2	72	0.1	220	30.3	2200	2206	G	25.52498	87.31274	Normal
1/2/25	10:9:2	72	0.1	230	30.3	2300	2303	G	25.52446	87.31184	Normal
1/2/25	10:9:37	72	0.1	270	30.3	2700	2690	G	25.52422	87.31091	Normal
1/2/25	10:9:37	72	0.1	240	20.2	2400	2400	G	25.52427	87.30993	Curve
1/2/25	10:10:0	72	0.1	250	20.2	2500	2497	G	25.52497	87.30929	Curve
1/2/25	10:10:12	72	0.1	270	30.3	2700	2690	G	25.52577	87.30886	Normal
1/2/25	10:10:12	72	0.1	300	30.3	3000	2981	G	25.52618	87.30796	Normal
1/2/25	10:10:12	72	0.1	320	30.3	3200	3175	G	25.52661	87.30709	Normal
1/2/25	10:10:47	72	0.1	330	20.2	3300	3272	G	25.52698	87.30614	Normal
1/2/25	10:11:0	72	0.1	310	10.1	3100	3078	G	25.52710	87.30513	Normal
1/2/25	10:11:23	72	0.1	300	10.1	3000	2981	G	25.52740	87.30438	Curve
1/2/25	10:11:58	72	0.1	320	20.2	3200	3175	G	25.52828	87.30434	Normal
1/2/25	10:12:0	72	0.1	330	10.1	3300	3272	G	25.52921	87.30431	Normal
1/2/25	10:13:0	72	0.1	320	10.1	3200	3175	G	25.53028	87.30426	Curve
1/2/25	10:13:15	72	0.1	290	10.1	2900	2884	G	25.53110	87.30384	Normal
1/2/25	10:13:15	72	0.1	260	20.2	2600	2593	G	25.53147	87.30298	Normal
1/2/25	10:13:50	72	0.1	300	20.2	3000	2981	G	25.53161	87.30200	Normal
1/2/25	10:14:0	72	0.1	290	20.2	2900	2884	G	25.53188	87.30118	Normal
1/2/25	10:14:0	72	0.1	300	30.3	3000	2981	G	25.53225	87.30029	Normal
1/2/25	10:14:25	72	0.1	250	30.3	2500	2497	G	25.53248	87.29923	Normal
1/2/25	10:14:25	72	0.1	230	30.3	2300	2303	G	25.53305	87.29857	Curve
1/2/25	10:14:25	72	0.1	240	30.3	2400	2400	G	25.53358	87.29791	Normal
1/2/25	10:15:0	72	0.1	260	30.3	2600	2593	G	25.53349	87.29702	Normal
1/2/25	10:15:0	72	0.1	260	30.3	2600	2593	G	25.53280	87.29616	Culvert
1/2/25	10:15:0	72	0.1	270	30.3	2700	2690	G	25.53228	87.29547	Normal
1/2/25	10:15:0	72	0.1	300	30.3	3000	2981	G	25.53237	87.29438	Normal

$$Y = 0 * X^2 + 0.989 * X + 74.60$$

$$X = 2850$$

$$Y = 2923$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

01/02/25

03/2/25

03/2/25

Fe

Date	Time	Section No.	Length in km	Bumps in mm	Speed Ratio	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event
1/2/25	10:15:36	72	0.1	280	30.3	2800	2787	G	25.53229	87.29308	Normal
1/2/25	10:15:36	72	0.1	290	30.3	2900	2884	G	25.53219	87.29266	Normal
1/2/25	10:16:0	72	0.1	280	30.3	2800	2787	G	25.53211	87.29217	Normal
1/2/25	10:16:10	72	0.1	220	30.3	2200	2706	G	25.53193	87.29130	Normal
1/2/25	10:16:10	72	0.1	310	40.4	3100	3078	G	25.53165	87.29037	Normal
1/2/25	10:16:10	72	0.1	220	30.3	2200	2706	G	25.53124	87.28929	Normal
1/2/25	10:16:46	72	0.1	250	10.1	2500	2497	G	25.53083	87.28855	Curve
1/2/25	10:17:0	72	0.1	270	10.1	2700	2690	G	25.53037	87.28790	Culvert
1/2/25	10:17:21	72	0.1	300	20.2	3000	2981	G	25.53092	87.28707	Normal
1/2/25	10:17:21	72	0.1	310	30.3	3100	3078	G	25.53123	87.28601	Normal
1/2/25	10:17:21	72	0.1	260	30.3	2600	2593	G	25.53144	87.28512	Normal
1/2/25	10:18:0	72	0.1	270	30.3	2700	2690	G	25.53176	87.28416	Normal
1/2/25	10:18:0	72	0.1	270	20.2	2700	2690	G	25.53219	87.28348	Normal
1/2/25	10:18:0	72	0.1	300	30.3	3000	2981	G	25.53255	87.28300	Normal
1/2/25	10:18:29	72	0.1	240	30.3	2400	2400	G	25.53292	87.28165	Normal
1/2/25	10:18:29	72	0.1	260	30.3	2600	2593	G	25.53328	87.28077	Normal
1/2/25	10:19:0	72	0.1	250	30.3	2500	2497	G	25.53347	87.27990	Curve
1/2/25	10:19:7	72	0.1	260	30.3	2600	2593	G	25.53358	87.27875	Normal
1/2/25	10:19:7	72	0.1	270	30.3	2700	2690	G	25.53344	87.27776	Curve
1/2/25	10:19:7	72	0.1	260	30.3	2600	2593	G	25.53364	87.27685	Curve
1/2/25	10:19:43	72	0.1	260	30.3	2600	2593	G	25.53398	87.27606	Normal
1/2/25	10:19:43	72	0.1	270	30.3	2700	2690	G	25.53485	87.27551	Normal
1/2/25	10:20:17	72	0.1	300	10.1	3000	2981	G	25.53533	87.27468	Normal
1/2/25	10:20:17	72	0.1	330	20.2	3300	3272	G	25.53561	87.27377	Normal
1/2/25	10:20:17	72	0.1	300	20.2	3000	2981	G	25.53585	87.27283	Normal
1/2/25	10:21:0	72	0.1	300	20.2	3000	2981	G	25.53615	87.27197	Normal
1/2/25	10:21:28	72	0.1	290	10.1	2900	2884	G	25.53652	87.27071	Normal
1/2/25	10:22:38	72	0.1	280	30.3	2800	2787	G	25.53694	87.26983	Normal
1/2/25	10:23:11	72	0.1	320	10.1	3200	3175	G	25.53727	87.26916	Normal
1/2/25	10:23:46	72	0.1	340	10.1	3400	3369	G	25.53782	87.26832	Normal
1/2/25	10:24:24	72	0.1	300	20.2	3000	2981	G	25.53874	87.26870	Normal
1/2/25	10:24:58	72	0.1	310	10.1	3100	3078	G	25.53952	87.26897	Normal
1/2/25	10:25:35	72	0.1	280	20.2	2800	2787	G	25.54036	87.26929	Normal
1/2/25	10:26:5	72	0.1	270	20.2	2700	2690	G	25.54129	87.26933	Normal
1/2/25	10:26:45	72	0.08	260	10.1	3250	3223	G	25.54170	87.26941	Normal

031212-5
EG

01/02/25
AC

01/02/25
36

File : E:\RAM KUMAR\MISC Files\Bump integrator\Sameli\Khonta - Sabda At Sarsi Kursela Pwd Road\01021029.Xls.

Name of Customer : Prem Kumar, Name of Work/ Road : Khonta - Sabda At Sarsi Kursela Pwd Road, Lab Job



0.0 0.0 0.0 0.0 0.0 0.0 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2.0 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 3.0 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4.0 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 5.0 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 6.0 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 7.0 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 8.0 8.1 8.2 8.3 8.4 8.5 8.6 8.7 8.8 8.9 9.0 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9

Distance * 1000 m

[Signature]
01/09/15
JE

[Signature]
01/02/25
JE

[Signature]
03/2/25
JE