

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, सहरसा

पत्रांक :- 373 / 27/02/2025
प्रेषक-

दिनांक :- 27/02/2025

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, सहरसा।

सेवा में,

नोडल पदाधिकारी,
3054 (MR) कोषांग,
बिहार पटना।

विषय-शीर्ष 3054 नई अनुरक्षण नीति-2018 अंतर्गत Initial Rectification and Surface renewal.
कराये गये कार्य हेतु अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषयक कहना है कि विहित प्रपत्र में संलग्न विवरणी के अनुसार शीर्ष Mr 3054 New Maintenance Policy-2018. अन्तर्गत दो पथ का Initial Rectification and Surface renewal कराये गये कार्य हेतु राशि Rs 246.40043/- (रुपये दो करोड़ छियालीस लाख चालीस हजार तैंतालीस मात्र) की आवश्यकता है।

अतः कार्यहित में अनुरोध है कि उक्त अधियाचित Rs 246.40043/- (रुपये दो करोड़ छियालीस लाख चालीस हजार तैंतालीस मात्र) उपलब्ध कराने की कृपा की जाय ताकि कराये जा रहे कार्यों का विपत्र भुगतान किया जा सके।

- अनु० - (1) अधियाचना प्रपत्र
(2) IRI Value Report
(3) Map
(4) प्रमाण-पत्र।

27/2/25

विश्वासभाजन
कार्यपालक अभियन्ता
ग्रामीण कार्य प्रमण्डल,
सहरसा

Rural Works Department
MR NEW MAINTENANCE POLICY-2018, ALLOTMENT & REQUISITION

Name of Division:- RWD Works Division Saharsa

Sl. No.	Year	Name of Road	Name of Contractor (in English)	Project Id	Administrative Sanction	Agreement Amount (in Lacs)	Value of RI (in mtr/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Allocation Received (in Lacs)	Total Expenditure as per I/S (in Lacs)	Value of Measurement (in Lacs)	Current Demand (in Lacs)	Remarks
104	2023-24	Maneha peech road Mahadalit tola chipa tola satter semiraha tola to Pachegachhya Hospital Peech road	M/S Om Sai Engicons	20904313021	255.2	53.78	212.2224	43.130	5%	74.27783	74.27783	137.94456	137.94456	work completed
115	2023-24	T03-Navhatt to Mushaharnia Rani Naya Nagar (VR1)	M/S Om Sai Engicons	20904302187	208.19	43.73	166.8552	35.068	5%	58.39930	58.39930	108.45587	108.45587	work completed
Total					463.39	97.51	379.0776	78.198		132.67713	132.67713	246.40043	246.40043	

Bokil
22/12/23
A.O.
RWD Works Division
Saharsa

8712135
Executive Engineer
RWD Works Division
Saharsa
8712135

Name of work : T03-Navhath To Mustahamia Path Naya Nagar

Name of customer : M/S Om Sai Engicons

(R) Rural Road

Good	Average	Poor
< 4000	4001 - 8000	> 8000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP/cm	Speed(Km/Hr)	Ultrasonic (mm/Km)	Corrected U (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Coordinate	Remarks
25/02/2022	8:58:00	248	0	0	0.0 cm	15.7 Km/Hr	0.0 mm/Km	88	0.17	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	100	28.0 cm	43.8 Km/Hr	2800.0 mm/Km	2704	3.87	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	300	28.0 cm	24.9 Km/Hr	2800.0 mm/Km	2787	3.78	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	400	28.0 cm	43.8 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	500	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	600	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2787	3.78	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	700	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	800	28.0 cm	43.8 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	1000	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	1100	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	1200	28.0 cm	24.9 Km/Hr	2800.0 mm/Km	2787	3.78	Good	25.96323	N	86.50424	E	Normal
25/02/2022	8:58:00	248	100	1300	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513887	E	Normal
25/02/2022	8:58:00	248	100	1400	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2787	3.78	Good	25.970302	N	86.513887	E	Normal
25/02/2022	8:58:00	248	100	1500	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.970302	N	86.513887	E	Normal
25/02/2022	8:58:00	248	100	1600	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513887	E	Normal
25/02/2022	8:58:00	248	100	1700	28.0 cm	24.9 Km/Hr	2800.0 mm/Km	2787	3.78	Good	25.970302	N	86.513887	E	Normal
25/02/2022	8:58:00	248	100	1800	25.0 cm	37.4 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513887	E	Normal

25/02/2022

25/02/2022

25/02/2022

Name of work : T03-Navhail To Mushahamia Rait Naya Nagar

Name of customer : M/S Om Sai Engicons

(R) Rural Road		
Good	Average	Poor
< 4000	4001 - 8000	> 8000

25.02.2022	8:08:00	248	100	1800	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2000	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2100	28.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2300	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2400	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2500	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2600	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2700	28.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2800	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	2900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
25.02.2022	8:08:00	248	100	3000	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:08:00	248	100	3100	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:10:00	249	100	3200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:10:00	248	100	3300	28.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:10:00	248	100	3400	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:10:00	248	100	3500	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:10:00	248	100	3600	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:10:00	248	100	3700	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal
25.02.2022	8:10:00	249	100	3800	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal

Handwritten signature

Handwritten signature

Handwritten signature

Name of work : T03-Navhail To Mushahamla Rahi Naya Nagar
Name of customer : M/S Om Sai Engicons


(R) Rural Road

Good	Average	Poor
< 4000	4001 - 5000	> 5000

25.000002	8-10:00	249	100	3900	28.0 cm	43.8 Km/Hr	2600.0 mm/Km	2704	3.67	Good	25.999657	N	B6.52541	E	Normal
25.000002	8-10:00	249	100	4000	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.992172	N	B6.52534	E	Normal
25.000002	8-10:00	249	100	4100	28.0 cm	24.9 Km/Hr	2900.0 mm/Km	2707	3.78	Good	25.992172	N	B6.52534	E	Normal
25.000002	8-14:00	249	100	4200	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.992172	N	B6.52534	E	Normal
25.000002	8-14:00	249	100	4300	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.992172	N	B6.52534	E	Normal
25.000002	8-14:00	249	100	4400	29.0 cm	24.9 Km/Hr	2900.0 mm/Km	2797	3.78	Good	25.992172	N	B6.52534	E	Normal
25.000002	8-14:00	249	100	4500	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.992172	N	B6.52534	E	Normal
25.000002	8-14:00	249	100	4600	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.992172	N	B6.52534	E	Normal
25.000002	8-14:00	249	100	4700	29.0 cm	24.9 Km/Hr	2900.0 mm/Km	2797	3.78	Good	25.992172	N	B6.52534	E	Normal

1/2/2018
21/01/18
23/12/15
23/12/15

Name of Contractor: M/S Om Sai Engineers, Machine no: 19215, Road: 103 Navan To Mushahamla Rishi Naye Nagar, Date: 25/02/25, Section No: 249, Equation: $Y=0.930X+88.4$



[Signature]
25/02/25
GC

[Signature]
25/02/25
AB

[Signature]
25/02/25
GC