



कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, पटना
E mail-eerwdpatnadivision@gmail.com

tific:

पत्रांक :- 2197 (अनु.)

पटना / दिनांक :- 26/12/24

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, पटना ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बी.आर.आर.डी.ए.,
ग्रामीण कार्य विभाग,
बिहार, पटना ।

विषय :- शीर्ष-MR (3054) Under Bihar Rural Road Maintenance Policy-2018 योजना
अन्तर्गत पथ का आवंटन का अधियाचना के संबंध में ।


महाशय,

उपर्युक्त विषय के संबंध में कहना है कि शीर्ष-MR (3054) Under Bihar Rural Road Maintenance Policy-2018 योजना अन्तर्गत पथ का आवंटन का अधियाचना का मांग विहित-प्रपत्र में तैयार कर अधियाचना हेतु भेजी जा रही है । पथ का कार्य विशिष्टियों के अनुरूप किया गया है ।


अतः अनुरोध है कि उक्त योजना का आवंटन उपलब्ध कराने की कृपा की जाय, ताकि संवेदक का भुगतान किया जा सके ।


अनु०:- यथोक्त ।

विश्वासभाजन


कार्यपालक अभियंता

ग्रामीण कार्य विभाग, कार्य प्रमंडल, पटना


26/12/24





Scanned with OKEN Scanner

Scanned with CamScanner

Requisition Format for Scheme Head-(3054) Under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Division :- Patna

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of Road IRI (in mm/Km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/PA/PAT/22/0004	Patna Jahanabad SH To Fatehpur Punpun Suraksha Bandh	1111035024		0.490	34.368	30.90885	2.24290	10/MBD/2022-2023/30.06.2022	29.03.2023	26.03.2023	3.56250	25mm SOBC	5%	22.32713	22.32713	1.16585	
2	RM/PA/PAT/22/0004	Khusrupur Nagamausa Road Near Nirmalchak Gumti to Chaura Mushahri	10103561		3	137.949	116.22133	31.78795	10/MBD/2022-2023/30.06.2022	29.03.2023	27.03.2023	2393.1	25mm SOBC + 20mm MSS	5%	110.10561	110.10561	5.79063	
3	RM/PA/PAT/22/0004	Jagmal Bigha Four lane To Mohammadpur Haryan Tola	1111037418		0.5	38.949	33.18741	5.15135	10/MBD/2022-2023/30.06.2022	29.03.2023	25.03.2023	3.78600	25mm SOBC	5%	31.53651	31.53651	1.65090	
4	RM/PA/PAT/22/0004	Thegua To Chaura Village	1111037423		3.55	250.804	209.50768	40.78750	10/MBD/2022-2023/30.06.2022	29.03.2023	25.03.2023	4.28139	25 mm SOBC	5%	197.59521	197.59521	10.34443	
5	RM/PA/PAT/22/0004	Mirchi Ranipur Chakiya Path to Marchi Mahadalit Tola	1111039699		0.896	67.333	55.99008	12.47785	10/MBD/2022-2023/30.06.2022	29.03.2023	26.03.2023	3595.44	25 mm SOBC	5%	52.68300	52.68300	2.76238	
Total																	21.7182	

G. Kumar
26/12/24
Divisional Accounts Officer
RWD Works Division, Patna

Executive Engineer
RWD Works Division, Patna

S. Sharma
26/12/24

Form GFR 19-A

(See Government of India's Decision (I) below Rule - 150)

Form of Utilization Certificate 31.10.2024

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs)	Amount Received (in lacs)	Particulars
		By Bank		
1	3054 (MR) New Maintenance Policy, 2018	Letter No. 103 Dated 01.10.2024	13395.56175	Certified that out of Rs. 13395.56175 lacs of grants in aid sanctioned during upto 31.10.2024 in favour of Executive Engineer, RWD Works Division, Patna under this Department, a sum of Rs. 13294.63959 lacs has been utilized for the purpose of 3054 (MR) as given in the margin for which it was sanctioned and that the balance of Rs. 100.92216 Lakh remaining unutilized at the end of the period under report.
		Total	13395.56175	

Certified and verified myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled / and being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which.

Kinds of Checks exercised :-

- Works have been supervised by Executive Engineer / Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer / Superintending Engineer.
- Construction material have been tested,
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer.
- All other codal formalities have been observed.

Physical Progress achieved :-

- Construction of Road works.
- Construction of CD works.

G. Kumar
26/11/24
D.O. Gr. I


Executive Engineer
RWD Works Division, Patna
26/11/24



Scanned with OKEN Scanner

Scanned with CamScanner

NAME OF THE ROAD: THEGUA TO CHAURA VILLAGE

LENGTH OF THE ROAD: 3.550 KM

PACKAGE NO.: MR-N/22-23/PATNA/04

DIVISION: PATNA

BLOCK: KHUSRUPUR

AGENCY: M/S R. COM

Date	Time	Section	Length	Bumps	Speed	OR	UIV	CATEGORY	IRI	Latitude	Longitude	Event			
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD							
30/11/22	10:55:28	26	0.1	320	30.3	3200	3273	G	4.35	25.450333	85.33333	Normal			
30/11/22	10:56:2	26	0.1	290	30.3	2900	2992	G	4.01	25.45047666	85.33407166	Curve	$Y = 0 * X^2 + 0.936 * X + 278.4$		
30/11/22	10:56:12	26	0.1	350	30.3	3500	3554	G	4.68	25.4504133	85.33483499	Normal	X = 3200		
30/11/22	10:56:22	26	0.1	380	30.3	3800	3835	G	5.01	25.4506316	85.3356533	Normal	Y = 3273		
30/11/22	10:56:37	26	0.1	340	30.3	3400	3460	G	4.57	25.4506316	85.3356533	Normal			
30/11/22	10:56:57	26	0.1	350	20.2	3500	3554	G	4.68	25.4502666	25.450266	Curve	(R) RURAL ROAD		
30/11/22	10:58:0	26	0.1	200	30.3	2000	2150	G	2.99	25.4494866	85.3371466	Normal	Good	Average	Poor
30/11/22	10:59:19	26	0.1	330	30.3	3300	3367	G	4.46	25.4494866	85.337146	Normal	<4000	4001-5000	>5001
30/11/22	10:59:0	26	0.1	320	30.3	3200	3273	G	4.35	25.448143	85.3374366	Normal			
30/11/22	11:0:0	26	0.1	360	30.3	3600	3648	G	4.79	25.447686	85.33967833	Normal			
30/11/22	11:0:10	26	0.1	340	30.3	3400	3460	G	4.57	25.447656	85.340195	Normal			
30/11/22	11:0:49	26	0.1	340	30.3	3400	3460	G	4.57	25.4476566	85.340195	Normal			
30/11/22	11:1:19	26	0.1	330	30.3	3300	3367	G	4.46	25.447703	85.34098	Normal			
30/11/22	11:1:39	26	0.1	320	30.3	3200	3273	G	4.35	25.448001	85.343335	Normal			
30/11/22	11:1:53	26	0.1	390	30.3	3900	3928	G	5.12	25.447703	85.344433	Normal			
30/11/22	11:2:3	26	0.1	330	30.3	3300	3367	G	4.46	25.447145	85.345831	Normal			
30/11/22	11:2:23	26	0.1	310	30.3	3100	3180	G	4.24	25.447903	85.351015	Normal			
30/11/22	11:2:39	26	0.1	370	30.3	3700	3741	G	4.9	25.4475716	85.351848	Normal			
30/11/22	11:2:59	26	0.1	260	30.3	2600	2712	G	3.68	25.447486	85.3525133	Normal			
30/11/22	11:3:0	26	0.1	260	30.3	2600	2712	G	3.68	25.447555	85.3553783	Normal			

N
30/11/2022AS
30/11/22
S.P.Singer
30/11/22

A2

R
30/11/22
CC

	Time	Section	Length	Bumps	Speed	OR	UIV	CATEGORY	IRI	Latitude	Longitude	Event			
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD							
30/11/22	11:3:14	26	0.1	290	30.3	2900	2992	G	4.01	25.447528	85.355713	Normal			
30/11/22	11:3:24	26	0.1	230	30.3	2300	2431	G	3.34	25.4493216	85.356683	Normal			
30/11/22	11:4:34	26	0.1	310	30.3	3100	3180	G	4.24	25.450225	85.35677	Normal			
30/11/22	10:4:58	26	0.1	320	30.3	3200	3273	G	4.35	25.451039	85.35678	Normal			
30/11/22	10:5:12	26	0.1	290	20.2	2900	2992	G	4.01	25.4520156	85.3571049	Curve			
30/11/22	10:5:22	26	0.1	350	30.3	3500	3554	G	4.68	25.4528816	85.356951	Normal			
30/11/22	10:5:32	26	0.1	380	30.3	3800	3835	G	5.01	25.4494866	85.337146	Normal			
30/11/22	10:5:57	26	0.1	340	30.3	3400	3460	G	4.57	25.448143	85.3374366	Normal			
30/11/22	10:6:13	26	0.1	110	30.3	1100	1308	G	1.92	25.447686	85.33967833	Normal			
30/11/22	11:7:0	26	0.1	200	30.3	2000	2150	G	2.99	25.447656	85.340195	Normal			
30/11/22	11:8:0	26	0.1	320	30.3	3200	3273	G	4.35	25.4476566	85.340195	Normal			
30/11/22	11:8:0	26	0.1	360	30.3	3600	3648	G	4.79	25.447703	85.34098	Normal			
30/11/22	11:8:0	26	0.1	340	30.3	3400	3460	G	4.57	25.448001	85.343335	Normal			
30/11/22	11:8:0	26	0.1	340	30.3	3400	3460	G	4.57	25.447703	85.344433	Normal			
30/11/22	11:9:29	26	0.1	340	30.3	3400	3460	G	4.46	25.447145	85.345831	Normal			
30/11/22	11:9:29	26	0.1	330	30.3	3300	3367	G	4.35	25.447903	85.351015	Normal			
30/11/22	11:9:29	26	0.005	320	30.3	3200	3273	G	4.35	25.447903	85.351015	Normal			
30/11/22	11:9:29	26	0.005	320	30.3	3200	3273	G	4.35	25.447903	85.351015	Normal			
TOTAL			3.505	11320	1070.6	113200	115962			154.13	916.1560292	3012.501187			
AVERAGE						3144.444	3221.167			4.281389					

NA
30/11/2022

AN
30.11.22
J.R.

Singh
30/11/22
AE

Rohit
30/11/22
EE


Name of Customer : M/S R COM
 Name of Work/ Road : THEGUA TO CHAURA VILLAGE
 Lab Job number :
 Date : 30-11-2022
 Section No. : 26

Test Date : 30-11-2022 Road Name : THEGUA TO CHAURA VILLAGE
 Machine No : Road Type : (A) ASPHALTIC
 Start S No : Side :
 Start E No :
 Weather :
 Start Location :
 End Location :
 Interval :
 UIV Range : 308 To 5000 1000 mm/km
 Dist Range : 0 To 3.7 0.1 * 1000 m
 Equation : test

Print Generate Report and Graph

Redraw Graph

Map View



Neer
 30/11/2022

SR
 30/11/22
 SR

Singh
 30/11/22
 AE

Rohit
 30/11/22
 EE