

भारतीय गैर न्यायिक INDIA NON JUDICIAL

एक हजार रुपये

रु.1000

ONE THOUSAND RUPEES

Rs.1000

बिहार BIHAR

14 DEC 2023

नं० 7410 दिनांक 20/12/2023 ई० का लखनऊ नैलोडिया
कन्सल्टिंग प्राइवेट लिमिटेड जमई 3- AT 657983
मी० 150000 अ० (21 म० के०)

OFFICE OF THE EXECUTIVE ENGINEER
RURAL WORKS DEPARTMENT, WORKS DIVISION, LAKHISARAI

पंकज कुमार
लखीसराय
3797-98
रजिस्ट्री ऑफिस लखीसराय

AGREEMENT NO:-55 /MBD/2023-24

This agreement, made the 12 January Day of 2024 between Executive Engineer, RWD, Works Division, Lakhisarai, Govt. of Bihar Patna and **Balkrishna Bhalotia Construction Pvt. Ltd. Jamui Bajaj Shawroom, Jamui.**

Whereas the Employer is desirous that the Contractor execute output and performance based Rural Road Contract of the maintenance of road from **MR-N/22-23/Lakhisarai/02 Package Under of Block in Halsi/ Lakhisarai Under M/R in Lakhisarai District** and the Employer has accepted the Bid by the Contractor for the execution and completion of such works and the remedying of any defects therein, at a cost of Construction Rs. 3,62,06,897.00 (Three Crore Sixty Two Lakh Six Thousand Eight Hundred Ninety Seven) only & five year Maintenance cost Rs. 59,33,245.00 (Fifty Nine Lakh Thirty Three Thousand Two Hundred Forty Five) only,

| Sl. No | Name of Road | Length (in km) | Const. Cost | Maintenace cost | Agreement Value |
|--------|---|----------------|-------------|-----------------|-----------------|
| 1 | Lodiya Tola To Kammowali Tola | 0.600 | 31.28116 | 4.33490 | 35.61606 |
| 2 | L108-T08 to Khairi | 0.700 | 31.53084 | 7.09016 | 38.62100 |
| 3 | NH-80 Bhola Tola To Lobia | 3.000 | 139.31607 | 27.35996 | 166.67603 |
| 4 | Lakhisarai Pachan Path Sansar Pokhar Chowk To Kawaiya Thana Chowk | 2.200 | 159.94090 | 20.54743 | 180.48833 |
| Total | | 6.500 | 362.06897 | 59.33245 | 421.40142 |

Total Cost Rs. 4,21,40,142.00 (Four Crore Twenty One Lakh Forty Thousand One Hundred Forty Two) only.

Balkrishna Bhalotia Const. Pvt. Ltd

Director

Executive Engineer
RWD Works Division
Lakhisarai

-:Contractor's BID :-

Attached separately

**NAME OF WORK:- MR-N/22-23/Lakhisarai/02 Package Under of Block in Halsi/
Lakhisarai Under M/R in Lakhisarai District.**

District:- Lakhisarai

**Block :- Halsi/
Lakhisarai**

| Sl. No | Name of Road | Length (km) | Cost of Construction (Rs. In lacks) | Maintenance cost (Rs. In lacks) |
|--------|-----------------------------|-------------|-------------------------------------|---------------------------------|
| 1. | MR-N/22-23 Lakhisarai/02 | 6.500 | 362.06897 | 59.33245 |
| Total | | 6.500 | 362.06897 | 59.33245 |

Balkrishna Bhalotia Const. Pvt. Ltd

[Signature]
Director

[Signature]
12/1/24

[Signature]
12/01/24
Executive Engineer
RWD Works Division
Lakhisarai

[Signature]
12.1.24

OFFICE OF THE EXECUTIVE ENGINEER
RURAL WORKS DEPARTMENT, WORKS DIVISION, LAKHISARAI

AGREEMENT NO:- 55/MBD/2023-24

NAME OF WORK: - MR-N/22-23/Lakhisarai/02 Package Under of Block in Halsi/
Lakhisarai Under M/R in Lakhisarai District.


NAME OF AGENCY: - Balkrishna Bhalotia Construction Pvt. Ltd.
Jamui Bajaj Shawroom, Jamui.

Reference :- Chief Engineer -2
R.W.D works Bihar, Patna
Vide Letter No. 4236 Date :- 20.12.2023


AGREEMENT AMOUNT – Main work:- 3,62,06,897.00
Maintenance work:- 59,33,245.00
Total Amount:- 4,21,40,142.00

Performance Security :- Deposited @ 5% Next 5 % deducted from Bill
Date of Agreement :- 12.01.2024
Date of Completion :- 11.10.2024
No. of Item of Work :- As per B.O.Q (Nos)
Rate Quoted :- 10.00 % below (One Zero Point zero zero percent below)


Balkrishna Bhalotia Const. Pvt. Ltd


Contractor Signature

Balkrishna Bhalotia Const. Pvt. Ltd


Director


12/1/24


Executive Engineer
RWD, Works Division, Lakhisarai

Name of Work: Construction of Road & CD Works for L108-T08 To Khairi In Haisi Block Under - M/R

PRINT

Contract No: Civil Works/

HELP

| Bidder Name: | | | | Excess (+) | | % |
|-------------------|--|-------------|------|----------------|--|--------------|
| SCHEDULE OF WORKS | | | | | | |
| Sl. No. | Description of work | No. or Qty. | Unit | Estimated Rate | | AMOUNT Rs. P |
| | | | | Figure | Words | |
| 9. | Construction of dry lean cement concrete Sub-base over a prepared sub-grade with coarse and fine aggregates conforming to IS:383, the size of coarse aggregate not exceeding 25mm, aggregate cement ratio not to exceed 15:1 aggregate gradation after blending to be as per table 600-1 cement content not to be less than 150kg/cum optimum moisture content to be determined during trial length construction, concrete strength not be less than 10 Mpa at 7 days, mixed in a batching plant, transported to site, laid with a paver with electronic sensor, compacting with 8-10 tonnes vibratory roller, finishing and curing. | 9.00 | Cum | 5853.41 | Rupees Five Thousand Eight Hundred & Fifty Three and Paise Forty One Only | 52680.69 |
| 10 | Cement Concrete Pavement :- Construction of unreinforced plain cement thickness as per design, over a prepared sub base with 43 grade cement or any other type as per clause 1501.2.2 M 30 grade coarse and fine aggregate maximum size of aggregate not exceeding 25mm, mixed in a concrete of not less than 0.2cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick plythene film, wedges, steel plates including levelling the formwork as per drawing) spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/ culvert and construction joints, admixtures as approved, curing of concrete slab for 14 days curing compound (where specified) and water finishing to lines and grade as per drawing and Technical specification clause 1501. | 242.40 | Cum | 7258.32 | Rupees Seven Thousand Two Hundred & Fifty Eight and Paise Thirty Two Only | 1759416.77 |
| 11 | Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703. Km stone | 2.00 | Each | 2515.47 | Rupees Two Thousand Five Hundred & Fifteen and Paise Forty Seven Only | 5030.94 |
| 12 | Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703. 200 in stone | 3.00 | Each | 723.15 | Rupees Seven Hundred & Twenty Three and Paise Fifteen Only | 2169.45 |
| 13 | Direction and Place Identification signs with size more than 0.9 sqm size board :- Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area exceeding 0.9 sqm supported on mild steel angle iron posts 75 mm x 75 mm x 6 mm, 2 Nos. firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and Technical Specification Clause 1701. | 1.92 | Sqm | 14730.76 | Rupees Fourteen Thousand Seven Hundred & Thirty and Paise Seventy Six Only | 28283.06 |
| 14 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 (600 mm equilateral & triangle) | 2.00 | Each | 4318.12 | Rupees Four Thousand Three Hundred & Eighteen and Paise Twelve Only | 8636.24 |

Balkrishna Bhalotia Const. Pvt. Ltd.

Signature of Tenderer with seal

Executive Engineer
RWD Works Division
Lakhisarai

Bidder Name:

Excess (+)

%

Sl. No.

Description of work

SCHEDULE OF WORKS

No. or Qty.

Unit

Estimated Rate

AMOUNT
Rs. P

Figure

Words

23

(1) Providing and Fixing 'Logo' of Maintenance Project :- Providing and fixing of typical informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1

3.00

Each

12363.32

Rupees Twelve Thousand
Three Hundred & Sixty Three
and Paise Thirty Two Only

37089.96

Cost of Construction :-

2916704.29

Add 1% Labour Cess

29167.04

Add 18% GST

525006.77

Seigniorage Fee

32548.84

Total Cost of Construction :-

3503426.94

24

5 Year Maintenance Cost

20.000

Qty

32887.80

Rupees Thirty Two Thousand
Eight Hundred & Eighty Seven
and Paise Eighty Only

657756.00

Cost of Maintenance :-

657756.00

Add 1% Labour Cess

6577.56

Add 18% GST

118396.08

Seigniorage Fee

5066.35

Total Cost of Maintenance :-

787795.99

Total Cost of Project Including Five Year Maintenance :-

4291222.94

Quoted Rate in Words

Rupees Forty Two Lakh Ninety One Thousand Two Hundred & Twenty
Two, and Paise Ninety Four Only

Bidder
Name:

Excess (+)

%

SCHEDULE OF WORKS

| Sl. No. | Description of work | No. or Qty. | Unit | Estimated Rate | | AMOUNT Rs. P |
|---------|---|-------------|------|----------------|---|-----------------|
| | | | | Figure | Words | |
| 1 | Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I | 0.54 | Hect | 59726.13 | Rupees Fifty Nine Thousand Seven Hundred & Twenty Six and Paise Thirteen Only | 32252.11 |
| 2 | Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5 | 27.00 | Cum | 250.19 | Rupees Two Hundred & Fifty and Paise Nineteen Only | 6755.13 |
| 3 | Construction of Subgrade and Earthen Shoulders :- Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1. | 1440.00 | Cum | 253.56 | Rupees Two Hundred & Fifty Three and Paise Fifty Six Only | 365126.40 |
| 4 | Granular Sub-base with Well Graded Material (Table 400.1) :- Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. | 142.81 | Cum | 1687.46 | Rupees One Thousand Six Hundred & Eighty Seven and Paise Forty Six Only | 240986.16 |
| 5 | WBM Grading 2 :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 2 as per Technical Specification Clause 405. | 111.40 | Cum | 3505.05 | Rupees Three Thousand Five Hundred & Five and Paise Five Only | 390462.57 |
| 6 | WBM Grading 3 :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405. | 122.55 | Cum | 3183.63 | Rupees Three Thousand One Hundred & Eighty Three and Paise Sixty Three Only | 390153.86 |
| 7 | Prime Coat :- Providing and applying primer coat with Bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70- 1.0 kg/sqm using mechanical means as per Technical Specification Clause 502. | 1483.87 | Sqm | 59.02 | Rupees Fifty Nine and Paise Two Only | 87578.01 |

| | | |
|--------------|--------------|---|
| Bidder Name: | Excess (+) | % |
|--------------|--------------|---|

| No. | Description of work | No. or Qty. | Unit | Estimated Rate | | AMOUNT Rs. P |
|-----|---|-------------|------------|----------------|--|-----------------|
| | | | | Figure | Words | |
| 15 | Direction and Place Identification signs with size more than 0.9 sqm size board :- Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro-reflectorised sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area exceeding 0.9 sqm supported on mild steel angle iron posts 75 mm x 75 mm x 6 mm, 2 Nos. firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and Technical Specification Clause 1701. | 1.92 | Sqm | 14718.41 | Rupees Fourteen Thousand Seven Hundred & Eighteen and Paise Forty One Only | 28259.35 |
| 16 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 | 10.00 | Each | 4266.11 | Rupees Four Thousand Two Hundred & Sixty Six and Paise Eleven Only | 42661.10 |
| 17 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 | 5.00 | Each | 4168.19 | Rupees Four Thousand One Hundred & Sixty Eight and Paise Nineteen Only | 20840.95 |
| 18 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 | 4.00 | Each | 4024.46 | Rupees Four Thousand & Twenty Four and Paise Forty Six Only | 16097.84 |
| 19 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 (900 mm octagon stop board) | 2.00 | Each | 8489.19 | Rupees Eight Thousand Four Hundred & Sixty Nine and Paise Nineteen Only | 16938.38 |
| 20 | Printing New Letters and Figures of any Shade :- Printing new letter and figures of any shade with synthetic enamel paint black or any other approved colour to give an even shade as per drawings and Technical Specification Clause 1701 | 128.00 | height per | 0.62 | Rupees and Paise Sixty Two Only | 79.36 |
| 21 | Planting of Trees and their Maintenance for one Year :- Planting of trees by the road side (Avenue trees) in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yard/sludge manure, planting the saplings, backfilling the trench, watering, fixing the tree guard and maintaining the plants for one year | 80.00 | Each | 1092.53 | Rupees One Thousand & Ninety Two and Paise Fifty Three Only | 87402.40 |

Balkrishna Bhattacharya Const. Pvt. Ltd.

Signature of Tenderer with seal

Executive Engineer
RWD Works Division

Lakhisarai

☒ VALIDATE

PRINT

HELP

Tender Inviting Authority: Engg-in Chief RWD Patna

Name of Work: Construction of Road & CD Works for NH-80 BHOLA TOLA TO LOBIA In Lakhisarai Block Under MR / ROAD

Contract No: Civil Works/

Bidder Name:

Excess (+)

%

| SCHEDULE OF WORKS | | | | | | | AMOUNT |
|--|--|--|-----------|----------------|---|-------------|--------|
| Sl. No. | Description of work | No. or Qty. | Unit | Estimated Rate | | Rs. P | |
| | | | | Figure | Words | | |
| 41 | Providing Weepholes in brick masonry , Plain / Reinforced concrete abutement , wing wall , return wall with 100 mm dia AC pipe extending through the full width of the structure with slope of 1V: 20H towards drawing | 40.000 | No | 130.45 | Rupees One Hundred & Thirty and Paise Forty Five Only | 5218.00 | |
| Cost of Construction :- | | | | | | 13448029.41 | |
| Add 1% Labour Cess | | | | | | 134480.29 | |
| Add 12% GST | | | | | | 1613763.53 | |
| SEIGNIORAGE FEE | | | | | | 283290.00 | |
| Total Cost of Construction :- | | | | | | 15479563.24 | |
| 42 | 5 Year Maintenance | 20.000 | Quarterly | 133806.20 | Rupees One Lakh Thirty Three Thousand Eight Hundred & Six and Paise Twenty Only | 2676124.00 | |
| Cost of Maintenance :- | | | | | | 2676124.00 | |
| Add 1% Labour Cess | | | | | | 26761.24 | |
| Add 12% GST | | | | | | 321134.88 | |
| SEIGNIORAGE FEE | | | | | | 15975.00 | |
| Total Cost of Maintenance :- | | | | | | 3039995.12 | |
| Total Cost of Project Including Five Year Maintenance :- | | | | | | 18519558.36 | |
| Quoted Rate in Words | | Rupees One Crore Eighty Five Lakh Nineteen Thousand Five Hundred & Fifty Eight and Paise Thirty Six Only | | | | | |

Name of Work: Construction of Road & CD Works for Lodiya Tola To Kammowall Tola In Lakhisarai Block Unde M/R (3054)

Contract No: Civil Works/

| Bidder Name: | | | | Excess (+) | | | % |
|-------------------|--|-------------|------|----------------|---|-----------------|---|
| SCHEDULE OF WORKS | | | | | | | |
| Sl. No. | Description of work | No. or Qty. | Unit | Estimated Rate | | AMOUNT Rs. P | |
| | | | | Figure | Words | | |
| 1 | Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I | 0.12 | Hect | 59726.13 | Rupees Fifty Nine Thousand Seven Hundred & Twenty Six and Paise Thirteen Only | 7167.14 | |
| 2 | Construction of Subgrade and Earthen Shoulders :- Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1 | 234.00 | Cum | 251.16 | Rupees Two Hundred & Fifty One and Paise Sixteen Only | 58771.44 | |
| 3 | Dry Lean Cement Concrete :- Construction of dry lean cement concrete Sub-base over a prepared sub-grade with coarse and fine aggregates conforming to IS-383, the size of coarse aggregate not exceeding 25mm, aggregate cement ratio not to exceed 15:1 aggregate gradation after blending to be as per table 600-1 cement content not to be less than 150kg/cum optimum moisture content to be determined during trial length construction, concrete strength not be less than 10 Mpa at 7 days, mixed in a batching plant, transported to site, laid with a paver with electronic sensor, compacting with 8-10 tonnes vibratory roller, finishing and curing. (PCC M -15) | 3.38 | Cum | 5771.66 | Rupees Five Thousand Seven Hundred & Seventy One and Paise Sixty Six Only | 19508.21 | |
| 4 | Cement Concrete Pavement :- Construction of unreinforced plain cement thickness as per design, over a prepared sub base with 43 grade cement or any other type as per clause 1501.2.2 M 30 grade coarse and fine aggregate maximum size of aggregate not exceeding 25mm, mixed in a concrete of not less than 0.2cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick plythene film, wedges, steel plates including levelling the formwork as per drawing) spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/ culvert and construction joints, admixtures as approved, curing of concrete slab for 14 days curing compound (where specified) and water finishing to lines and grade as per drawing and Technical specification clause 1501. | 363.60 | Cum | 7053.24 | Rupees Seven Thousand & Fifty Three and Paise Twenty Four Only | 2564558.06 | |
| 5 | Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703. Km stone | 1.00 | Each | 2506.64 | Rupees Two Thousand Five Hundred & Six and Paise Sixty Four Only | 2506.64 | |
| 6 | Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703. 200 m stone | 2.00 | Each | 732.32 | Rupees Seven Hundred & Thirty Two and Paise Thirty Two Only | 1464.64 | |

GA 331245

Tender Inviting Authority: Engg-in Chief RWD Patna

VALIDATE

Name of Work: Construction of Road & CD Works for Lodiya Tola To Kammowali Tola In Lakhisarai Block Unde M/R (3054)

PRINT

Contract No: Civil Works/

HELP

Bidder Name: Excess (+) %

| Sl. No. | Description of work | No. or Qty. | Unit | Estimated Rate | | AMOUNT Rs. P |
|---|--|--|-----------|----------------|--|-------------------|
| | | | | Figure | Words | |
| 14 | (I) Providing and Fixing 'Logo' of Maintenance Project :- Providing and fixing of typical informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1 | 1.00 | Each | 10596.59 | Rupees Ten Thousand Five Hundred & Ninety Six and Paise Fifty Nine Only | 10596.59 |
| 15 | Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications | 20.16 | Sqm | 164.23 | Rupees One Hundred & Sixty Four and Paise Twenty Three Only | 3310.88 |
| 16 | Brick masonry work in cement mortar 1:3 in parapet excluding pointing and plastering as per drawing and technical specifications Clauses 600, 900 and 1208.4 | 2.88 | Cum | 5664.57 | Rupees Five Thousand Six Hundred & Sixty Four and Paise Fifty Seven Only | 16313.96 |
| 17 | Painting Two Coats on New Concrete Surfaces :- Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and Technical Specification Clause 1701 | 20.16 | Sqm | 114.73 | Rupees One Hundred & Fourteen and Paise Seventy Three Only | 2312.96 |
| Cost of Construction :- | | | | | | 2887393.82 |
| Add 18% GST | | | | | | 519730.89 |
| Add 1% Labour Cess | | | | | | 28873.94 |
| Seigniorage Fee | | | | | | 39685.00 |
| Total Cost of Construction :- | | | | | | 3475683.65 |
| 18 | Five Year Maintenance | 20.000 | Quarterly | 20216.55 | Rupees Twenty Thousand Two Hundred & Sixteen and Paise Fifty Five Only | 404331.00 |
| Cost of Maintenance :- | | | | | | 404331.00 |
| Add 18% GST | | | | | | 72779.58 |
| Add 1% Labour Cess | | | | | | 4043.31 |
| Seigniorage Fee | | | | | | 502.00 |
| Total Cost of Maintenance :- | | | | | | 481655.89 |
| Total Cost of Project Including Five Year Maintenance :- | | | | | | 3957339.54 |
| Quoted Rate in Words | | Rupees Thirty Nine Lakh Fifty Seven Thousand Three Hundred & Thirty Nine and Paise Fifty Four Only | | | | |

3.645
GA 331245

Order Inviting Authority: Engg-In Chief RWD Patna

Line of Work: Construction of Road & CD Works for Lakhisarai Pachna Path Sansar Pokhar Chowk To Kawaiya Thana Chowk

Order MR / ROAD

Contract No: CIVIL Works/

Validate

Print

Help

Excess (+)

%

bidder name:

| Sl. No. | Description of work | No. or Qty. | Unit | Estimated Rate | | AMOUNT Rs. P |
|---------|---|-------------|------|----------------|---|-----------------|
| | | | | Figure | Words | |
| 1 | Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I | 0.66 | Hect | 59726.13 | Rupees Fifty Nine Thousand Seven Hundred & Twenty Six and Paise Thirteen Only | 39419.25 |
| 2 | Dismantling of cement concrete pavements by mechanical means using pneumatic tools breaking to pieces not exceeding 0.02 cum in volume and stock piling at designated locations and disposal of dismantled materials upto a lead of 1000 m, stacking serviceable and unserviceable materials separately | 360.00 | Cum | 1549.06 | Rupees One Thousand Five Hundred & Forty Nine and Paise Six Only | 557659.87 |
| 3 | Construction of Subgrade and Earthen Shoulders :- Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1. | 990.00 | Cum | 253.56 | Rupees Two Hundred & Fifty Three and Paise Fifty Six Only | 251024.40 |
| 4 | Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and lead upto 1000 m as per Technical Specification Clause 302.3 | 90.00 | Cum | 99.69 | Rupees Ninety Nine and Paise Sixty Nine Only | 8972.10 |
| 5 | Granular Sub-base Gr - II with Well Graded Material (Table 400.1) - Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. | 450.00 | Cum | 2333.65 | Rupees Two Thousand Three Hundred & Thirty Three and Paise Sixty Five Only | 1050142.50 |
| 6 | WBM Grading 3 :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the | 337.50 | Cum | 3242.56 | Rupees Three Thousand Two Hundred & Forty Two and Paise Fifty Six Only | 1094364.00 |

69 531245

Tender Inviting Authority: Engg-in Chief RWD Patna

☒ VALIDATE

Name of Work: Construction of Road & CD Works for Lakhisarai Pachna Path Sansar Pokhar Chowk To Kawalya Thana Chowk
Under MR / ROAD

PRINT

Contract No: Civil Works/

HELP

| | | | | |
|--------------|--|--------------|--|---|
| Bidder Name: | | Excess (+) | | % |
|--------------|--|--------------|--|---|

| SCHEDULE OF WORKS | | | | | | AMOUNT Rs. P |
|--|--|--|-------|----------------|--|-----------------|
| Sl. No. | Description of work | No. or Qty. | Unit | Estimated Rate | | |
| | | | | Figure | Words | |
| 26 | Providing Weepholes in brick masonry , Plain / Reinforced concrete abutement , wing wall , return wall with 100 mm dia AC pipe extending through the full width of the structure with slope of 1V: 20H towards drawing | 60.0 | No | 132.04 | Rupees One Hundred & Thirty Two and Paise Four Only | 7922.16 |
| Cost of Construction :- | | | | | | 14723625.90 |
| Add 1% Labour Cess | | | | | | 147236.26 |
| Add 18% GST | | | | | | 2650252.66 |
| SEIGNIORAGE FEE | | | | | | 250095.80 |
| Total Cost of Construction :- | | | | | | 17771210.62 |
| 27 | 5 year Maintenance | 20.000 | Qtrly | 95423.50 | Rupees Ninety Five Thousand Four Hundred & Twenty Three and Paise Fifty Only | 1908470.00 |
| Cost of Maintenance :- | | | | | | 1908470.00 |
| Add 1% Labour Cess | | | | | | 19084.70 |
| Add 18% GST | | | | | | 343524.60 |
| SEIGNIORAGE FEE | | | | | | 11968.04 |
| Total Cost of Maintenance :- | | | | | | 2283047.34 |
| Total Cost of Project Including Five Year Maintenance :- | | | | | | 20054257.96 |
| Quoted Rate in Words | | Rupees Two Crore Fifty Four Thousand Two Hundred & Fifty Seven and Paise Ninety Six Only | | | | |

**मुख्य अभियंता-2 का कार्यालय
ग्रामीण कार्य विभाग, पटना।**

/पटना, दिनांक-

पत्रांक-
प्रेषक,

ई0 श्रीप्रकाश

मुख्य अभियंता-2

सेवा में,

कार्यपालक अभियंता

ग्रामीण कार्य विभाग, कार्य प्रमण्डल, मुंगेर।

विषय : शीर्ष **MR-3054** योजनान्तर्गत कार्य प्रमण्डल, लखीसराय के अधीन पैकेज संख्या-**MR-N/22-23**
Lakhisarai/02 (Tender ID-122985) कार्य की निविदा की स्वीकृति के संबंध में।

महाशय,

विभागीय पत्रांक-मु0अ0-4(मु0)-निविदा-04-406 पार्ट-1/2023-6441 अनु0, दिनांक-19.12.2023 द्वारा संसूचित आदेश के अनुपालन में उपर्युक्त विषय के संबंध में बिहार लोक निर्माण संहिता के कंडिका-183 के आलोक में इस कार्य को इसके योग्य एवं सफल निविदाकार **Balkrishna Bhalotia Const. Pvt. Ltd.** (बीड आईडी-530419) को उनके द्वारा निविदित दर, जो परिमाण विपत्र की दर से 10.00 (दस दशमलव शून्य प्रतिशत) कम है, को स्वीकृत करते हुए सम्पूर्ण कार्य कुल 4,21,40,142/- (चार करोड़ ईक्कीस लाख चालीस हजार एक सौ बयालीस) रुपये मात्र की लागत पर आपकी अनुशंसा एवं कार्यहित में आवंटित किया जाता है।

2. निविदा की स्वीकृति सिर्फ इसी कार्य के लिए है, जो भविष्य में पूर्वाधारण नहीं होगा।
3. संवेदक के द्वारा एकरारनामा के लिए जमा की गई राशि एवं निविदा के साथ जमा किये गये संबंधित एन0एस0सी0 / Fixed Deposit/BG आदि का सत्यापन संबंधित डाकघर/बैंक से कराकर प्रमंडलीय कार्यालय में अभिलेखित किया जायेगा। कार्यपालक अभियंता, कार्य प्रमंडल, लखीसराय कार्यदेश निर्गत करने के पूर्व अग्रधन की राशि के सत्यापन से संबंधित कागजात अधोहस्ताक्षरी को उपलब्ध कराया जाना सुनिश्चित करेंगे।
4. एकरारनामा के पूर्व निविदा सूचना के अनुसार सभी वांछित कागजातों की अद्यतन स्वच्छ एवं सत्यापित प्रति निश्चित रूप से प्राप्त कर लिया जायेगा।
5. एकरारनामा से पूर्व कार्यपालक अभियंता यह सुनिश्चित कर लेंगे कि निविदाकार डिबार सूची/काली सूची या कार्य लंबित सूची में शामिल न हो।
6. कार्य में व्यवहृत सामग्रियों का दर प्राक्कलन में स्वीकृत लीड के आधार पर दिया गया है, कार्य कराते समय अगर इसमें कमी पाई जाती है तो उसके दर में सापेक्ष कमी कर दी जायेगी।
7. इस कार्य के संबंध में ग्रामीण कार्य विभाग, बिहार सरकार द्वारा निर्गत प्रशासनिक स्वीकृति एवं प्रावैधिक स्वीकृति तथा निविदा आमंत्रण सूचना में उल्लेखित शर्त एकरारनामा का भाग होगा, जिसे विशेष शर्त में जोड़कर संवेदक के साथ एकरारनामा किया जायेगा।
8. अनुमोदित किये गये तुलनात्मक विवरणी के प्रत्येक बिन्दु की जाँच अपने स्तर से स्वयं कर लेंगे एवं त्रुटि पाये जाने की स्थिति में वस्तुस्थिति से तत्क्षण अधोहस्ताक्षरी को अवगत करायेंगे। त्रुटि के सुधारोपरान्त एकरारनामा की कार्रवाई की जायेगी।
9. एकरारनामा के समय प्रत्येक मद के भाषा की शुद्धता की जांच कार्यपालक अभियंता स्वयं कर लेंगे एवं यह सुनिश्चित करेंगे कि इसमें कोई त्रुटि न हो।
10. कार्यारम्भ के पूर्व कार्यपालक अभियंता कार्य स्थल के निरीक्षणोपरान्त स्थल की स्थिति एवं प्राक्कलन में किये गये उपबंध से पूरी तरह आश्चस्त हो लेंगे एवं प्रशासनिक स्वीकृति तथा प्रावैधिक स्वीकृति के अग्रसारण प्रारूप में दिये गये निदेश का अनुपालन सुनिश्चित करायेंगे। पथ का नाम, परिमाण विपत्र की राशि, तकनीकी स्वीकृति की राशि, प्रशासनिक स्वीकृति की राशि, संवेदक द्वारा उद्धृत दर, परक्रमित दर, Bid Capacity आदि का मिलान कर ही कार्य आवंटन आदेश निर्गत करेंगे। कार्यपालक अभियंता कार्य आवंटन/LOA निर्गत करने से पूर्व मिलान कर लेंगे कि परिमाण विपत्र की राशि प्रशासनिक अनुमोदन की राशि के अनुज्ञेय सीमा के अन्दर है। यदि अनुज्ञेय सीमा से अधिक हो तो एकरारनामा के पूर्व पुनरीक्षित प्रशासनिक अनुमोदन प्राप्त कर लिया जाय।
11. कार्यदेश निर्गत करने से पहले संबंधित संवेदक से एकरारित अवधि के अन्दर कार्य समाप्त करने हेतु मासिक कार्य प्रोग्राम हस्ताक्षरित कराकर प्राप्त कर लेंगे जो की एकरारनामा का भाग होगा।

12. अधीक्षण अभियंता एवं कार्यपालक अभियंता विशेष रूप से ध्यान देंगे कि कार्य मानक विशिष्टियों के अनुरूप निर्धारित कार्य अवधि के अंदर पूरा की जायेगी।
13. कार्य समाप्ति की अवधि निविदा आमंत्रण सूचना के अनुसार होगी।
14. इस कार्य का व्यय शीर्ष MR-3054 योजनान्तर्गत से मिलने वाले राशि अन्तर्गत उपबंधित राशि से विकलित होगा।
15. कार्य का प्रगति प्रतिवेदन प्रत्येक महीने की सातवीं तारीख तक निश्चित रूप से इस कार्यालय को समर्पित की जाय।
16. सभी निविदा कागजात एवं तुलनात्मक विवरणी की मूल प्रति आवश्यक कार्रवाई हेतु लौटाई जाती है। आप निविदा कागजातों एवं तुलनात्मक विवरणी के जाघोपरान्त आप आवश्यक निदेशों को अपने स्तर से निर्गत करेंगे।
17. एकरारनामा से पहले निविदाताओं द्वारा दिये गये कागजात का सत्यापन उनके मूल कागजात से मिलान कर लेंगे। कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, लखीसराय तुलनात्मक विवरणी की एक अभिप्रमाणित प्रति अधीक्षण अभियंता, ग्रामीण कार्य विभाग, कार्य अंचल, मुंगेर को अभिलेख हेतु उपलब्ध करा देंगे। निदेश दिया जाता है कि संवेदक से कार्य प्रोग्राम प्राप्त कर लेंगे तथा उनका कार्यक्षमता कुशलता एवं पूर्व से आवंटित कार्यों की प्रगति से संतुष्ट हो लें।
18. इस निविदा की राशि में अगर कोई अंतर होता है तो इसकी सूचना तुरन्त इस कार्यालय को दी जाय।
19. कार्यपालक अभियंता, एकरारनामा करने के पूर्व संवेदक का निबंधन संख्या, पूर्ण पता एवं दूरभाष संख्या कार्यादेश में अंकित करेंगे तथा इस कार्यालय को सूचित करेंगे।
20. परिमाण विपत्र की दर से कम दर उद्धृत करने वाले संवेदक से विभाग द्वारा पूर्व में निर्गत दिशा निदेश के आलोक में अतिरिक्त वांछित परफॉरमेंस सिक्यूरिटी की राशि जमा कराना सुनिश्चित करेंगे।
21. किसी भी परिस्थिति में निजी जमीन पर निर्माण नहीं कराया जाय।
22. प्रत्येक 15 दिनों पर संवेदक से स्वहस्ताक्षरित विपत्र प्राप्त कर स्थल से मिलान कर मापी पुस्तिका में मापी दर्ज कर भुगतान सुनिश्चित करेंगे।
23. कार्यपालक अभियंता कार्यावंटन आदेश प्राप्त होते ही संवेदक को अविलंब LOA (Letter of Acceptance) निर्गत करेंगे एवं MBD की ITB की कंडिका 34.1 में निहित प्रावधान के आलोक में निर्धारित 21 दिनों के अन्दर एकरारनामा की कार्रवाई सुनिश्चित करेंगे। विशेष परिस्थिति में उक्त निर्धारित अवधि के पश्चात् एकरारनामा करने हेतु Proper Justification उचित माध्यम से समर्पित करेंगे एवं अधोहस्ताक्षरी के अनुमति के उपरान्त ही एकरारनामा करेंगे।
24. विभागीय पत्रांक-मु0अ0-4 (मु0) विविध-23-291/2014-131, दिनांक 13.12.2019 के आलोक में पत्र प्राप्ति के 24 घंटे के भीतर Letter of Acceptance (LOA) संबंधित संवेदक को निर्गत करेंगे।

कृपया पत्र प्राप्ति की सूचना देंगे।
अनु0-यथा उपर्युक्त।


विश्वासभाजन
ह0/-
मुख्य अभियंता-2

ज्ञापक- 4236/

/पटना, दिनांक- 20.12.23/23

प्रतिलिपि :

1. अभियंता प्रमुख, ग्रामीण कार्य विभाग, पटना को सूचनार्थ समर्पित।
2. अधीक्षण अभियंता, ग्रामीण कार्य विभाग, कार्य अंचल, मुंगेर को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
3. सहायक आई0टी0 मैनेजर को सूचनार्थ एवं संबंधित अधीक्षण अभियंता/कार्यपालक अभियंता के ई-मेल आई0डी0 पर अपलोड करने हेतु प्रेषित।


मुख्य अभियंता-2