

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल पटोरी ।

पत्रांक: 148 अनु०.

दिनांक:- 25.01.25

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल पटोरी ।

सेवा मे,

अपर मुख्य कार्यपालक पदाधिकारी - सह - सचिव
ग्रामीण कार्य विभाग,
बिहार, पटना ।

विषय:- मुख्यमंत्री ग्रामीण सड़क उन्नयन योजना (MMGSUY - General) शीर्ष 4515 योजना मद अंतर्गत
व्यय हेतु आवंटन की मांग के संबंध में ॥


महाशय,

उपर्युक्त विषयक मुख्यमंत्री ग्रामीण सड़क उन्नयन योजना (MMGSUY - General) शीर्ष 4515
योजना मद अंतर्गत व्यय हेतु विहित प्रपत्र में अधियाचना पत्र संलग्न कर भेजी जा रही है।

अतः अनुरोध है कि संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने का कृपा की जाए, ताकि
किये गये कार्यों का भुगतान किया जा सके । संबंधित संवेदक का इस प्रमंडल में ATR लम्बित नहीं है।

अनु० :- यथोक्त ।

विश्वासभाजन


कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल पटोरी

Requisition Format for scheme : MMGSUY

RWD, Works Division : Patori

Sl No	Package No	Project ID as Per MIS	Name of Road	AA Length (In Km.)	Administrative Approval (Construction Work) Amount (In Lakh)	Agreement (Construction Work) Amount (In Lakh)	Agreement Number/Date	Date of Completion as per Agreement	Actual Date of Completion	Work Status (WBM/WMM/BM/SD BC etc.)	Value of IRI (In mm/km)	Thickness of Bitumen Layer (In mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (In Lakh)	Upto date Expenditure as per MIS (In Lakh)	Value of Work Done (In Lakh)	Current Demand (In Lakh)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MMGSUY/23-24 Patori /01	3201020280001	Approach Road - Madhusudanpur	5.360	483.92	485.669	12MBD/2023-24	12.03.2025	On Going	BM/SD BC	2840	BM-50 mm, SDBC-25 mm Total Thickness of Bitumen = 75 mm	BM - 3.5, SDBC - 5.25 (Including West Plastic)	410.03558	410.03558	483.96045	73.92487	Completed
Total														410.03558		483.96045	73.92487	

1 Above Signed Copy and Soft Copy (In Excel) of recorded IRI is enclosed.

2 Up-to-date Physical Progress has been uploaded in MIS


Executive Engineer
RWD (W) Division Patori


P. S. Patil
9/12/24

GFR 12-B
(SEE Rule 256 (2))
FORM OF UTILIZATION CERTIFICATE
Head - MMGSUY (Gen)

Name of Division- Rural Works Department, Works Division, Patori.

- (1) Certified That Out Of Loan Of RS. 799.69118 Lakh Sanctioned under Letter No-_____ dated _____ in favour of RWD (Patori). During the year 2024 an amount of RS. 799.69118 Lakh has been utilized for the purpose for which it was sanctioned, and that balance of RS. 0.00000 Lakh, remaining unutilized at the end of the year has been surrendered to the Government (videdated..../will be adjusted towards No... the loan payable during next financial year
- (2) Certified that I Have satisfied myself that the condition on which the loan was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following cheks to See that the money was actually spent for the purpose for which Loan was made.

Kinds of Cheks exercised:-

- i Works have been supervised by the Executive Engineer / Superintending Engineer
- ii Periodical inspection has been conducted by the Executive Engineer / Superintending Engineer.
- iii Construction material have been tested.
- iv Measurement have been recorded in the M.Bs. and test cheks conducted by the Assistant.
- v All other codal formalities have been observed


D.A.O.
Rural Works Department
Works Division, Patori


Executive Engineer
Rural Works Department
Works Division, Patori

कार्यपालक अभियंता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल पटोरी

मुख्यमंत्री ग्रामीण सड़क उन्नयन योजना (MMGSUY - General) के अधियाचना हेतु प्रमाण पत्र


Name of Road -

Approach Road - Madhusudanpur


क्र० सं०	शर्त	अभियुक्ति
1	मापी पुस्त पर इस आशय का प्रमाण पत्र दर्ज है कि कार्य गुणवत्ता पूर्ण कराया गया है एव विशिष्टियों के अनुरूप है।	निर्माण कार्य गुणवत्ता पूर्ण कराया गया है एव विशिष्टियों के अनुरूप है।
2	कराये गए कार्यों को सभी अवयवों के अवयववार 100 प्रतिशत कार्य का दर्ज मापी का सत्यापन कनीय अभियंता, कम से कम 50 प्रतिशत मापी का सत्यापन सहायक अभियंता एव कम से कम 10 मापी का सत्यापन कार्यपालक अभियंता द्वारा किये जाने का प्रमाण पत्र को विभागीय MIS पर अपलोड किया जाय।	कराये गए कार्यों को सभी अवयवों के अवयववार मापी का सत्यापन कनीय अभियंता, सहायक अभियंता एव कार्यपालक अभियंता के द्वारा किया गया है।


25/11/25

कनीय अभियंता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल मोहिउद्दीन नगर


25.01.25

सहायक अभियंता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल मोहिउद्दीन नगर


25.01.25

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल पटोरी

Name of Road - Approach Road to Madhusudanpur

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI TEGORY ROAD	Latitude	ongitude	Event
10/9/24	16:39:0	11	0.1	250	30.3	2500	2972 G	3.99	25.63434	85.6957 Normal
10/9/24	16:39:17	11	0.1	190	20.2	1900	2290 G	3.16	25.63356	85.6959 Normal
10/9/24	16:39:17	11	0.1	180	20.2	1800	2177 G	3.02	25.63262	85.69582 Normal
10/9/24	16:39:17	11	0.1	190	20.2	1900	2290 G	3.16	25.63186	85.69585 Normal
10/9/24	16:40:0	11	0.1	280	10.1	2800	3313 G	4.4	25.63112	85.69399 Normal
10/9/24	16:40:0	11	0.1	270	20.2	2700	3199 G	4.26	25.63088	85.69336 Normal
10/9/24	16:40:28	11	0.1	290	20.2	2900	3426 G	4.53	25.63014	85.69282 Normal
10/9/24	16:41:3	11	0.1	200	10.1	2000	2404 G	3.3	25.62947	85.69254 Normal
10/9/24	16:41:3	11	0.1	240	10.1	2400	2858 G	3.85	25.62863	85.69289 Normal
10/9/24	16:41:38	11	0.1	260	20.2	2600	3086 G	4.13	25.62777	85.69282 Normal
10/9/24	16:42:0	11	0.1	240	30.3	2400	2858 G	3.85	25.62694	85.6926 Normal
10/9/24	16:42:14	11	0.1	260	20.2	2600	3086 G	4.13	25.62543	85.69214 Normal
10/9/24	16:42:14	11	0.1	280	10.1	2800	3313 G	4.4	25.62541	85.69215 Normal
10/9/24	16:43:0	11	0.1	290	20.2	2900	3426 G	4.53	25.62461	85.69179 Normal
10/9/24	16:43:0	11	0.1	210	20.2	2100	2518 G	3.44	25.62367	85.69115 Normal
10/9/24	16:43:24	11	0.1	260	30.3	2600	3086 G	4.13	25.62308	85.69067 Normal
10/9/24	16:43:24	11	0.1	270	10.1	2700	3199 G	4.26	25.62234	85.69011 Normal
10/9/24	16:44:0	11	0.1	230	20.2	2300	2745 G	3.72	25.62163	85.68941 Normal
10/9/24	16:44:0	11	0.1	230	20.2	2300	2745 G	3.72	25.6208	85.68862 Normal
10/9/24	16:44:0	11	0.1	230	20.2	2300	2745 G	3.72	25.62032	85.68822 Normal
10/9/24	16:44:35	11	0.1	280	20.2	2800	3313 G	4.4	25.61988	85.68847 Normal
10/9/24	16:45:0	11	0.1	210	20.2	2100	2518 G	3.44	25.61931	85.68891 Normal
10/9/24	16:45:10	11	0.1	260	20.2	2600	3086 G	4.13	25.61849	85.68918 Normal
10/9/24	16:45:10	11	0.1	260	30.3	2600	3086 G	4.13	25.61762	85.68958 Normal
10/9/24	16:45:10	11	0.1	250	30.3	2500	2972 G	3.99	25.61693	85.69014 Normal
10/9/24	16:45:45	11	0.1	210	20.2	2100	2518 G	3.44	25.61644	85.69074 Normal
10/9/24	16:46:0	11	0.1	260	20.2	2600	3086 G	4.13	25.61609	85.69204 Normal
10/9/24	16:46:0	11	0.1	200	30.3	2000	2404 G	3.3	25.61573	85.69369 Normal
10/9/24	16:46:21	11	0.1	250	30.3	2500	2972 G	3.99	25.61569	85.69389 Normal
10/9/24	16:46:21	11	0.1	220	20.2	2200	2631 G	3.58	25.61546	85.6946 Normal
10/9/24	16:46:56	11	0.1	290	20.2	2900	3426 G	4.53	25.61504	85.69551 Normal
10/9/24	16:47:0	11	0.1	280	10.1	2800	3313 G	4.4	25.61455	85.69649 Normal
10/9/24	16:47:0	11	0.1	280	20.2	2800	3313 G	4.4	25.61426	85.69721 Normal
10/9/24	16:47:31	11	0.1	260	20.2	2600	3086 G	4.13	25.61456	85.6979 Normal
10/9/24	16:47:31	11	0.1	250	20.2	2500	2972 G	3.99	25.61507	85.6987 Normal
10/9/24	16:48:6	11	0.1	210	20.2	2100	2518 G	3.44	25.61556	85.69946 Normal
10/9/24	16:49:0	11	0.1	230	0	2300	2745 G	3.72	25.61658	85.69984 Normal

$$Y = 0 * X^2 + 1.136 * X + 132.5$$

$$X = 833$$

$$Y = 1078$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

Name of Road - Approach Road to Madhusudanpur

Date	Time	Section	Length	Bumps	Speed	OR	IRI	TEGORY	Latitude	ongitude	Event
10/9/24	16:49:0	11	0.1	210	20.2	2100	2518	G	3.44	25.61719	85.70038 Normal
10/9/24	16:49:17	11	0.1	220	10.1	2200	2631	G	3.58	25.6174	85.70128 Normal
10/9/24	16:49:52	11	0.1	210	20.2	2100	2518	G	3.44	25.61741	85.70229 Normal
10/9/24	16:50:0	11	0.1	240	10.1	2400	2858	G	3.85	25.61752	85.70313 Normal
10/9/24	16:50:28	11	0.1	210	20.2	2100	2518	G	3.44	25.61827	85.70352 Normal
10/9/24	16:50:28	11	0.1	240	20.2	2400	2858	G	3.85	25.61921	85.70368 Normal
10/9/24	16:50:28	11	0.1	220	30.3	2200	2631	G	3.58	25.6201	85.70358 Normal
10/9/24	16:51:3	11	0.1	250	30.3	2500	2972	G	3.99	25.62086	85.70393 Normal
10/9/24	16:51:3	11	0.1	200	30.3	2000	2404	G	3.3	25.6217	85.70449 Normal
10/9/24	16:51:3	11	0.1	230	30.3	2300	2745	G	3.72	25.6224	85.70489 Normal
10/9/24	16:51:38	11	0.1	240	20.2	2400	2858	G	3.85	25.62325	85.70532 Normal
10/9/24	16:52:13	11	0.1	290	0	2900	3426	G	4.53	25.62407	85.70594 Normal
10/9/24	16:52:49	11	0.1	250	20.2	2500	2972	G	3.99	25.62481	85.70644 Normal
10/9/24	16:53:0	11	0.1	240	20.2	2400	2858	G	3.85	25.62555	85.70694 Normal
10/9/24	16:53:24	11	0.1	250	20.2	2500	2972	G	3.99	25.62625	85.70749 Normal
10/9/24	16:53:24	11	0.1	240	10.1	2400	2858	G	3.85	25.62697	85.70812 Normal
10/9/24	16:54:0	11	0.06	50	30.3	833	1078	G	1.61	25.6272	85.70862 Normal
						AVG:-		2840			


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

File : F:\Software\Bump Indicator

Name of Customer : Name of Work/ Road : Lab Job number :



0.0 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2.0 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 3.0 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4.0 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 5.0 5.1 5.2 5.3 5.4
Distance * 1000 m

2/5/10/15
AE

2/5/10/15
AE

2/5/10/15
AE