

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल-शिवहर।

Mob No.-8986915416

Email ID-eerwdsheohar@gmail.com

पत्रांक:- ३५ (अनु) /शिवहर

दिनांक:- 23/11/25

प्रेषक,

ई० चन्दन कुमार भार्गव,
कार्यपालक अभियंता।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :-MR (3054) नई अनुरक्षण नीति 2018 के तहत पथ के अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषयक के संबंध में सूचित करना है कि कार्य प्रमंडल-शिवहर के अंतर्गत MR (3054) New Maintenance Policy 2018 के तहत कराये गये कार्यों के भुगतान हेतु राशि की अधियाचना विहित प्रपत्र में समर्पित की जा रही है।

अनु०- यथोक्त।

विश्वासभाजन

प्र
23/11/25
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, शिवहर-22-01-2025

FROM GER 19-A

[See Government of India's Decision (I) below reule-150]
Form of Utilization Certificate for the month of up to Jan 2025

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacsRs.)	Amount Received (in lacsRs.)	Particulars
1	Construction of Rural Roads Under MR-3054 New Maintenance Policy 2018	BRRDA Lt. No. 02 Date- 14.01.2025	5631.59671/-	Certified that out of Rs-5631.59671 Lakh of grants in aid sanctioned during the Years-2024 in favour of Executive Engineer, RWD Works Division, Sheohar Rs-4715.01502 Lakh Has been utilized for the purpose of MR-3054 New Maintenance Policy 2018 schemes as given in the margin for which it was sanctioned and that the balance of Rs-916.58169 Lakh remaining unutilized at the end of the period under report.
Total:-			5631.59671/-	

2. Certified that I have satisfied my self that conditions on which the grants –in- aid was sanctioned have been duly fulfilled /are being fulfilled and I have ,exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of Checks exercise.

- (i) Work have been supervised by of Executive Engineer/ Superintending Engineer.
 - (ii) periodical inspection has been conducted by of Executive Engineer/ Superintending Engineer.
 - (iii) Construction materials have been tested.
 - (iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- 3 All other codal formalities.
- (i) Physical progress achieved.
 - (ii) Construction of Road works.
 - (iii) construction of CD Works .

Executive Engineer
R.W.D. Works Division,
Sheohar

(Signature)
22.1.25
22.1.25

Statement Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (initial Rectification and Surface Renewal)
of Works Division- RWD, Works Division-Sheohar.


Sil. No.	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Length (in km)	Administrative Approval		Agreement Amount (in Lakh)		Agreement No. Date	Date of Completion as per agreement	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in lakh)	Up to Date expenditure as per MIS (in Lakh)	Requisition against work done (in lakh)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/2019-20 Sheohar/04	Basahiya PWD road to Gadhwara	31608001005	6284/02.12.2019	4.000	78.04000	28.60000	77.81600	28.50000	MBD/MR/08 of 2020-21 07.12.2020	06.09.2021	3315.6	25	5%	0	0	77.81000	Completed
	Total					78.04000	28.60000	77.81600	28.50000						0	0	77.81000	


1. Signed Hard Copy and Soft Copy (in Excel) of recorded IRI is enclosed.
2. Up - to date Physical Progress has been uploaded in MIS.
3. Certificate enclosed


[Signature]
Executive Engineer,
RWD, Works Div. Sheohar
22.01.2023

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल शिवहर।
प्रमाण-पत्र

विभागीय आदेशानुसार सत्यापित किया जाता है कि शीर्ष 3054 (नई अनुरक्षण नीति 2018) अंतर्गत बसहिया PWD पथ से गढ़वा पथ निर्माण, प्रोजेक्ट आई०डी०-31608001005 का मरम्मत कार्य की जाँच 100 प्रतिशत संबंधित कनीय अभियंता, 50 प्रतिशत संबंधित सहायक अभियंता एवं 10 प्रतिशत कार्यपालक अभियंता द्वारा किया गया है।


20.01.2025.
कनीय अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रशाखा, पिपराही।


20-01-2025
सहायक अभियंता,
ग्रामीण कार्य विभाग,
कार्य अवर प्रमंडल, पिपराही।


22/01/25
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, शिवहर।

Name of Customer : M/S M.S. Enterprises Prop- Manj Singh
 Name of Work/ Road : Basahiya P.W.D. Road to Gara
 Lab Job number : 153
 Date : 06-01-2025
 Section No. : 38

Test Date : 06-01-2025
 Machine No : 423
 Start S No : BASAHIYA
 Start E No : GARAHWA
 Weather : NORMAL
 Start Location : 0.00
 End Location : 4.00
 Road Name : Basahiya P.W.D. Road to Gara
 Road Type : (R) RURAL ROAD
 Side :
 Interval
 UV Range : 1858 To 5000 mm/km
 Dist Range : 0 To 4.1 ~ 1000 m
 Equation : $Y = 0 * X^2 + 1.136 * X + 132.5$


Print Generate Report and Graph

Redraw Graph

Map View

File : C:\Users\deli\Desktop\06010921.Xls, Section No. : 38, Eqn : $Y = 0 * X^2 + 1.136 * X + 132.5$

Name of Customer : M/S M.S. Enterprises Prop- Manj Singh, Name of Work/ Road : Basahiya P.W.D. Road to



20.01.2025
 572
 Rbhand
 20-01-2025
 AF

Road Name-Basahiya P.W.D. Road to Garahwa Road
Contractor Name-M/S M.S.Enterprises Prop- Manju Singh
Length- 4.00 KM

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UIV	CATEGORY ROAD	IRI	Latitude	Longitude	Event
6/1/25	7:39:2	38	0.1	250	10.1	2500	2972 G	3.99	26.53021	85.2984	Normal	
6/1/25	7:39:39	38	0.1	270	20.2	2700	3199 G	4.26	26.53087	85.29773	Normal	
6/1/25	7:40:11	38	0.1	290	20.2	2900	3426 G	4.53	26.53142	85.29694	Normal	
6/1/25	7:40:52	38	0.1	280	20.2	2800	3313 G	4.4	26.53202	85.29616	Normal	
6/1/25	7:41:38	38	0.1	300	20.2	3000	3540 G	4.66	26.53246	85.2953	Normal	
6/1/25	7:41:56	38	0.1	280	20.2	2800	3313 G	4.4	26.53282	85.29431	Normal	
6/1/25	7:42:32	38	0.1	270	20.2	2700	3199 G	4.26	26.53317	85.29338	Normal	
6/1/25	7:42:12	38	0.1	290	10.1	2900	3426 G	4.53	26.53354	85.29247	Curve	
6/1/25	7:42:53	38	0.1	280	10.1	2800	3313 G	4.4	26.53373	85.29168	Normal	
6/1/25	7:43:31	38	0.1	300	20.2	3000	3540 G	4.66	26.53382	85.29072	Normal	
6/1/25	7:44:16	38	0.1	270	20.2	2700	3199 G	4.26	26.53431	85.29008	Normal	
6/1/25	7:44:58	38	0.1	250	20.2	2500	2972 G	3.99	26.53494	85.28943	Normal	
6/1/25	7:45:32	38	0.1	280	10.1	2800	3313 G	4.4	26.53853	85.28796	Curve	
6/1/25	7:46:4	38	0.1	270	20.2	2700	3199 G	4.26	26.53934	85.28822	Normal	
6/1/25	7:46:51	38	0.1	250	10.1	2500	2972 G	3.99	26.54023	85.28835	Normal	
6/1/25	7:47:32	38	0.1	280	10.1	2800	3313 G	4.4	26.54108	85.2885	Normal	
6/1/25	7:47:32	38	0.1	260	10.1	2600	3086 G	4.13	26.54081	85.28928	Normal	
6/1/25	7:48:2	38	0.1	290	20.2	2900	3426 G	4.53	26.54069	85.29024	Normal	
6/1/25	7:48:34	38	0.1	270	10.1	2700	3199 G	4.26	26.54106	85.29111	Normal	
6/1/25	7:49:5	38	0.1	300	10.1	3000	3540 G	4.66	26.54156	85.29214	Normal	
6/1/25	7:49:38	38	0.1	310	20.2	3100	3654 G	4.8	26.54224	85.29266	Normal	
6/1/25	7:50:12	38	0.1	290	20.2	2900	3426 G	4.53	26.5427	85.293	Normal	
6/1/25	7:50:35	38	0.1	270	20.2	2700	3199 G	4.26	26.54353	85.29325	Normal	
6/1/25	7:51:1	38	0.1	260	20.2	2600	3086 G	4.13	26.54384	85.29379	Normal	
6/1/25	7:51:36	38	0.1	280	20.2	2800	3313 G	4.4	26.54471	85.29394	Normal	
6/1/25	7:52:4	38	0.1	260	20.2	2600	3086 G	4.13	26.54534	85.29357	Normal	
6/1/25	7:52:39	38	0.1	280	20.2	2800	3313 G	4.4	26.54622	85.29377	Normal	
6/1/25	7:53:11	38	0.1	300	20.2	3000	3540 G	4.66	26.54713	85.29404	Normal	
6/1/25	7:53:57	38	0.1	310	20.2	3100	3654 G	4.8	26.54773	85.29458	Normal	
6/1/25	7:54:31	38	0.1	290	10.1	2900	3426 G	4.53	26.54862	85.2948	Curve	
6/1/25	7:54:58	38	0.1	270	30.3	2700	3199 G	4.26	26.54939	85.29522	Normal	
6/1/25	7:55:31	38	0.1	290	20.2	2900	3426 G	4.53	26.5503	85.29545	Normal	
6/1/25	7:56:2	38	0.1	300	10.1	3000	3540 G	4.66	26.55114	85.29572	Normal	
6/1/25	7:56:35	38	0.1	310	30.3	3100	3654 G	4.8	26.552	85.29594	Normal	
6/1/25	7:57:2	38	0.1									

Y = 0 * X ^ 2 + 1.136 * X + 132.5
X = 2400
Y = 2858
(R) RURAL ROAD
Good Average Poor
4001-5000 >5001

25/6-10-2025
Manju Singh

6/1/25	7:57:37	38	0.1	290	20.2	2900	3426 G	4.53	26.55293	85.29614	Normal
6/1/25	7:58:2	38	0.1	270	20.2	2700	3199 G	4.26	26.55382	85.2963	Normal
6/1/25	7:58:34	38	0.1	300	10.1	3000	3540 G	4.66	26.55471	85.29648	Normal
6/1/25	7:59:9	38	0.1	290	20.2	2900	3426 G	4.53	26.55558	85.29665	Normal
6/1/25	7:59:57	38	0.1	270	10.1	2700	3199 G	4.26	26.55607	85.29672	Normal
6/1/25	8:0:39	38	0.1	240	10.1	2400	2858 G	3.85	26.55616	85.296729	Normal

IRI	132624
AVG. IRI	3315.6 G

Handwritten signature
 520-10-927
 AE

Handwritten signature
 520-10-927
 AE