

अंशुल कुमार, भा०प्र०से०

जिलाधिकारी, बांका

सेवा में.

पत्रांक-/गो०,



अपर मुख्य सचिव, ग्रामीण कार्य विभाग. बिहार, पटनां

बांका, दिनांक-/, 2024

विषय :-अराजी बाबरचक महादलित टोला से नवादा धोरैया आर०सी०डी० मैन रोड की मरम्मति कराने के संबंध में।

बांका समाहरणालय (गोपनीय शाखा)

महाशय.

उपर्युक्त विषय के सन्दर्भ में सादर कहना है कि माननीय मुख्यमंत्री, बिहार के द्वारा महिला संवाद यात्रा के अन्तर्गत सभावित चयन स्थल ग्राम बाबरचक स्मार्ट विलेज, रजौन प्रखण्ड अन्तर्गत हैं इसी आलोक में बाबरचक रमार्ट विलेज जाने वाले पथ अराजी बाबरचक महादलित टोला से नवादा धोरैया आर0 सी0 डी0 मैन रोड तक कुल लम्बाई-0.756 कि0मी0 का मजबूतीकरण तथा मरम्मति कार्य कराना आवश्यक है।

अतः अनुरोध है कि कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, बांका-02 को उक्त पथ की मरम्मति कार्य कराने की स्वीकृति प्रदान करने की कृपा की जाय।

विश्वासभाजन

80/ -

जिला पदाधिकारी, बांका।

ज्ञापांक. 1795/गो०, दिनांक 03.12. २०२५

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल संख्या-02 बांका को प्रतिलिपि:-सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

उप विकास आयुक्त, बांका को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित। प्रतिलिपि:-

जिला पदाधिकारी,

बिहार सरकार ग्रामीण कार्य विभाग

पत्रांक- मु०अ० (अ०उ०)-3054-01-335 /2024 43 6

(पटना, दिनांक- 25.02.**2**025

प्रेषक,

उज्ज्वल कुमार सिंह, भाजपाररी विशेष सचिव।

सेवा में,

महालेखाकार (लेखा एवं हकदारी) बिहार, पटना।

विषय:-

मुख्यमंत्री ग्रामीण सड़क उन्नयन योजना के अनुसूचित जाति घटक के अधीन बिहार राज्य के बांका जिला में 01 योजना के उन्नयनार्थ स्तम्म-8 में अंकित लम्बाई (कि0मी0) एवं स्तम्भ-8 में उन्नयनार्थ हेतु कुल राशि रू0 21.15800 लाख रूपये (इक्कीस लाख पन्द्रह हजार आठ सौ रूपये) मात्र है, पर (कुल 01 योजना) घटनोत्तर प्रशासनिक अनुमोदन प्रदान किये जाने के संबंध में।

महाशय,

मुख्यमंत्री ग्रामीण सङ्क उन्नयन योजना के अनुसूचित जाति घटक के अधीन बिहार राज्य के बांका जिला अन्तर्गत 01 योजना के उन्नयनार्थ समर्पित विस्तृत परियोजना प्रतिवेदन जिसकी अनुमोदित राशि 0 से 5 करोड़ के बीच में है पर सक्षम स्तर से अनुमोदन प्राप्त है जिनके लिए स्तंभ 07 में अंकित कुल राशि 21.58000 लाख मात्र है पर घटनोत्तर प्रशासनिक अनुमोदन प्रदान किया जाता है।

District	Division	Block	Name of Road	Length (In KM)	Cost. Of Upgradation/ Strengthening with surface (in Lakhs)	Total Estimated Cost (in Lakhs)
	3	4	5	6	7	8
Banka	Banka-2	Rajaun	Araji Barbarchak Mahadalit Tola To Nawada Dhoraiya	0.756	21.15800	21.15800
			RCD Main Road	0.756		21.15800
	2	2 3	2 3 4 Banka Banka-2 Rajaun	2 3 4 5 Banka Banka-2 Rajaun Araji Barbarchak Mahadalit Tola To Nawada Dhoraiya RCD Main Road	District Division Block Name of Road (In KM) 2 3 4 5 6 Banka Banka-2 Rajaun Araji Barbarchak Mahadalit Tola To Nawada Dhoraiya RCD Main Road 0.756	District Division Block Name of Road Length (In KM) Strengthening with surface (in Lakhs) 2 3 4 5 6 7 Banka Banka-2 Rajaun Araji Barbarchak Mahadalit Tola To Nawada Dhoraiya RCD Main Road 0.756

2. मांग संख्या-37-मुख्य शीर्ष-4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय, उप मुख्यशीर्ष - 00, लघु शीर्ष -789-अनुसूचित जाति के लिए विशेष घटक योजना, उपशीर्ष 0107— मुख्यमंत्री ग्रामीण सड़क उन्नयन योजना (अनुसूचित जाति), विषय शीर्ष-5301 मुख्य निर्माण कार्य, विपत्र कोड - 37-4515-00-789-0107, बजट उपबंध-700 करोड़ रु० का बजट उपवंध प्राप्त है। बिहार सरकार, वित्त विभाग के पत्रांक- 12888 दिनांक 03.12.2024 की कंडिका 14 के अनुसार प्राप्त बजट के तीन गुणा राशि में से पूर्व के दायित्व के राशि को घटाते हुये नई योजना की स्वीकृति दी जा सकती है। 3. संबंधित कार्यपालक अभियंता, कार्य प्रमण्डल, बांका योजना के कार्य सम्पादन हेतु निकासी

एवं व्ययन पदाधिकारी होंगे। नियंत्री एवं व्ययन पदाधिकारी का उत्तरदायित्व होगा कि कार्यो

का विशिष्टताओं / विशिष्टि के अनुरूप कार्यान्यित कराकर एकरारनामा एवं सुसंगत वितीय 17. वित्त वि का विशिष्टताओं /विशिष्ट क अपुरुष वात्रा पर ही राशि की निकासी एवं व्ययन करेंगे। प्रावधानों के पालन उपरान्त पूर्णतः संतुष्ट होकर ही राशि की निकासी एवं व्ययन करेंगे। प्रावधानों के पालन उपरान्त पूजात संपुष्ट होता एवं व्ययन पदाधिकरी (कार्यपालक अभियंता) किसी प्रकार की अनियमितता के लिए निकासी एवं व्ययन पदाधिकरी (कार्यपालक अभियंता) पूर्णतः जिम्मेवार होग। 4. सारणी में अंकित योजना का विभागीय रुप से कार्य सम्पादन संबंधित कार्यपालक अभियंता 18. स्वीकृत

द्वारा कराया जायगा। 5. इन योजना के चयन के प्रस्तांव पर विभागीय मंत्री महोदय का अनुमोदन संचिका संख्या-

मु०अ० (अ०उ०)-3054-01-335 /2024 में दिनांक 30.12.2024 को प्राप्त है। मु0310 (31030)-3054-01-335 मार्ग से कराये गये कार्य हेतु प्रशासनिक अनुमोदन के 6. सारणी में अंकित योजना का विभागीय रूप से कराये गये कार्य हितु प्रशासनिक अनुमोदन के

सारणा म आकृत याजाना वर्ग निवास मुख्य सचिव महोदय, ग्रामीण कार्य विभाग, बिहार, पटुना परताव पर सक्षम प्राधिकार अपर मुख्य सचिव महोदय, ग्रामीण कार्य विभाग, बिहार, पटुना प्रस्ताव पर राजन आजवार, पटना द्वारा संचिका संख्या- मु०अ० (अ०उ०)-3054-01-335 /2024 में दिनांक 21.02.20 26 को ग्राप्त है। 7. योजना के कार्यान्वयन के पूर्व डी०पी०आर० पर कार्यपालक अभियंता द्वारा सक्षम प्राधिकार से

प्रावैधिक रवीकृति प्राप्त की जायेगी।

 योजना की तकनीकी स्वीकृति. प्रदान किये जाने के क्रम में प्रावधानित प्रत्येक मद की संभाव्यता की जाँच सक्षम प्राधिकार द्वारा सुनिश्चित किया जायेगा।

9. एकरारनामा के पूर्व कार्यपालक अभियंता यह सुनिश्चित कर लेंगे की सूची में वर्णित कोई भी योजना किसी अन्य अनुरक्षण कार्यक्रम से अच्छादित नहीं हो।

10. संबंधित योजना U/SRI कैटेगरी के अन्तर्गत चिन्हित नहीं हो। यदि चिन्हित हो तो निर्धारित प्रक्रियानुसार सभी आवश्यक कार्रवाई सुनिश्चित करने के उपरान्त ही योजना कार्यान्वित की जाय।

11. बिहार कोषागार संहिता निहित प्रावधानों के आलोक में बजट प्रावधान के अन्तर्गत निधि की उपलब्धता के आधार पर उक्त योजना हेतु राशि की निकासी की जायेगी।

12. वित्त विभाग के संकल्प सं0-12888 दिनांक 03.12.2024 में निहित निदेशों को अक्षरशः पालन किया जायेगा तथा बिहार वित्त नियमावली के सुसंगत प्रावधानों के आलोक में योजना में उपवंधित राशि की उपलब्धता के आधार पर व्यय की जायेगी।

13. यह राशि उसी मद में खर्च की जायेगी, जिसके लिए पुर्नविनियोजित की गयी है, अन्य मद में नहीं।

14 प्राक्कलन की विशिष्टताओं के अनुसार निर्धारित समयाविध के अन्दर कार्य पूर्ण कराना सुनिश्चित किया जायेगा।

15. संबंधित कार्यपालक अभियंता **द्वारा योजना के वित्तीय एवं भौतिक प्रतिवेदन प्रत्ये**क माह की 5 तारीख तक ऑन लाइन प्रविष्टि कराते हुए अधीक्षण अभियंता एवं मुख्य अभियंता के माध्यम से विभाग को निश्चित रूप से उपलब्ध कराएंगे।

16. योजना के कार्यान्वयन के क्रम में इनका निर्धारित निरीक्षण, सरकार से निर्गत आदेशों में प्रावधानित सक्षम नियंत्री पदाधिकारियों द्वारा नियमित अन्तराल पर अनिवार्य रूप से किया जायेगा एवं कार्यों को स—समय तथा गुणवत्ता पूर्वक सम्पन्न कराना सुनिश्चित कराया जायंगा। योजना के कार्यान्वयन में अनियमितता की स्थिति में दोषी पदाधिकारी उत्तरदायी माने जाएगे।

संबंधित 02 वर्ष

आंतरिक

/202

17. वित्त विभाग के संकल्प सं0—12888 दिनांक 03.12.2024 की कंडिका—17 के आलोक में संबंधित योजना की प्रशासनिक स्वीकृति की वैधता स्वीकृत्यादेश निर्गत करने की तिथि से 02 वर्ष की अवधि तक वैध रहेगी।

18. स्वीकृत्यादेश प्रारूप आंतरिक वित्तीय सलाहकार की सहगति से निर्गत किया जा रहा है। आंतरिक वित्तीय सलाहकार की सहमति संचिका संख्या— गु०अ० (अ०उ०)—3054—01— 335 / 2024 के पृ0— 11/टि० पर दिनांक— 20.02.208को प्राप्त है।

विश्वासमाजन

ज्ञान क्रुमार सिंह)

Office of The Executive Enginner, Rural Works Department, Works Division, Banka-2

Comprative Statement

ock-Ra	oun Scheme-MMGSUY District-Banka							
			Rate as per	R	y			
SI No.	Name of Road	Length (In Km) Estimate (In Rs.)		Anil Kumar Singh	Jai Baba dhankund Nath Construction Privet Limited	Chinmay Anand	Remarks	
1	2	3	4	5	6			
1	Repair of Road from Araji Barbarchak Mahadalit Tola To Nawada Dhoraiya Main Road	0.756	21.158	22.20588	21.94617	22.46728	8	

Executive Engineer
Rural Works Department,
Works Division, Banka-2

C/O Birendra Kumar Bharti. Vill- Sujal Korama (Kurma). Kathrang, Bhagalpur, Jagdishpur, Bihar, India, 813107

CIN: U43299BR2023PTC066890

Ph- 9431277980

Email ID: jaibabadhankundnath a gmail.com

Ref. No.:

Date:

	f Araji Barbarchak Mahadalit Tola To Nawada Dhora	District:		Banka	
oad :	Rajaun	Division:-		Banka -II	
ck	lem	Qty.	Unit	Rate (Rs.)	Amount (Rs.
gth :	Description of items	Q.j.			
I. No.	SCHEDULE A				•
1	Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exeeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I		На	65110.00	9831.61
2	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical	680.4	Cum	216.61	147381.44
3	Granular Sub-base with Well Graded Material(Grade 2): Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical	51.997	Cum	1,834.32	95378.83
4	Specification Clause 401. Water Bound Macadam Gr III: Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density code in the stages of	35.12	Cum	3,635.65	127688.67

BIRENDRA KUMAR BHARTI

C/O Birendra Kumar Bharti, Vill- Sujal Korama (Kurma). Kathrang, Bhagalpur, Jagdishpur, Bihar, India, 813107

CIN: U43299BR2023PTC066890

Ph- 9431277980

Email ID: jaibabadhankundnath a gmail.com

Ref. No.:

Date:

		044	Unit	Rate (Rs.)	Amount (Rs.)
1. No.	Providing and applying primer coat with Bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70- 1.0 kg/sqm using mechanical means as per Technical Specification Clause 502.	Qty. 468.28	Sqm	48.28	22608.74
6	Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surface tretaed with Primer and clened with hydriloc broom as per technical specification aclouse	2835	Sqm	16.62	47117.70
7	Providing and laying semi dense bituminous concrete with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.5 to 5 per cent of mix and filler, bituminous binder @ 4.5 to 5 per cent of mix and filler, bituminous binder with to work site, laying with a transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with semonth wheeled, vibratory and tandem rollers to		Cum	11,021.94	781235.11
8	achieve the desired compaction as perspects. specification clause No. 508 complete in all respects. Construction of dry lean cement concrete Sub-base over a prepared sub-grade with coarse and find aggregates conforming to IS:383, the size of coarse aggregate not exceeding 25mm, aggregate cement ratio not to exceed 15:1 aggregate gradation after blending to be as per table 600-1 cement content not to be less than 150kg/cum optimum moisture content to be determined during trial length construction, concrete determined during trial length construction, concrete strength not be less than 10 Mpa at 7 days, mixed in a strength not be less than 10 Mpa at 7 days, mixed in a strength not be less than 10 mpa at 7 days, mixed	0,00	Cum	3,658.94	0.00

Certified True Copy,
For JAI BABA DHANKUND NATH CONSTRUCTIONS PRIVATE LIMITED

BIRENDRA KUMAR BHARTI

C/O Birendra Kumar Bharti, Vill- Sujal Korama (Kurma). Kathrang, Bhagalpur, Jagdishpur, Bihar, India, 813107 CIN, U43299BR2023PIC066890

Ph- 9431277980

f mail ID - jaihahadhankundnath i giriail com-

Ref. No.:

Date

_	Description of Items	Qty.	Unit	Rate (Rs.)	Amount (Rs.
r	Construction of Panel concrete ,plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Caluse 1501.2.2 M 30(Grade) coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25mm, mixed in a concrete mixer of not less than 0.2 cum capasity and appropriate weigh batcher using approved mix design ,laid in approved fixed side formwork (steel channel,laying and fixing of 125 micron thick polythene film,wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continous operation including provision of contraction and expansion ,construction joints, applying debonding strips ,primer ,sealant ,dowel bars, near approaches to bridge/culvert and construction joints, admixture as approved ,curing of concrete slabs for 14 days. Curing compound (where specified) and water finishing to lines and grade as per drawing and Technical specification Clause 1501. PCC Grade M-30 EachPanel (0.50X0.50)		Cum	6,868.92	0.00
	Kilometre stone Reinforced cement concrete M15 grade kilometre local				
0	Reinforced cement concrete M15 grade known stone of standard design asper IRC:8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703.	0	No.	3,845.51 2,258.28	0.00 +51a.50
	State of the state	2	No.	044.50	1933.08
į.	i) 5th km stone	3	No.	0.44.30	

Certified True Copy.
For JAI BABA DHANKUND NATH CONSTRUCTIONS PRIVATE LIMITED

BIRENDRA KUMAR BHARTI

C/O Birendra Kumar Bharti. Vill- Sujal Korama (Kurma). Kathrang, Bhagalpur, Jagdishpur, Bihar, Judia, 813197 CIN: 1/43299BR2023P1C066890

Ph- 9431277980

f mail ff) jailiahadhankundnath azgman 🤲

Ref. No

Dille

Sl. No.	Description of Items	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
11	Retro-reflectorised Traffic SignsProviding and erecting direction and place identification retro-\reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area exceeding 0.9 sqm supported on mild steel angle iron posts 75 mm x 75 mm x 6 mm, 2 Nos. firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and Technical Specification Clause 1701.	1.92	Sqm	11,975.55	2299 3 0 <u>6</u>
12	Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801				
	600 mm equilateral & triangle	1	Nos	4,104.11	4104.11
	600 mm circular	1	Nos	4,048.64	4048.64
	600 mm x 450 mm rectangular	1	Nos	3,904.91	3904.91
	900 mm side octagon	1	Nos	8,349.64	8349.64
13	Reinforced cement concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704		Nos	575.37	11507 +0
14			per cm height per letter	0.65	85.80

Certified True Copy.

For JAI BABA DHANKUND NATH CONSTRUCTIONS PRIVATE LIMITED

BIRENDRA KUMAR BHARTI

C/O Birendra Kumar Bharti, Vill- Sujal Korama (Kurma). Kathrang, Bhagalpur, Jagdishpur, Bihar, India, 813107

CIN: U43299BR2023PTC066890

Ph- 9431277980

Email ID: jaibabadhankundnath a gmail ci

Ref. No.:

Date:

		Qty.	Unit	Rate (Rs.)	Amount (Rs.)
l. No.	Description of Items	Qty.	O.I.I.		
15	Planting of trees by the road side (Avenue trees) in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yard/sludge manure, planting the saplings, backfilling the trench, watering, fixing the tree guard and maintaining the plants for	38	Each	1,060.50	40299.00
	one year Providing and laying of hot applied thermoplastic				
16	compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from				
	.The finished surface to be level, different and		Sam	642.39	97129.37
	streaks and holes.	151.20	Sqm	731.69	0.00
i	At Edge For BT Portion At Edge For Old CC Portion	0.00	Sqm	1,02.00	
17	Providing and fixing of typical Maintenance informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	4	No.	9,490.90	37963.60
18	Cross Drainage Works/Protection/Repair Earth work in excavation for foundation of structures upto 3.0 m depth 部设置 中央	29.80	Cum	343.58	10238.68

BIRENDRA KUMAR BHARTI

C/O Birendra Kumar Bharti. Vill- Sujal Korama (Kurma). Kathrang, Bhagalpur, Jagdishpur, Bihar, India, 813107

CIN: U43299BR2023PTC066890

Ph- 9431277980

Email ID: jaibabadhankundnath a gmail.ci

Ref. No.:

Date:

Sl. No.	Description of Items	Items Qty.		Rate (Rs.)	Amount (Rs.)
19	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC M-15 Grade	4.60	Unit Cum	5,567.68	25611.33
20	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC M-20 Grade	33.74	Cum	5,803.67	195815.83
18	Painting on Parapet Wall (Black & White Strips) Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and Technical Specification Clause 1701	84.96	Sqm	114.61	9737.27
23	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonary works in head walls and parapets as per clause 1106	7.50	no	6,404.88	48036.62
19	Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications	64.32	sqm	158.49	10194.08
20	Brick masonry work in cement mortar 1:3 in parapet excluding pointing and plastering as per drawing and technical specifications Clauses 600, 900 and 1208.4	9.21	cum	5,055.13	46557.75
	Total				1814269.40
	1% LABOUR CESS				18142.69
	Seigniorage Fee				27433.18
	18 % GST				334772.15
	Total Construction Cost			A	2194617.42
	Grand Total Cost	2194617.42			

Certified True Copy.

For JAI BABA DHANKUND NATH CONSTRUCTIONS PRIVATE LIMITED

BIRENDRA KUMAR BHARTI

nedule XLY Form N.134.

W.D. MM GISLIN (SC)

-SUB DIVISION -DIVISION

NEASUREMENT BOOK

MBNO-2581 9205 Willow

Name of Work -1

Situation of work -

Agency by which work is executed Date of measurement.
No. and date of agreement
(These four lines should be repeated and the commencement of the measurement relating to each work)

the measure			l measu		Contents or
Particulars	No.	L	В	D	area
Name of	Moss	:-6	nst. c	f Ro	ad Soon
	A	azi (axbo	rcho	ad Groun K Mahadal
	70	ola-	TO N	pulac	la-Dhoray
		ì	1	load	. I
	is.				
			16	\$10.000 E	
					1
EL MICE				7- 11-	MIC-1
Me	asua	me	nt		
y. Clear	ing a	9711	bhire		
Road	Oin	2 1	00		W Nat
1	11 22 5	, , ,	1 15	· 7•	0.114
	4 X 3				240.00n
	4x S	X MC	1.00	- 2	240.00r
2×	Hx3	OW	1.00	2	240.00 r
2,	Yx:	50 M 2	1. 00	- 5	240.00 M
2	× Y x	301	71.	00 :	240.00 M
2	* YX	70E	x],	. OO	240.00
2)			10/	1.	60.00
2		.0	(a)	יטס	12.00
2 A 11			otal		512.00 m
15/2.000	- 10	000		2	0.151 Hoof
10(x.00)		Continu	intlan)		

Sch. XLV	-Form No.		are L	(D)	
Particula	Details No.	s of actu	E) 8	738-5	- Contents or
19.			В	D	area
19. PM	and lo	ging	1000	MM	
dia	Ree h	me 1	DiDE .	la de	No Section Vi
* A	5.3			0	
TMBP-	gty.	7.	50 R	M.	8
(a)		10	4 67	250000	
	404.8	87 KI	1	-Rs	48037-0
	3				P
20: 00 1	4.	74 5 1	4	· ·	
20 Plaste	JA M	idhe	7/1:0	D	1 415 3 30135
TMBP-8	الماها		20	, ,	
	511 55 75 85		100	MY	
@K	158.	49/	M2	=Ri	4700
1.	10000	-			6796:00
TH BAICK	Masona	my ch	1(1:	3)	
TMBP-4	efu			ECE 104	
			6.14		
- Calk	5055	13/	M3 .	Rs.	31038 -00
5 Vo	1 24	-	D	0	
		707	rax	-R	1790924 a
Add GIST	18%		+)	Ra	322366=00
		-			JZZ:160 -VI
Add. L.C	essiy	1	41	Rs	17909=00
1012.		(,		0	_50
Add Scigni	orage	tee	(+)	Rs	2647800
· ·		70	talf	4 = 2	157677=0
11-4-1	Baste	25			
	130-1	23			
00	15	X-	111	1.	
28		31/0	1/25		
3111	25	A	E		
311	<u>,-</u>		+		
.1.					
	7.2		-	1.1	
Name (1887)	· V		V		
				143	1