

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, बाढ़

पत्रांक 1008 अगु / बाढ़ / दिनांक 12.06.2025
प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल बाढ़।

सेवा मे,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण, पटना।

विषय :-MMGSUY (Gen) योजना अन्तर्गत आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है, कि MMGSUY (Gen) योजना अन्तर्गत आवंटन उपलब्ध कराने हेतु विहित प्रपत्र में मांग पत्र तैयार कर आवश्यक कार्रवाई हेतु संलग्न कर समर्पित की जा रही हैं।

अनु०-यथोक्त।

विश्वासभाजन

18/06/25

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बाढ़।

Requisition Format for Scheme MMGSUY (GEN)

Name of the Works Division :- Barh

SL No.	Package No.	Project ID as per MIS	Name of Road	AA Length (in km.)	Administrative Approval (construction work) Amount (in Lakh)	Agreement (construction work) Amount (in Lakh)	Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Work Status (WBM/WMM/BM/SDBC etc.)	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content (in %)	Total Previous Allotted Amount (in Lakh)	Upto date Expenditure as per MIS (in Lakh)	Value of Work Done (in Lakh)	Current Demand (in Lakh)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1		MMGSUY/23-24 Barh/01	Barh Kondi Bus stand Railway Station t Hajipur Before	5.000	558.785	463.99823	-	17.06.2025	-	Surface completed (Road Furniture remaining)	2560	25	5	256.38466	256.38466	405.57420	149.18954	Suraface completed

It is certified that Physical & Financial Progress has been updated in MIS.

Note :-

- 1 Above Signed Copy along with Forwarding Letter & Utilisation Certificate must be uploaded in MIS.
- 2 Signed Hard Copy and Soft Copy (in excell) of recorded IRI is enclosed (As Applicable).

RWD, Works Division, Barh

D.A.O.

[Signature]
10/06/24

Executive Engineer
RWD, Works Division, Barh

[Signature]
10/06/2025

FORM GFR 12 - B

[See Rule 256 (2)]

FORM OF UTILIZATION CERTIFICATE

(1) Certified that out of the Loan of **Rs 256.38466 Lac** SANCTIONED under MMGSUY -Gen in favors of during the year 2025-26 an amount of **Rs 256.38466 Lac** has been utilized for the purpose for which it was sanctioned, and that the balance of **Rs. 0.00000** remaining unutilized at the end of the year 2025 has been surrendered to the Government (*vide* No. Nil, dated Nil) / will be adjusted towards the loan payable during the next financial year.

(2) Certified that I have satisfied myself that the conditions on which the loan was sanctioned have been duly fulfilled / are being fulfilled and that I have exercised the following checks to see that the money was actually spent for the purpose for which the loan was made.

Kinds of checks exercised

1. MB
2. Requisition
3. Utilization


10/06/2025
Executive Engineer
RWD, Works Division, Barh
10/06/21

Name of work : Barh Kondi Bus stand Railway Station t Hajipur Belore

Name of customer : Kaushalya Estate Private Limited

(R)Rural Road

Good

Average

Poor

< 4000

4001 - 5000

> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUM(perm)	Speed(Km/Hr)	Ull(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
28/05/25	10:36:34	10	100	100	24.0 cm	11.0 Km/Hr	2400.0 mm/Km	2361	3.25	Good	25.460657	N	85.708107	E	Normal
28/05/25	10:36:43	10	100	200	26.0 cm	13.9 Km/Hr	2600.0 mm/Km	2551	3.49	Good	25.460676	N	85.708123	E	Normal
28/05/25	10:36:56	10	100	300	28.0 cm	10.9 Km/Hr	2800.0 mm/Km	2741	3.72	Good	25.460674	N	85.708132	E	Normal
28/05/25	10:37:13	10	100	400	35.0 cm	21.2 Km/Hr	3500.0 mm/Km	3406	4.51	Good	25.460917	N	85.708234	E	Normal
28/05/25	10:37:22	10	100	500	20.0 cm	15.3 Km/Hr	2000.0 mm/Km	1981	2.78	Good	25.460885	N	85.708372	E	Normal
28/05/25	10:37:35	10	100	600	22.0 cm	26.1 Km/Hr	2200.0 mm/Km	2171	3.02	Good	25.460996	N	85.709025	E	Normal
28/05/25	10:37:49	10	100	700	31.0 cm	29.3 Km/Hr	3100.0 mm/Km	3026	4.06	Good	25.460882	N	85.709317	E	Normal
28/05/25	10:38:04	10	100	800	25.0 cm	25.2 Km/Hr	2500.0 mm/Km	2456	3.37	Good	25.460948	N	85.709507	E	Normal
28/05/25	10:38:16	10	100	900	26.0 cm	14.5 Km/Hr	2600.0 mm/Km	2551	3.49	Good	25.460956	N	85.709517	E	Normal
28/05/25	10:38:33	10	100	1000	23.0 cm	21.8 Km/Hr	2300.0 mm/Km	2266	3.14	Good	25.460836	N	85.710896	E	Normal
28/05/25	10:38:46	10	100	1100	25.0 cm	21.0 Km/Hr	2500.0 mm/Km	2456	3.37	Good	25.460822	N	85.711276	E	Normal
28/05/25	10:38:59	10	100	1200	23.0 cm	22.9 Km/Hr	2300.0 mm/Km	2266	3.14	Good	25.460760	N	85.711208	E	Normal
28/05/25	10:39:13	10	100	1300	25.0 cm	30.3 Km/Hr	2500.0 mm/Km	2456	3.37	Good	25.460609	N	85.712434	E	Normal
28/05/25	10:39:27	10	100	1400	25.0 cm	24.9 Km/Hr	2500.0 mm/Km	2456	3.37	Good	25.460619	N	85.712533	E	Normal
28/05/25	10:39:39	10	100	1500	24.0 cm	25.9 Km/Hr	2400.0 mm/Km	2361	3.25	Good	25.460345	N	85.713593	E	Normal
28/05/25	10:39:59	10	100	1600	23.0 cm	29.1 Km/Hr	2300.0 mm/Km	2266	3.14	Good	25.460464	N	85.713743	E	Normal
28/05/25	10:40:13	10	100	1700	21.0 cm	24.1 Km/Hr	2100.0 mm/Km	2076	2.9	Good	25.460439	N	85.713848	E	Normal
28/05/25	10:40:25	10	100	1800	24.0 cm	29.7 Km/Hr	2400.0 mm/Km	2361	3.25	Good	25.460776	N	85.714596	E	Normal
28/05/25	10:40:38	10	100	1900	23.0 cm	32.7 Km/Hr	2900.0 mm/Km	2836	3.83	Good	25.460953	N	85.715123	E	Normal
28/05/25	10:40:50	10	100	2000	28.0 cm	26.4 Km/Hr	2800.0 mm/Km	2741	3.72	Good	25.461023	N	85.715124	E	Normal
28/05/25	10:41:04	10	100	2100	31.0 cm	24.9 Km/Hr	3100.0 mm/Km	3026	4.06	Good	25.460766	N	85.715220	E	Normal

28/06/25
S.C.

M. T. S.
28/06/25

Vivek
02/06/2025

Name of work : Barh Kondi Bus stand Railway Station t Hajipur Belore

Name of customer : Kaushalya Estate Private Limited

(R)Rural Road			
Good		Average	Poor
< 4000		4001 - 6000	> 6000

28/05/25	10.41.19	10	100	2200	24.0 cm	24.9 Km/Hr	2400.0 mm/Km	2361	3.25	Good	25.450887	N	85.715881	E	Normal
28/05/25	10.41.31	10	100	2300	23.0 cm	21.0 Km/Hr	2300.0 mm/Km	2266	3.14	Good	25.460739	N	85.715339	E	Normal
28/05/25	10.41.43	10	100	2400	20.0 cm	11.2 Km/Hr	2000.0 mm/Km	1981	2.78	Good	25.460725	N	85.716339	E	Normal
28/05/25	10.41.55	10	100	2500	22.0 cm	22.1 Km/Hr	2200.0 mm/Km	2171	3.02	Good	25.458643	N	85.718878	E	Normal
28/05/25	10.42.09	10	100	2600	19.0 cm	5.8 Km/Hr	1900.0 mm/Km	1886	2.66	Good	25.457881	N	85.719887	E	Normal
28/05/25	10.42.18	10	100	2700	29.0 cm	18.0 Km/Hr	2900.0 mm/Km	2836	3.83	Good	25.457379	N	85.719488	E	Normal
28/05/25	10.42.29	10	100	2800	30.0 cm	25.9 Km/Hr	3000.0 mm/Km	2931	3.95	Good	25.457488	N	85.719506	E	Normal
28/05/25	10.42.41	10	100	2900	25.0 cm	28.5 Km/Hr	2500.0 mm/Km	2456	3.37	Good	25.457490	N	85.719558	E	Normal
28/05/25	10.42.52	10	100	3000	29.0 cm	27.7 Km/Hr	2900.0 mm/Km	2836	3.83	Good	25.457432	N	85.719787	E	Normal
28/05/25	10.43.03	10	100	3100	37.0 cm	24.9 Km/Hr	3700.0 mm/Km	3596	4.74	Good	25.457467	N	85.719827	E	Normal
28/05/25	10.43.14	10	100	3200	31.0 cm	25.4 Km/Hr	3100.0 mm/Km	3026	4.06	Good	25.457181	N	85.720206	E	Normal
28/05/25	10.43.22	10	100	3300	26.0 cm	21.1 Km/Hr	2600.0 mm/Km	2551	3.49	Good	25.457148	N	85.720210	E	Normal
28/05/25	10.43.32	10	100	3400	29.0 cm	32.4 Km/Hr	2900.0 mm/Km	2836	3.83	Good	25.456888	N	85.720814	E	Normal
28/05/25	10.43.44	10	100	3500	23.0 cm	34.2 Km/Hr	2300.0 mm/Km	2266	3.14	Good	25.456081	N	85.720922	E	Normal
28/05/25	10.43.51	10	100	3600	28.0 cm	26.4 Km/Hr	2800.0 mm/Km	2741	3.72	Good	25.456023	N	85.722555	E	Normal
28/05/25	10.44.07	10	100	3700	24.0 cm	20.7 Km/Hr	2400.0 mm/Km	2361	3.25	Good	25.455616	N	85.723070	E	Normal
28/05/25	10.44.19	10	100	3800	31.0 cm	31.8 Km/Hr	3100.0 mm/Km	3026	4.06	Good	25.455570	N	85.723083	E	Normal
28/05/25	10.44.37	10	100	3900	28.0 cm	20.4 Km/Hr	2800.0 mm/Km	2741	3.72	Good	25.455489	N	85.723091	E	Normal
28/05/25	10.44.53	10	100	4000	23.0 cm	22.2 Km/Hr	2300.0 mm/Km	2266	3.14	Good	25.455489	N	85.723091	E	Normal
28/05/25	10.45.02	10	100	4100	30.0 cm	22.2 Km/Hr	3000.0 mm/Km	2931	3.95	Good	25.455477	N	85.726580	E	Normal
28/05/25	10.45.16	10	100	4200	27.0 cm	22.2 Km/Hr	2700.0 mm/Km	2646	3.6	Good	25.455477	N	85.726590	E	Normal
28/05/25	10.45.34	10	100	4300	24.0 cm	22.2 Km/Hr	2400.0 mm/Km	2361	3.25	Good	25.455322	N	85.726970	E	Normal

01/06/18
T.C.

02/06/18
T.C.

09/06/18
T.C.

Name of work : Barh Kondi Bus stand Railway Station t Hajipur Belore

Name of customer : Kausalya Estate Private Limited

(R) Rural Road

Good	Average	Poor
< 4000	4001 - 5000	> 5000


28/05/25	10:45:44	10	100	4400	25.0 cm	22.2 Km/Hr	2500.0 mm/Km	2456	3.37	Good	25.453437	N	85.727128	E	Normal
28/05/25	10:45:59	10	100	4500	28.0 cm	22.2 Km/Hr	2600.0 mm/Km	2741	3.72	Good	25.453513	N	85.727850	E	Normal
28/05/25	10:46:11	10	100	4600	22.0 cm	22.2 Km/Hr	2200.0 mm/Km	2171	3.02	Good	25.453522	N	85.727863	E	Normal
28/05/25	10:46:24	10	100	4700	27.0 cm	22.2 Km/Hr	2700.0 mm/Km	2646	3.6	Good	25.453393	N	85.728006	E	Normal
28/05/25	10:46:33	10	84	4784	31.0 cm	22.2 Km/Hr	3100.0 mm/Km	3026	4.06	Good	25.453384	N	85.728009	E	

[Signature]
09/06/2025

[Signature]
09/06/2025

Vivek W.
09/06/2025

Name of Customer: Karsabya Estate Private Limited, Machine no: 19216, Road: Barh Koudi Bus stand Railway Station t Hajipur Belore, Date: 28/05/25, Section No: 10, Equation: $Y=0.950X+80.8$



[Signature]
02/06/25
T.E.

[Signature]
02/06/25

[Signature]
02/06/2025