

1

(These four lines should be repeated at the commencement of the measurement relating to each work)

		- 0.7131 m
item (2)	Construction of Reference pillar	- 0.7131 m
item (3)	Clearing and grubbing Road land	
	$1 \times 23 \times 30 \times 7.00 = 4830 m^2$ $1 \times 7 \times 23 \times 5.50 = 1265 m^2$	
		4956.5
		or 0.495 Ha
item (4)	E/w excavation in found of structure (H.P)	
Face wall-	$3 \times 2 \times 3.90 \times 1.24 \times 1.80 =$	43.53 m
Pipe portion-	$3 \times 1 \times 6.20 \times 1.02 \times 0.30 =$	5.69 m ³
		49.22 m ³

Continuation

ABSTRACT OF COST

10

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(1) setting P.M. Pillar					
V.T.M.B.P.N. - (1)					
item (1) - 0.713 km					
@ 5660.07/ha -					40362
(2) Const. of Reference Pillar					
V.T.M.B.P.N. - (1)					
item (2) - 0.713 km					
@ 3788.94/ha -					2702.5
(3) clearing and grubbing Roadbed					
V.T.M.B.P.N. - (1)					
item (3) - 0.495 ha					
@ 76926.08/ha -					38078.5
(4) Const. of embankment with load 1000					
V.T.M.B.P.N. - (3)					
item (4) - 1360.7 m					
@ 218.58/m ³ -					297422.5
(5) Const. of embankment with load 1000					
V.T.M.B.P.N. - (3)					
item (5) - 522.50 m ³					
@ 289.69/m ³ -					135698.5

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(6)	Constn of sub grade				
	and 60mm shoulder				
	V.T.M.B.P.No - (5)				
	item ① - 1154.62m				
	Q 270.27/m ³ -				312073 ⁰⁰
(7)	constn of				
	C.S.B well graded				
	V.T.M.B.P.No - (6)				
	item ① - 459.45m				
	Q 2397.12/m ³ -				1101357 ³
(8)	constn of				
	W.B.M curbs				
	V.T.M.B.P.No - (7)				
	item ① - 200.88m				
	Q 3739.69/m ³ -				751227 ⁰⁰
(9)	constn of				
	unreinforced concrete				
	pavement				
	V.T.M.B.P.No - (9)				
	item ① - 133.42m ³				
	Q 7512.11/m ³ -				1002266 ⁰⁰
(10)	E/W excavation				
	in fundn				
	V.T.M.B.P.No - (1)				
	item ① - 49.22m ³				
	Q 405.83/m ³ -				19978 ⁰⁰

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(11)	P/V Plain Concrete				
	in open finish (m ²)				
	V.T.M.B. P.No - ②				
	item ⑤ - 4.35 m ²				
	Q 5935.04/m ² -				28817 ^m
(12)	P/V Plain Concrete				
	in open finish (m ²)				
	V.T.M.B. P.No - ②				
	item ① - 29.97 m ²				
	Q 6442.10/m ² -				193070 ^m
(13)	P/V Plain Concrete				
	in substructure (m ²)				
	V.T.M.B. P.No - ③				
	item ② - 10.35 m ²				
	Q 6738.45/m ² -				69743 ^m
(14)	P/V Laying HP3				
	pipe				
	V.T.M.B. P.No - ③				
	item ① - 22.5 m ²				
	Q 1316.8 -				29628 ^m
(15)	Laying F18 clay				
	bedding well completed				
	V.T.M.B. P.No - ②				
	item ① - 7.44 m ²				
	Q 578.66/m ² -				4305 ^m

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(167) Filling in fresh gullies					
V.T.M.D.P.No - ②					
id. ② - 12-30 M					
Q 578.66/m ²					7118 ⁰⁰
					39,94,505 ⁰⁰
Add G.S.T - 18% —					719011 ⁰⁰
Add C.O.G - 1% —					39945 ⁰⁰
Add Scaffolding —					110,250 ⁰⁰
					48,63,715 ⁰⁰
A/cy 2000 22162/8 J.E					
Cy 2000 AE					