

GT Rd se Nimiyā dola via Bome
Kahudag Pucari dola
Below - 0.514
Shedule XLV Form No. 134.

Agst No - 12 SBD - 2023.24 DOS - 21.02.2024
Bazarkatti Doc - 11.02.2025
DIVISION

Masy (MUSFCH) - NDB SUB-DIVISION

Measurement Book

212m 511g 4223+41/ 270 mo

1490

3rd and Final ~~bid~~ bid

19

Alur

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of Road -	G.T road se Hinda				
	Telavira Buzer to kahudag				
	Purwar Jala				
Agency -	Sital prasad const Pvt Ltd				
Agg No -	12883/23-24				
	M.P - 13/01/25				
	UP to date measurement				
item (1)	Setting out Pillar				
	- 1 No				
item (2)	P/V reference Pillar				
	- 5 No				
item (3)	Cleaning and grading road and				
	Road and				
	2x	42x30x0.75 =	1890 m ²		
	2x	1x17x0.75 =	255 m ²		
			1915.5 m ²		
			or 0.19 Ha		
item (4)	E/W Filling in road				
	embankment (by graph)				
Stn	Ch	Area	Mean Area	Length	Volume
1	0	1.60			
2	100	3.00	2.30	100	230.00
3	200	5.00	4.00	100	400.00
4	300	5.00	5.00	100	500.00
5	400	4.80	4.90	100	490.00
6	500	4.80	4.85	100	485.00
7	600	4.80	4.05	100	405.00

Continuation



ABSTRACT OF QNT

28

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
(1/1)	Carpet of B.M pillar				
	V.T. M.B. P.H. - (1)				
	item (1) - 1 Ht				
	8 4316.13/10				4316.2
(2/2)	Carpet of reference pillar				
	V.T. M.B. P.H. - (1)				
	item (2) - 5 Ht				
	8 1990.34/11				9954.20
(3/1)	cleaning and masonry Road				
	V.T. M.B. P.H. - (13)				
	item (1) - 0.19 Ht				
	8 2594.29/10				14363.2
(4/4)	E/W Filling in road				
	embankment (0.1002)				
	V.T. M.B. P.H. - (9)				
	item (4/A) - 465.82 m ²				
	8 185.83/m ²				86563.2
(5/5)	E/W Filling in road				
	embankment (0.1002)				
	V.T. M.B. P.H. - (9)				
	item (4/B), (4/C)				
	197.91 + 354.69 - 552.60 m ²				
	8 258.03/m ²				142919.2

Continuation

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
(10)	Continuation of Crs-B in (Paved Pavement)				
	V.T.M.B.P.N. - (21)				
	Item (7) - 99.34 m ²				
	S 28251/m ² -				206916.2
(11)	P/V Jaising W.B.H				
	Curt in Paved Pavement				
	V.T.M.B.P.N. - (22)				
	Item (9) - 74.45 m ²				
	S 360782/m ² -				268716.2
(12)	P/V Jaising pavement				
	V.T.M.B.P.N. - (23)				
	Item (7) - 3882.58 m ²				229158.2
	S 5851/m ² -				77686.2
(13)	P/V applying Juck				
	Cont				
	V.T.M.B.P.N. - (25)				
	Item (25) - 3882.58 m ²				
	S 2001/m ² -				77686.2
(14)	P/V m.s.s 202 thick				
	paving carpet				
	V.T.M.B.P.N. - (25)				
	Item (3) - 3882.58 m ²				
	S 23055/m ² -				895083.2
(15)	const of unreinforced				
	concrete pavement				

Continuation

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
	V.T.M.P.P.H. - (24)				
	Idem (18)	158.95 m			
	8	6943.78/m			1103714 ^{sq}
(16)	providing laying				
	P.C.H.P. pipe				
	V.T.M.P.P.H. - (20)				
	Idem (4) - 30 m				
	8	1017.02/m			30511 ^{sq}
(17)	P.V. and laying				
	boundary pillar				
	V.T.M.P.P.H. - (27)				
	Idem (2) - 40 m				
	8	730 ^{sq} /m			29200 ^{sq}
(18)	P.V. 10 m stone				
	V.T.M.P.P.H. - (29)				
	Idem (8) - 3 m				
	8	2651.66/m			7955 ^{sq}
(19)	P.V. 200 m stone				
	V.T.M.P.P.H. - (27)				
	Idem (9) - 5 m				
	8	770.19/m			3851 ^{sq}
(20)	P.V. 600 m equivalent				
	frang. 10				
	V.T.M.P.P.H. - (27)				
	Idem (5) - 11 m				

Continuation

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
	Q	4395.31/H	—		48348 ^m
(24)	P/v	600m Circular			
	V.T.M.B.P.H.	(23)			
	Item (6)	— 610			
	Q	5801.72/H	—		34811 ^m
(25)	P/v	600x450m			
	Rectangular				
	V.T.M.B.P.H.	(23)			
	Item (7)	— 210			
	Q	5652.80/H	—		11316 ^m
(25)	P/v	900m side 180			
	V.T.M.B.P.H.	(23)			

	Item (8)	— 110			
	Q	1010.75/H	—		1010 ^m
(24)	Road maintenance				
	P.T. surface				
	V.T.M.B.P.H.	(23)			
	Item (9)	— 203m ²			
	Q	712.28/m ²	—		144587 ^m
(25)	Road maintenance				
	C.C. surface				
	V.T.M.B.P.H.	(23)			
	Item (10)	— 52.40m ²			
	Q	744.78/m ²	—		39026 ^m

Continuation

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
(31/38)	P/v	104.4	P.C.C		
	HP Pipe				
	V.T.M.B.P.M.			(22)	
	iden (13)			7.53	
	Q	6943.34/m			5278.2
(32/39)	Ex	6x	Corr. Lin		
	for	8m	(6m dia HP)		
	V.T.M.B.P.M.			(23)	
	iden (14)			15.62m	
	Q	398.63/m			6243.2
(33/31)	P/v	P.C.C	Mis		
	10x	10x	10x		
	V.T.M.B.P.M.			(24)	
	iden (15)			20.54m	
	Q	5823.95/m			11462.2
(34/32)	P/v	10x	6x		
	in	open	for		
	V.T.M.B.P.M.			(24)	
	iden (15)			15.65m	
	Q	4245.04/m			947.62
(35/33)	P/v	P.C.C	HP Pipe		
	(6m	dia HP)			
	V.T.M.B.P.M.			(24)	
	iden (17)			7.53	
	Q	3233.55/m			24252.2
				75,550.55	

Continuation

Sch.XLV-Form No. 134

[illegible]

Continuation