

Record entry

16

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(1) Gravel Sub soil with well graded material.					
1 X 30.00 X 3.75 X 0.100 2					11.25 m ²
1 X 20.00 X 3.75 X 0.100 2					7.50 m ²
1 X 10.00 X 5.40 X 0.100 2					5.40 m ²
1 X 30.00 X 3.75 X 0.100 2					11.25 m ²
1 X 10.00 X 3.75 X 0.100 2					3.75 m ²
					Total 39.15 m ²

(2) WBM Grading - 3.


1 X 10.00 X 4.40 X 0.075 2	3.30 m ²
2 X 30.00 X 2.90 X 0.075 2	17.55 m ²
1 X 10.00 X 2.90 X 0.075 2	2.925 m ²
1 X 18.00 X 2.90 X 0.075 2	5.265 m ²
1 X 10.00 X 4.20 X 0.075 2	3.15 m ²
2 X 30.00 X 3.75 X 0.075 2	16.875 m ²
1 X 20.00 X 4.00 X 0.075 2	6.00 m ²
1 X 30.00 X 2.70 X 0.075 2	8.325 m ²
2 X 25.00 X 4.10 X 0.075 2	15.375 m ²
1 X 10.00 X 8.00 X 0.075 2	6.00 m ²
1 X 30.00 X 4.10 X 0.075 2	9.225 m ²
1 X 30.00 X 2.70 X 0.075 2	8.325 m ²
1 X 25.00 X 2.00 X 0.075 2	5.625 m ²

Continuation

2 X 30.00 X 3.75 X 0.075 2 16.875 m²

Total 124.59 m²

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
② cement concrete					
Pavement m-30.					
1 X 10.00 X 4.40 X 0.160 =					7.04 m ³
2 X 30.00 X 3.70 X 0.160 =					37.44 m ³
1 X 10.00 X 3.70 X 0.160 =					6.24 m ³
1 X 18.00 X 3.70 X 0.160 =					11.23 m ³
1 X 10.00 X 4.20 X 0.160 =					6.72 m ³
2 X 30.00 X 3.70 X 0.160 =					35.52 m ³
1 X 20.00 X 4.00 X 0.160 =					12.80 m ³
1 X 30.00 X 3.70 X 0.160 =					17.76 m ³
2 X 25.00 X 4.10 X 0.160 =					32.80 m ³
1 X 10.00 X 8.00 X 0.160 =					12.80 m ³
1 X 30.00 X 4.10 X 0.160 =					19.68 m ³
1 X 20.00 X 3.70 X 0.160 =					11.84 m ³
1 X 25.00 X 3.00 X 0.160 =					12.00 m ³
Total =					223.87 m ³
					
					

Continuation

2nd on A/c B/M

Abstract of cost.

19

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(1/1) P/c & brick pavement.					
beddown.					
avg width by - (10) T.M.M					
1.00 m.					
E 4541.45/m ² - 1/2					4541.200
(2/2) Construction of reference pillars.					
avg width by - (10) T.M.M					
6.00 m.					
E 2098.24/m ² - 1/2					12590.200
(3/2) cleaning and gully					
2.00 m.					
avg width by - (10) T.M.M					
0.49 m.					
E 76926.08/m ² - 1/2					37694.200
(4/4) Construction of embankment.					
depth up to 1.00 m					
avg width by - (10) T.M.M					
660.00 m ²					
E 257.92/m ² - 1/2					170260.200
(5/5) Construction of embankment					
depth up to 1.00 m					
avg width by - (10) T.M.M					
1540.00 m ²					
E 182.75/m ² - 1/2					281435.200
Continuation					506520.200



Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(15) (29) P/w and laying R.C.C.					
Pike width 1000 mm. dia.					
avg width 1000 mm					
228909200					
(18) (30) Plastering with c.m (1:1:4).					
avg width 1000 mm					
138.50 m					
227796200					
16. 75.82273200					
Add 1/2% C.P.Y. - 16					1364809200
Add 1/4% C.P.Y. - 16					75822200
Add 1/2% P- (10) 16.					170792200
Add 1/2% P- (10) 16.					44398200
16. 92.98094200					
Less Provision Payment - 16					51.91965200
Less 20% of 16. 18					47619200
16. 73.90475200					
Less Provision Payment - 16					51.91965200
16. 21.98510200					
18/10/15					
18/10/15					