

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, अरेराज,

पत्रांक— / 552 (3130)

/ दिनांक 12/03/2025

प्रेषक :— कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल अरेराज।

सेवा में,

अपर मुख्य कार्यपालक पदा०—सह०—सचिव,
बिहार पथ विकास अभिकरण, पटना।

विशय:— MR(3054) New Maintenance Policy-2018 योजनान्तर्गत राशि की अधियाचना के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है कि MR(3054) New Maintenance Policy-2018 योजनान्तर्गत राशि का व्यय किया गया है।

अनुरोध है कि अधियाचना प्रपत्र में दर्शाये गये प्राप्त आवंटन एवं व्यय को मानते हुए अधियाचित राशि उपलब्ध कराने की कृपा की जाय। कार्य का निरीक्षण किया गया कार्य संतोषप्रद है। उक्त पथ में ए०टी०आर० लंबित नहीं है।

अनु०— 1) अधियाचना प्रपत्र।

2) 19 ए प्रपत्र।

3) Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed

विश्वासभाजन,


12/03/2025
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल—अरेराज।


12/3/25

Form GER 19-A
(See Government of India's Decision(1) bellow Rule – 150)
Form of utilization certificate up to the month of UP to march-2025
New Maintenance policy-2018 (MR-3054)

SI No.	Name of Scheme	Sanction No.&Date with Amount (in Rs. Lacks)	Amount Received (in Rs. Lacks)	Particulars
1	Maintenance policy-2018 (MR-3054)	CE-4 (HQ) 3054-04-04-2020 37 anu (Encl) Patna. Date- 27.05.2020 Rs. 22378444.00 CE-4 (HQ) 3054-04-04-2020 59 anu (Encl) Patna. Date- 18.08.2020 Rs. 17163386.00 CE-4 (HQ) 3054-04-04-2020 69 anu (Encl) Patna. Date- 24.09.2020 Rs. 2243115.00 CE-4 (HQ) 3054-04-04-2020 72 anu (Encl) Patna. Date- 07.10.2020 Rs. 10972340.00 CE-4 (HQ) 3054-04-04-2020 77 anu (Encl) Patna. Date- 14.10.2020 Rs. 4691687.00 CE-4 (HQ) 3054-04-04-2020 84 anu (Encl) Patna. Date- 26.11.2020 Rs. 4691087.00 CE-4 (HQ) 3054-04-04-2020 86 anu (Encl) Patna. Date- 11-12.2020 Rs. 37994027.00 CE-4 (HQ) 3054-04-04-2020 05 anu (Encl) Patna. Date- 12.01.2021 Rs. 52363682.00 CE-4 (HQ) 3054-04-04-2020 17 anu (Encl) Patna. Date- 26.02.2021 Rs. 952.11107.00 CE-4 (HQ) 3054-04-04-2020 20 anu (Encl) Patna. Date- 19.03.2021 Rs. 121844446.00 CE-4 (HQ) 3054-04-04-2020 26 anu (Encl) Patna. Date- 15.04.2021 Rs. 38500000.00 CE-4 (HQ) 3054-04-04-2020 27 anu (Encl) Patna. Date- 04.05.2021 Rs. 19076751.00 CE-4 (HQ) 3054-04-04-2020 32 anu (Encl) Patna. Date- 28.05.2021 Rs. 40629025.00 CE-4 (HQ) 3054-04-04-2020 34 anu (Encl) Patna. Date- 04.06.2021 Rs. 14353000.00 CE-4 (HQ) 3054-04-04-2020 40 anu (Encl) Patna. Date- 14.06.2021 Rs. 1778300.00 CE-4 (HQ) 3054-04-04-2020 58 anu (Encl) Patna. Date- 27.10.2021 Rs. 8655441.00 CE-4 (HQ) 3054-04-04-2020 13 anu (Encl) Patna. Date- 28-02-2022 Rs. 1972231.00 CE-4 (HQ) 3054-04-04-2020 14 anu (Encl) Patna. Date- 03-03-2022 Rs. 1000044.00 CE-4 (HQ) 3054-04-04-2020 16 anu (Encl) Patna. Date- 06-03-2022 Rs. 991122.00 CE-4 (HQ) 3054-04-04-2020 18 anu (Encl) Patna. Date- 11-03-2022 Rs. 274520.00 CE-4 (HQ) 3054-04-04-2020 22 anu (Encl) Patna. Date- 16-03-2022 Rs. 1062013.00 CE-4 (HQ) 3054-04-04-2020 01 anu (Encl) Patna. Date- 25-05-2022 Rs. 11113225.00 CE-4 (HQ) 3054-04-04-2020 22 anu (Encl) Patna. Date- 08-08-2022 Rs. 26791516.00 CE-4 (HQ) 3054-01-05-2022 16 anu (Encl) Patna. Date- 09-02-2023 Rs. 280.65000.00 CE-4 (HQ) 3054-01-05-2022 19 anu (Encl) Patna. Date- 14-02-2023 Rs. 212.25000.00 CE-4 (HQ) 3054-01-05-2022 29 anu (Encl) Patna. Date- 01-03-2023 Rs. 317.00000 CE-4 (HQ) 3054-01-05-2022 78 anu (Encl) Patna. Date- 24-05-2023 Rs. 135.39493 CE-4 (HQ) 3054-01-05-2022 31 anu (Encl) Patna. Date-09-03-2024 Rs. 299.87960 CE-4 (HQ) 3054-01-05-2022 72 anu (Encl) Patna. Date 29-05-2024 Rs. 91.69951 CE-4 (HQ) 3054-01-05-2022 89 anu (Encl) Patna. Date 31-07-2024 Rs. 186.61920 CE-4 (HQ) 3054-01-05-2022 02 anu (Encl) Patna. Date 14.01.2025 Rs. 94.20632	11814.34772	Certified that of Rs 11814.34772 Lakh of grants in said sanctioned upto march-2025 in favour of RWD, W.D., Areraj sum of Rs.11809.82396 lakh has been utilized Maintenance policy-2018 (MR-3054) Scheme as given sanctioned and that the balance of RS 4.52376 lakh
	Total		11814.34772	


2. Certified that I have satisfied myself that the conditions on which the grand's- in-aid was sanctioned have been duly fulfilled/ate being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of checks exercised:-

- Works have been supervised by Executive Engineer/ Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- Construction material has been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.


3. Physical Progress achieved:-

- Construction of The Road works
- Construction of CD Works :-


 12/02/2025
 EXECUTIVE ENGINEER,
 RURAL WORKS DEPARTMENT,
 WORKS DIVISION-ARERAJ.

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, अरेराज
नई अनुरक्षण नीति-2018 के अध्याचना हेतु प्रमाण पत्र

क्र० स०	शर्त	अभियुक्ति
1	मापि पुरत पर इस आशय का प्रमाण पत्र दर्ज है कि कार्य गुणवत्ता पूर्ण कराया गया है एवं विशिष्टियों के अनुरूप है।	REPAIR OF KESHRIYA ROAD OF GUJARWALIYA पथ का कार्य गुणवत्ता एवं विशिष्टियों के अनुरूप पूर्ण कराया गया है
2	कराये गये कार्यों के अभी अवयवों के अवयववार 100 प्रतिशत कार्य का दर्ज मापी का सत्यापन कनीय अभियंता, कम से कम 50 प्रतिशत मापी का सत्यापन सहायक अभियंता एवं कम से कम 10 प्रतिशत मापी का सत्यापन कार्यपालक अभियंता द्वारा किये जाने का प्रमाण पत्र को विभागीय MIS पर अपलोड किया जाय।	REPAIR OF KESHRIYA ROAD OF GUJARWALIYA पथ का कराये गए कार्यों के सभी अवयवों के अवयववार मापी का सत्यापन कनीय अभियंता, सहायक अभियंता, एवं कार्यपालक अभियंता द्वारा किया गया है।

 कनीय अभियंता ग्रामीण कार्य विभाग कार्य प्रशाखा, अरेराज	 सहायक अभियंता ग्रामीण कार्य विभाग कार्य अवर प्रमण्डल, अरेराज	 कार्यपालक अभियंता ग्रामीण कार्य विभाग, कार्य प्रमण्डल-अरेराज।
---	---	--

Name of Work Division: Aretaj

Requisition Format for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Sr No	Batch No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of RI (in mm/km)	Thickness of Bitumen layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done. (in Lakh)	Remarks
1	2	3	4	5	6 Length (in Km)	7 Amount of (in Lakh)	8 Initial Rectification with Surface Renewal (in lakh)	9 5 Years Routine Maintenance (in Lakh)	10	11	12	13	14	15	16	17	18	19
1	RM/EA/ARE/24/0004	REPAIR OF KESHRIYA ROAD OF GUJARWALIYA	31708308057	Letter No. 1086 Date- 01.03.2024	9.000	439.09000	279.58554	78.85481	13/MR-3054/MBD/2023-24 Date- 28.10.2024.	27-07-2025	Complete	2517.753	25	5.000	0	0	238.50000	
							279.58554	78.85481							0	0	238.50000	

2 Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
Up-to-date Physical Progress has been uploaded in MIS.

Executive Engineer,
Rural Works Department,
Works Division, A-201.
14/12/03

Name of Customer : Shankar Sharan Mishra
 Name of Work/ Road : Repair of Keshriya road of Gujari
 Lab Job number : 60
 Date : 12/03/2025
 Section No. : 60


Test Date : 12/03/2025
 Road Name : Repair of Keshriya road of Gujari
 Machine No : 406
 Road Type : (R) RURAL ROAD
 Start S No :
 Start E No :
 Side :
 Weather :
 UIV Range : 1144 To 4000 Interval 1000 mm/km
 Start Location :
 Dist Range : 0 To 9 0.1 1000 m
 End Location :
 Equation : $Y = 0 * X^2 + 0.816 * X + 249$

Print Generate Report and Graph

Redraw Graph

Map View

File : D:\BUMP\Repair of Keshriya road of Gujarwalya\14030345.Xls, Section No. : 60, Eqn : $Y = 0 * X^2 + 0.816 * X + 249$
 Name of Customer : Shankar Sharan Mishra, Name of Work/ Road : Repair of Keshriya road of Gujarwalya, Lab



Shankar Sharan Mishra
 12/3/25
 S.R.

12/03/25

Executive Engineer
 R.W.D. (W.D.)
 Avaraj
 12/03/25

Repair of Keshriya road of Gujarwaliya

Shankar Sharan Mishra

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR	IRI, ITCORY	Latitude ongitude	Event
12/3/25	7:31:0	60	0.1	330	0	3300	3100 G	26.57225° 84.55133	Normal
12/3/25	7:31:23	60	0.1	240	20.2	2400	2318 G	26.57131° 84.55135	Normal
12/3/25	7:32:0	60	0.1	200	20.2	2000	2752 G	26.57041° 84.55121	Normal
12/3/25	7:32:34	60	0.1	200	30.3	2000	2231 G	26.56951° 84.55094	Normal
12/3/25	7:33:0	60	0.1	190	30.3	1900	2492 G	26.56876° 84.55052	Normal
12/3/25	7:33:9	60	0.1	270	10.1	2700	2579 G	26.56787° 84.55022	Normal
12/3/25	7:33:44	60	0.1	240	20.2	2400	2318 G	26.56701° 84.54993	Normal
12/3/25	7:34:0	60	0.1	290	20.2	2900	2752 G	26.5664° 84.55019	Normal
12/3/25	7:34:19	60	0.1	190	30.3	1900	2492 G	26.5659° 84.55109	Normal
12/3/25	7:34:19	60	0.1	180	30.3	1800	2492 G	26.56516° 84.55167	Normal
12/3/25	7:34:19	60	0.1	200	20.2	2000	2231 G	26.56445° 84.55219	Normal
12/3/25	7:35:0	60	0.1	190	30.3	1900	2492 G	26.56375° 84.55281	Normal
12/3/25	7:35:0	60	0.1	190	30.3	1900	2492 G	26.56301° 84.55345	Normal
12/3/25	7:35:30	60	0.1	200	30.3	2000	2231 G	26.56228° 84.55411	Normal
12/3/25	7:35:30	60	0.1	180	30.3	1800	2752 G	26.56163° 84.55468	Normal
12/3/25	7:36:0	60	0.1	220	30.3	2200	2144 G	26.56088° 84.55535	Normal
12/3/25	7:36:5	60	0.1	170	30.3	1700	2492 G	26.56018° 84.55596	Normal
12/3/25	7:36:5	60	0.1	230	20.2	2300	2231 G	26.55933° 84.55628	Normal
12/3/25	7:36:41	60	0.1	180	20.2	1800	2752 G	26.55849° 84.55662	Normal
12/3/25	7:37:0	60	0.1	220	20.2	2200	2144 G	26.55772° 84.55717	Normal
12/3/25	7:37:0	60	0.1	170	30.3	1700	2492 G	26.55702° 84.55779	Normal
12/3/25	7:37:15	60	0.1	170	30.3	1700	2752 G	26.55633° 84.55843	Normal
12/3/25	7:37:15	60	0.1	190	30.3	1900	2231 G	26.55559° 84.55907	Normal
12/3/25	7:37:15	60	0.1	190	30.3	1900	2492 G	26.55492° 84.55966	Normal
12/3/25	7:37:50	60	0.1	200	30.3	2000	2492 G	26.55411° 84.5602	Normal
12/3/25	7:38:0	60	0.1	180	30.3	1800	2752 G	26.55335° 84.56071	Normal
12/3/25	7:38:0	60	0.1	190	30.3	1900	2492 G	26.55254° 84.5613	Normal
12/3/25	7:38:25	60	0.1	320	20.2	3200	3013 G	26.55181° 84.56178	Normal
12/3/25	7:38:25	60	0.1	240	30.3	2400	2318 G	26.55103° 84.56231	Normal
12/3/25	7:39:1	60	0.1	220	30.3	2200	2144 G	26.55026° 84.56281	Normal
12/3/25	7:39:1	60	0.1	280	10.1	2800	2666 G	26.5496° 84.56342	Normal
12/3/25	7:39:1	60	0.1	240	20.2	2400	2318 G	26.54886° 84.56412	Normal
12/3/25	7:39:36	60	0.1	230	20.2	2300	2231 G	26.54825° 84.56481	Normal
12/3/25	7:39:36	60	0.1	280	20.2	2800	2666 G	26.5477° 84.56564	Normal

$$Y = 0 * X^2 + 0.816 * X + 249$$

$$X = 2558$$

$$Y = 2336$$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

Executive Engineer
R.W.D. (M.D.)
Arenal

12/3/25
12/3/25
12/3/25

12/3/25	7:40:0	60	0.1	240	20.2	2400	2318 G	26.54737	84.56652	Normal
12/3/25	7:40:11	60	0.1	230	20.2	2300	2231 G	26.54707	84.56744	Normal
12/3/25	7:40:11	60	0.1	250	20.2	2500	2405 G	26.54616	84.56751	Normal
12/3/25	7:40:11	60	0.1	240	20.2	2400	2318 G	26.54549	84.56795	Normal
12/3/25	7:40:46	60	0.1	320	20.2	3200	3013 G	26.5448	84.56865	Normal
12/3/25	7:41:0	60	0.1	260	20.2	2600	2492 G	26.54403	84.56924	Normal
12/3/25	7:41:0	60	0.1	240	20.2	2400	2318 G	26.54322	84.56968	Normal
12/3/25	7:41:22	60	0.1	260	20.2	2600	2492 G	26.54235	84.57012	Normal
12/3/25	7:41:22	60	0.1	260	20.2	2600	2492 G	26.54155	84.57047	Normal
12/3/25	7:42:0	60	0.1	230	30.3	2300	2231 G	26.54078	84.57091	Normal
12/3/25	7:42:0	60	0.1	190	20.2	1900	2492 G	26.54	84.57152	Normal
12/3/25	7:42:32	60	0.1	200	30.3	2000	2231 G	26.53938	84.57226	Normal
12/3/25	7:42:32	60	0.1	180	20.2	1800	2492 G	26.53867	84.57286	Normal
12/3/25	7:42:32	60	0.1	170	30.3	1700	2752 G	26.53787	84.57337	Normal
12/3/25	7:43:0	60	0.1	200	30.3	2000	2231 G	26.53712	84.57386	Normal
12/3/25	7:43:8	60	0.1	250	20.2	2500	2405 G	26.53638	84.57451	Normal
12/3/25	7:43:8	60	0.1	320	20.2	3200	3013 G	26.5358	84.57525	Normal
12/3/25	7:43:43	60	0.1	180	30.3	1800	2752 G	26.5352	84.57608	Normal
12/3/25	7:44:0	60	0.1	200	20.2	2000	2231 G	26.5346	84.57678	Normal
12/3/25	7:44:18	60	0.1	190	20.2	1900	2492 G	26.53421	84.57766	Normal
12/3/25	7:44:18	60	0.1	220	30.3	2200	2144 G	26.53366	84.57845	Normal
12/3/25	7:45:0	60	0.1	320	20.2	3200	3013 G	26.53292	84.57886	Normal
12/3/25	7:45:0	60	0.1	180	30.3	1800	2752 G	26.5321	84.57943	Normal
12/3/25	7:45:0	60	0.1	170	30.3	1700	2752 G	26.53137	84.58002	Normal
12/3/25	7:45:29	60	0.1	220	20.2	2200	2144 G	26.53066	84.58064	Normal
12/3/25	7:45:29	60	0.1	190	20.2	1900	2492 G	26.52995	84.58126	Normal
12/3/25	7:45:29	60	0.1	200	20.2	2000	2231 G	26.52922	84.58187	Normal
12/3/25	7:46:4	60	0.1	100	40.4	3448	3229 G	26.52856	84.58246	Normal
12/3/25	7:46:4	60	0.1	160	30.3	3404	3026 G	26.52785	84.5831	Normal
12/3/25	7:46:4	60	0.1	320	20.2	3200	3013 G	26.52713	84.58372	Normal
12/3/25	7:46:4	60	0.1	260	20.2	2600	2492 G	26.52621	84.58411	Normal
12/3/25	7:46:39	60	0.1	240	20.2	2400	2318 G	26.5255	84.5847	Normal
12/3/25	7:46:39	60	0.1	260	20.2	2600	2492 G	26.5249	84.58534	Normal
12/3/25	7:47:0	60	0.1	260	20.2	2600	2492 G	26.52425	84.58609	Normal
12/3/25	7:47:0	60	0.1	230	30.3	2300	2231 G	26.52384	84.5869	Normal
12/3/25	7:47:15	60	0.1	190	20.2	1900	2492 G	26.52334	84.58783	Normal
12/3/25	7:47:15	60	0.1	200	30.3	2000	2231 G	26.52276	84.58865	Normal
12/3/25	7:47:50	60	0.1	180	20.2	1800	2492 G	26.52224	84.58939	Normal


 Executive Engineer
 RW.D. (W.D.)
 Atrial


 12/3/25


 12/3/25
 a.e.

12/ 3/ 25 7: 48: 0	60	0.1	170	30.3	1700	2752 G
12/ 3/ 25 7: 48: 0	60	0.1	200	30.3	2000	2231 G
12/ 3/ 25 7: 48: 0	60	0.1	250	20.2	2500	2405 G
12/ 3/ 25 7: 48: 25	60	0.1	320	20.2	3200	3013 G
12/ 3/ 25 7: 48: 25	60	0.1	260	20.2	2600	2492 G
12/ 3/ 25 7: 48: 25	60	0.1	240	20.2	2400	2318 G
12/ 3/ 25 7: 48: 25	60	0.1	260	20.2	2600	2492 G
12/ 3/ 25 7: 49: 0	60	0.1	260	20.2	2600	2492 G
12/ 3/ 25 7: 49: 0	60	0.1	320	20.2	3200	3013 G
12/ 3/ 25 7: 49: 0	60	0.1	190	20.2	1900	2492 G
12/ 3/ 25 7: 49: 36	60	0.1	200	30.3	2000	2231 G
12/ 3/ 25 7: 49: 36	60	0.1	180	20.2	1800	2492 G
12/ 3/ 25 7: 50: 0	60	0.1	170	30.3	1700	2752 G
12/ 3/ 25 7: 50: 11	60	0.1	320	20.2	3200	3013 G
12/ 3/ 25 7: 50: 11	60	0.1	250	20.2	2500	2405 G
12/ 3/ 25 7: 50: 11	60	0.1	180	30.3	1800	2752 G
12/ 3/ 25 7: 52: 32	60	0.1	290	20.2	2900	2752 G

Average IRI	2517.753
-------------	----------

26.52173	84.59019	Normal
26.52129	84.59099	Normal
26.52079	84.5919	Normal
26.52055	84.59279	Normal
26.52038	84.59384	Normal
26.52016	84.59476	Normal
26.51985	84.59572	Normal
26.51939	84.59662	Normal
26.5186	84.59719	Normal
26.51806	84.59796	Normal
26.51746	84.59867	Normal
26.51686	84.59943	Normal
26.51628	84.60017	Normal
26.51573	84.60096	Normal
26.51515	84.60173	Normal
26.51451	84.60258	Normal
26.51439	84.60276	Normal

Pranesh
12/3/25
S.E.

W.D.
12/03/25

W.D.
12/03/25
Executive Engineer
R.W.D. (W.D.)
Areraj