

Atanhuu & Gammay

MMHGSUY (S.C.)

## Shedule XLV Form No. 134.

E.E R.W.D (W)

DIVISION

A.E R.W.D (W)

SUB-DIVISION

Gaya

Mazigany

## Measurement Book

3338

Name of work: - Mangrayana Road to Akabodpur

| Particulars | Details of actual measurement              |            |    |            | Contents of area        |
|-------------|--------------------------------------------|------------|----|------------|-------------------------|
|             | No.                                        | L.         | B. | D.         |                         |
|             |                                            |            |    |            | <u>Abstract of Cost</u> |
| (1/1)       | Providing & Fixing<br>of working B.M.      |            |    |            |                         |
| P/10        | 2.00 Km                                    |            |    |            |                         |
|             |                                            | C 12356=43 |    | B=24713=00 |                         |
| (2/2)       | Clearing & grubbing<br>road land.          |            |    |            |                         |
| P/10        | 0.837 Hect                                 |            |    |            |                         |
|             |                                            | C 76926=08 |    | B=64387=00 |                         |
| (3/3)       | Scarifying existing<br>bituminous surface. |            |    |            |                         |
| P/10        | 4500.00 m <sup>2</sup>                     |            |    |            |                         |

|       |                                         |           |  |              |  |
|-------|-----------------------------------------|-----------|--|--------------|--|
|       |                                         | C 20=61   |  | B=92727=00   |  |
| (4/8) | Providing laying<br>grade-3 material.   |           |  |              |  |
| P/10  | 612.35 m <sup>3</sup>                   |           |  |              |  |
|       |                                         | C 2807=58 |  | B=1719221=00 |  |
| (5/7) | Const. of subgrade<br>& outer shoulder. |           |  |              |  |
| P/10  | 1677.12 m <sup>3</sup>                  |           |  |              |  |
|       |                                         | C 264=77  |  | B=285189=00  |  |
| (6/9) | Providing & applying<br>prime coat.     |           |  |              |  |
| P/10  | 7500.00 m <sup>2</sup>                  |           |  |              |  |
|       |                                         | C 54=738  |  | B=410535=00  |  |

| Particulars                                         | Details of actual measurement |                        |    |                   | Contents of area |
|-----------------------------------------------------|-------------------------------|------------------------|----|-------------------|------------------|
|                                                     | No.                           | L.                     | B. | D.                |                  |
| (7/10) Providing & applying<br>tack coat.           |                               |                        |    |                   |                  |
| P/11                                                |                               | 750.00 m <sup>2</sup>  |    |                   |                  |
|                                                     | Q                             | 15 = 7.31              |    | b = 117983 = 00   |                  |
| (8/11) Providing & applying<br>bituminous Macadam.  |                               |                        |    |                   |                  |
| P/11                                                |                               | 375.00 m <sup>3</sup>  |    |                   |                  |
|                                                     | Q                             | 110.49 = 62            |    | b = 4147358 = 00  |                  |
| (9/12) Providing & applying<br>tack coat.           |                               |                        |    |                   |                  |
| P/13                                                |                               | 71.25 m <sup>2</sup>   |    |                   |                  |
|                                                     | Q                             | 15 = 7.31              |    | b = 12083 = 00    |                  |
| (10/13) Providing & laying<br>Semi dense bituminous |                               |                        |    |                   |                  |
| P/13                                                |                               | 178.125 m <sup>3</sup> |    |                   |                  |
|                                                     | Q                             | 109.28 = 98            |    | b = 1946725 = 00  |                  |
|                                                     |                               |                        |    | B = 8920921 = 00  |                  |
| Ins T. 18% (+)                                      |                               |                        |    | B = 26762762 = 00 |                  |
|                                                     |                               |                        |    | 1605766 = 00      |                  |
| 1% L. less (+)                                      |                               |                        |    | b = 89209 = 00    |                  |
|                                                     |                               |                        |    | B = 10615896 = 00 |                  |
| Below 7.11% (-)                                     |                               |                        |    | B = 1816379 = 00  |                  |
|                                                     |                               |                        |    | H = 8799517 = 00  |                  |
| less previous bill (-)                              |                               |                        |    | k = 4200000 = 00  |                  |
|                                                     |                               |                        |    | k = 4599517 = 00  |                  |

Continuation

18/03/25



Continuation